BONOMI

NORTH AMERICA

2019



BONOMI GROUP

PRICE LIST
EFFECTIVE JULY 1st 2019

PNEUMATIC AND ELECTRIC ACTUATED VALVE PACKAGES

RUBINETTERIE BRESCIANE

VALPRES

VALBIA

POWER OF A GROUP

Only excellence
allows Bonomi Group
to compete
in the international market.
The challenge can be
met thanks to the
passion and the
energy of the researchers,
who plan and
manufacture avant-garde
quality and technology,
a team which is perfectly
integrated for providing
total customer satisfaction;
we are ready!

BONOMI
GROUP

APPROVALS

ISO 9001 - ISO 14001 - OHSAS 18001 - ISO 50001

Certificate

SQS hereewith certifies that the company named below has a management system which meets the requirements of the standard specified below.

Rubinetterie Bresciane Bonomi S.p.A.
Via Massimo Bonomi, 1
25064 Gussago (BS)
Italy

Scope of certification

Site of Via Massimo Bonomi, 1
25064 Gussago (BS)
Italy

Field of activity

Design and production of gas valves, ball valves, fluid interception devices, multilayer pipe and fittings system, steel and CuNi pipe and fittings system. Production of metallic turned parts, hot forged and machined brass items

Normative basis

ISO 9001:2015 Quality Management System
ISO 14001:2015 Environmental Management System

Valvpres S.r.l.
Via A. Gitti, 11
25060 Marcheno V.T. (BS)
Italy

Scope of certification

According to appendix

Field of activity

Design and production of steel, cast iron and brass ball valves and of fluid interception devices

Normative base

OHSAS 18001:2007 Occupational Health and Safety Management System

Valbia S.r.l.
Via Industriale, 30
25065 Lumezzane (BS)
Italy

Scope of certification

Site of Via Industriale, 30
25065 Lumezzane (BS)/Italy

Field of activity

Design and production of pneumatic and electric actuators and of fluid interception devices

Normative base

ISO 50001:2011 Energy Management System

Scopeto: 17, 18 Validity: 01.05.2018–30.04.2021 Issue: 01.05.2018 Reg. no. 51461

ACCREDIA
SGE N° 010 M
Membro degli Accordi di Mutuo riconoscimento EA, IAF e ILAC
signatory of EA, IAF and ILAC
Mutual Recognition Agreements

X. Edelmann, President SQS F. Müller, CEO SQS

Swiss Association for Quality and Management Systems SQS
Bernstrasse 103, 3052 Zollikofen, Switzerland

Swiss made

Partner of IQNet

INSURANCE



Allianz

Allianz S.p.A.
GABURRI E ASSOCIATI SRL

Agenzia di GARDONE VAL TROMPIA
Via Matteotti, 357
25063 GARDONE VAL TROMPIA
Tel. 0030812877 / 0030812916
Fax 030861150
e-mail: gardone1@agenfiliare.it
Partita IVA 03850450983

CERTIFICATE OF INSURANCE

We ALLIANZ S.p.A. hereby certify to have in force the insurance policy described hereholow and to be the Insurer in connection with the coverage, as hereinafter specified, provided by said policy.

POLICY DESCRIPTION

Policy number: 79527798

Name and address of the insured: RUBINETTERIE BRESCIANE BONOMI SPA
VIA MASSIMO BONOMI 1 25064 GUSSAGO BS ITALY

Coverage and limits: Product Liability Up to a limit of Euro 5.000.000,00 per event and per year

Effective date - Midnight: 12.31.2018
Expiration date - Midnight: 12.31.2019

The premium has been paid.

Notwithstanding any requirement, term or condition of any contract or other document with respect to which this certificate may be issued or may pertain, the insurance afforded by the policy described herein is subject to all terms, exclusions and conditions of such policy.

This certificate of insurance is not an insurance policy.
This certificate is issued as a matter of information only and confers no rights upon the certificate holder.
This certificate does not amend, extend or alter the coverage afforded by the above mentioned policy.

ALLIANZ S.p.A.
GABURRI E ASSOCIATI SRL

Date, 01.30.2019

RUBINETTERIE BRESCIANE

CHUBB

Chubb European Group SE
Rappresentanza Generale per l'Italia

Certificate of Liability Insurance

1. Name and address of whom this certificate is issued to:

To whom it may concern

2. Name and address of Insured:

VALPRES SRL
VIA A GETTI 11 - 25060 MARCHENO - BS

3. **Chubb European Group SE** (as well as the other Insurance Companies listed in the following reinsurance schedule, jointly the "Reinsurers") hereby certify that the Reinsurers have in force a reinsurance policy which has in no case more than the percentage of participation, indicated for each one in the schedule, and with no joint several liability among them:

Insurance Company	Percentage of Participation
Chubb European Group SE	100%

4. **Policy Description:**
   a) Policy number: **ITCANC00080**
   b) Coverage and limit:
      ✓ **Products Liability:** EUR 5.000.000,00 each and every occurrence and in the aggregate;

   In Excess of Allianz policy n.75753680 up to the following limits:

      ✓ **General Liability:** EUR 5.000.000,00 each and every occurrence, with limit of EUR 2.000.000,00 for damage to property;
      EUR 5.000.000,00 each and every occurrence, with limit of EUR 2.000.000,00 for damage to property;
      ✓ **Products Liability:** EUR 5.000.000,00 each and every occurrence and in the aggregate.

   c) Terms:
      ✓ Inception : Midnight 01.01.2019
      ✓ Expiry : Midnight 01.01.2020
   d) Operations: Other Metal Valve and Pipe Fitting Manufacturing
   e) Policy Territory Products Liability:
      ✓ Worldwide U.S.A. and CANADA export included
   f) Policy Territory General Liability/ Employer's Liability:
      ✓ Worldwide

5. This certificate or verification of insurance, is not an insurance policy and does not amend extend or alter the coverage afforded by the policy listed herein, notwithstanding any requirement, term or condition of any contract or other document with respect to which this certificate of verification of insurance may be issued or pertain, the insurance afforded by the policy herein is subject to all terms, conditions and exclusion of such policy.

Chubb European Group SE
Rappresentanza Generale per l'Italia
Il Legale Rappresentante
(Luigi Ricci)

Milan, 17th January 2019 / AD

No 1-0 1

Chubb European Group SE, Rule Inglés: La Tour Carpe Diem, 31 Place des Corolles, Esplanade Nord, 92400 Courbevoie, Francia - Capitale sociale €896.176.662 - Rappresentanza generale per l'Italia: Via Fabio Filzi n. 29 - 20124 Milano - Tel. 02 27095 1 - Fax 02 27095 333 - P.I. e C.F. 04124720964 - R.E.A. n. 1728348 - Società di diritto francese soggetta alla vigilanza della Autorità di Controllo Prudenziale e di Risoluzione (61, rue Taitbout 75436 Paris cedex 09) e alla vigilanza della Autorità di controllo prudenziale e di vigilanza assicurativa (Place de Budapest, CS 92459, 75436 PARIS CEDEX 09) IVA e regolata dalle norme del Codice delle Assicurazioni francesi. Info Italy@chubb.com - www.chubb.com/it

VALPRES



Allianz

Allianz S.p.A.
GABURRI E ASSOCIATI SRL

Agenzia di GARDONE VAL TROMPIA
Via Matteotti, 357
25063 GARDONE VAL TROMPIA
Tel. 0030812877 / 0030812916
Fax 030861150
e-mail: gardone1@agenfiliare.it
Partita IVA 03850450983

CERTIFICATE OF INSURANCE

We ALLIANZ S.p.A. hereby certify to have in force the insurance policy described hereholow and to be the Insurer in connection with the coverage, as hereinafter specified, provided by said policy.

POLICY DESCRIPTION

Policy number: 75753680

Name and address of the insured: VALPRES SRL
VIA ANGELO GETTI 11 25060 MARCHENO BS ITALY

Coverage and limits: Product Liability Up to a limit of Euro 5.000.000,00 per event and per year

Effective date - Midnight: 12.31.2018
Expiration date - Midnight: 12.31.2019

The premium has been paid.

Notwithstanding any requirement, term or condition of any contract or other document with respect to which this certificate may be issued or may pertain, the insurance afforded by the policy described herein is subject to all terms, exclusions and conditions of such policy.

This certificate of insurance is not an insurance policy.
This certificate is issued as a matter of information only and confers no rights upon the certificate holder.
This certificate does not amend, extend or alter the coverage afforded by the above mentioned policy.

ALLIANZ S.p.A.
GABURRI E ASSOCIATI SRL

Date, 01.16.2019



Allianz

Allianz S.p.A.
GABURRI E ASSOCIATI SRL

Agenzia di GARDONE VAL TROMPIA
Via Matteotti, 357
25063 GARDONE VAL TROMPIA
Tel. 0030812877 / 0030812916
Fax 030861150
e-mail: gardone1@agenfiliare.it
Partita IVA 03850450983

CERTIFICATE OF INSURANCE

We ALLIANZ S.p.A. hereby certify to have in force the insurance policy described hereholow and to be the Insurer in connection with the coverage, as hereinafter specified, provided by said policy.

POLICY DESCRIPTION

Policy number: 72671021

Name and address of the insured: VALBIA SRL
VIA INDUSTRIALE 30 25065 LUMEZZANE BS ITALY

Coverage and limits: Product Liability Up to a limit of Euro 5.000.000,00 per event and per year

Effective date - Midnight: 12.31.2018
Expiration date - Midnight: 12.31.2019

The premium has been paid.

Notwithstanding any requirement, term or condition of any contract or other document with respect to which this certificate may be issued or may pertain, the insurance afforded by the policy described herein is subject to all terms, exclusions and conditions of such policy.

This certificate of insurance is not an insurance policy.
This certificate is issued as a matter of information only and confers no rights upon the certificate holder.
This certificate does not amend, extend or alter the coverage afforded by the above mentioned policy.

ALLIANZ S.p.A.
GABURRI E ASSOCIATI SRL

Date, 01.16.2019

VALBIA

AMERICAN APPROVALS



ONLINE CERTIFICATIONS DIRECTORY

YRPV.MH19713
Gas Shutoff Valves

Page Bottom

Gas Shutoff Valves

See General Information for Gas Shutoff Valves

RUBINETTERIE BRESCIANE BONOMI SPA
VIA MAESINO BONOMI 1
25064 GUSSAGO, BS ITALY

MH19713

Manual, Series 17 followed by three non-significant digits (1/4 through 1 in.) for natural and manufactured gases, maximum working pressure 250 psig.

Model	Type	Size In.	Rated Pressure (psig)
Manual, for natural and manufactured gases:			
161N, 161NLF, 6595, 6595LF	Ball	1/2,3/4,1,1-1/4,1-1/2,2	250
17	Ball	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	250
17	Ball	1/4, 3/8, 1/2, 3/4, 1	175
17LD	Ball	1/4, 3/8, 1/2, 3/4, 1	175
17	Ball	1/4 thru 1 in.	250
17LN-LF	Ball	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2	250
60032	Butterfly/Gate	1/2, 3/4, 1, 1-1/2, 1-1/4, 2	250
9200	Ball	3/8, 1/2, 3/4	250
9201	Ball	3/8, 1/2, 3/4	250
9202	Ball	3/8, 1/2	250
9203	Ball	3/8, 1/2-3/8, 1/2	250

Trademark and/or Trademarks:

Last Updated on 2014-04-03

Questions? Print this page Terms of Use Page Top

© 2015 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".



ONLINE CERTIFICATIONS DIRECTORY

YSDT.MH19713
LP-Gas Shutoff Valves

Page Bottom

LP-Gas Shutoff Valves

See General Information for LP-Gas Shutoff Valves

RUBINETTERIE BRESCIANE BONOMI SPA
VIA MAESINO BONOMI 1
25064 GUSSAGO, BS ITALY

MH19713

Gas shut-off valves Model(s) 1600 (max. working pressure 250 psig for 1/2, 3/4, 1, 1-1/2, 1-1/4 and 2 in. sizes)

161L (max. working pressure 250 psig for 1/2, 3/4, 1, 1-1/2, 1-1/4 and 2 in. sizes)

161N (max. working pressure 250 psig for 1/2, 3/4, 1, 1-1/2, 1-1/4 and 2 in. sizes)

161NLF (max. working pressure 250 psig for 1/2, 3/4, 1, 1-1/2, 1-1/4 and 2 in. sizes)

17 (max. working pressure 250 psig for 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 and 4 in. sizes)

17LN-LF (max. working pressure 250 psig for 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2 and 2 in. sizes)

6600 (max. working pressure 250 psig for 1/2, 3/4, 1, 1-1/4, 1-1/2, 2 and 2-1/2 in. sizes)

6595 (max. working pressure 250 psig for 1/2, 3/4, 1, 1-1/2, 1-1/4 and 2 in. sizes)

6595LF (max. working pressure 250 psig for 1/2, 3/4, 1, 1-1/2, 1-1/4 and 2 in. sizes)

9200 (max. working pressure 250 psig for 3/8, 1/2 and 3/4 in. sizes)

9201 (max. working pressure 250 psig for 3/8, 1/2 and 3/4 in. sizes)

9202 (max. working pressure 250 psig for 3/8 and 1/2 in. sizes)

9203 (max. working pressure 250 psig for 3/8, 1/2, 3/8 and 1/2 in. sizes)

Trademark and/or Trademarks:

Last Updated on 2015-06-16

Questions? Print this page Terms of Use Page Top

© 2015 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".



ONLINE CERTIFICATIONS DIRECTORY

VQGU.MH19713
Valves, Trim and Drain

Page Bottom

Valves, Trim and Drain

See General Information for Valves, Trim and Drain

RUBINETTERIE BRESCIANE BONOMI SPA
VIA MAESINO BONOMI 1
25064 GUSSAGO, BS ITALY

MH19713

Series 17, followed by three non-significant digits.

Model	Type	Size In.	Rated Pressure (psig)
161N, 161NLF, 6595	Ball	1/2, 3/4, 1, 1-1/4, 1-1/2, 2	250
6600	Ball	1/2, 3/4, 1, 1-1/4, 1-1/2, 2	250
17	Ball	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2	250
17	Ball	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2	175
17LD	Ball	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2	175
17	Ball	1/4 through 1 in.,	250
60000	Butterfly/Gate	1/2, 3/4, 1, 1-1/2, 1-1/4, 2	250
9200	Ball	3/8, 1/2, 3/4	250
9201	Ball	3/8, 1/2, 3/4	250
9202	Ball	3/8, 1/2	250
9203	Ball	3/8, 1/2-3/8, 1/2	250
17LN	Ball	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2	175
17LN-LF	Ball	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2	250
17LN-T	Ball	1/4, 3/8, 1/2, 3/4, 1	175
17LD-T	Ball	1/4, 3/8, 1/2, 3/4, 1	175

Trademark and/or Trademarks:

Last Updated on 2014-04-03

Questions? Print this page Terms of Use Page Top

© 2015 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".



ONLINE CERTIFICATIONS DIRECTORY

FDNP.MH28029
Drinking Water System Components

Page Bottom

Drinking Water System Components

See General Information for Drinking Water System Components

RUBINETTERIE BRESCIANE BONOMI SPA
VIA MAESINO BONOMI 1
25064 GUSSAGO, BS ITALY

MH28029

NSF/ANSI 61

Mechanical Devices

Trade Dog	Water Contact Temp (°C)	Water Contact Mix	Surface Area to Volume Ratio
1555 Ball Valve (1/4 - 2 in.) [Annex G]	23	Multiple	-
1555 Ball Valve (1/4 - 2 in.) [Annex G]	23	Multiple	-
1615LF Ball Valve (1/2 - 4in.) [Annex G]	-	-	-
1615 Ball Valve (1/4 - 2 in.) [Annex G]	23	Multiple	-
1615LF Ball Valve (1/4 - 4 in.) [Annex G]	23	-	-
1670LF Ball Valve (1/2 - 4 in.) [Annex G]	23	-	-
1715 Ball Valve (1/4 - 2 in.) [Annex G]	23	Multiple	-
1715LF Ball Valve (1/2-2 in.) [Annex G]	23	Multiple	-
175L Ball Valve (1/4 - 2 in.) [Annex G]	23	Multiple	-
1724 Ball Valve (1/4-2 in.) [Annex G]	23	Multiple	-
1724LF Ball Valve (1/2-2 in.) [Annex G]	23	Multiple	-
1725LF Ball Valve (1/2in.-2in.) [Annex G]	23	-	-
1870 Ball Valve (1/2 - 2 in.) [Annex G]	23	Multiple	-
1970LF Ball valve, press fitting, 1/2 in. - 2 in. [Annex G]	23	Multiple	-
2001-LF Ball Valves, threaded, 1/2 in. - 2 in. [Annex G]	23	Multiple	-
6595 Ball Valve (1/4 - 4in.) [Annex G]	-	-	-
6595LF Ball Valve (1/4 - 4in.) [Annex G]	-	-	-
6601LF Ball Valve (1/2 - 3in.) [Annex G]	-	-	-
6601LF Ball Valve (1/2 - 4 in.) [Annex G]	23	Multiple	-
Check Press 1000LF Valve (1/2 - 2 in.) [Annex G]	23	Multiple	-
Check-Press 1000G2 Valve (1/2 in. - 2 in.) [Annex G]	23	Multiple	-
EUROSMART 1000LF (3/4 - 4 in.) [Annex G]	23	Multiple	-
EUROSMART 1000LLF (1/4 - 2 in.) [Annex G]	23	Multiple	-

[Annex G] - Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Last Updated on 2014-04-05

Questions? Print this page Terms of Use Page Top

© 2014 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with



TSSA

14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4
Tel.: 416.230.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

December 23, 2014

MIKE SCHWERTNER
CEMCORP LTD
2181 DUNWIN DR
MISSISSAUGA ON L5L 1X2
CA

Service Request Type: BPV Fitting Registration
Service Request No.: 1536391
Your Reference No.: 1444
Registered to: VALPRES SRL

Dear MIKE SCHWERTNER,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.: 0C13780.5ADD1
Main Design No.: Additional Ball Valve series 68, 69, 78 & 79, Class 150 through 2,500, size 2" to 24"
Expiry Date: 05-Apr-2020

Additional Ball Valve series 68, 69, 78 & 79, Class 150 through 2,500, size 2" to 24" Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Mark Valcic P. Eng.
Engineer BPV
Tel.: 416-734-3484
Fax: 416-231-6183
Email: mvalcic@tssa.org

Putting Public Safety First



Approval Guide

FM Approvals

Quick Opening Valves

Manual-operated ball valves are used to control water to small open-head extinguishing systems or in the trim on waterflow alarm valves, dry pipe valves or automatic water control valves.

The friction loss through these valves should be considered when they are used in hydraulically calculated extinguishing systems. Consult the manufacturer for details. Unless otherwise noted in the listing, these valves have 175 psi (1235 kPa) rated working pressure.

600032, 16, 6595, 17, 161LLF, 161NLF, 6595LF, 171NLF, 1970, 1970LF, 1972

Product Designation	Description	Nominal Pipe Size, in.	Pressure Rating, psi (kPa)	Remarks
600032	Butterfly Valve, Threaded Ends	1/2, 3/4, 1 1 1/4, 1 1/2, 2	200 (1380)	a, b
16	Ball Valve, Threaded Ends	1/4, 3/8 1/2, 3/4, 1 1 1/4, 1 1/2, 2	400 (2760)	a, b, e
6595	Ball Valve, Threaded Ends	1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2	400 (2760)	a, b
17	Ball Valve, Threaded Ends	1/4, 3/8 1/2, 3/4, 1 1 1/4, 1 1/2, 2	600 (4140)	a, b, e
161NLF	Ball Valve, Threaded Ends	1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2	400 (2760)	a, d, e
6595LF	Ball Valve, Threaded Ends	1/4, 3/8, 1/2, 3/4, 1 1 1/4, 1 1/2, 2	400 (2760)	a, d
171NLF	Ball Valve, Threaded Ends	1/4, 3/8 1/2, 3/4, 1 1 1/4, 1 1/2, 2	600 (4140)	a, d, e
1970	Ball Valve, Press x Press	1/2, 3/4, 1 1 1/4, 1 1/2, 2	200 (1380)	c
1970LF	Ball Valve, Press x Press	1/2, 3/4, 1 1 1/4, 1 1/2, 2	200 (1380)	c
1970LF	Ball Valve, Press x Press	1/2, 3/4, 1 1 1/4, 1 1/2, 2	200 (1380)	c
1972	Ball Valve, Press x Thread	1/2, 3/4, 1 1 1/4, 1 1/2, 2	200 (1380)	a, b, c

© 2007 2011 FM Approvals. All rights reserved. 1 of 2

CSA Group

Certificate of Compliance

Certificate: 1578425 Master Contract: 189186
Project: 70020929 Date Issued: February 19, 2015

Issued to: Rubinetterie Bresciane Bonomi
Sp.A.
Via Industriale 30
Lumezzane (Brescia), Brescia 25065
Italy
Attention: Aldo Bonomi

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.

Issued by: Vajira Sarathchandra

PRODUCTS
CLASS 3371 90 - VALVES (GAS)-Lever Operated Non-Lubricated - Shutoff-Certified to U.S. Standards
CLASS 3371 00 - VALVES (GAS) - General Use
CLASS 3371 92 - VALVES (GAS)-Manually Operated For Use in House - Piping Systems-Certified to U.S. Standards
CLASS 3371 10 - VALVES (GAS) - Lever Operated Non-Lubricated Shutoff
CLASS 3371 01 - VALVES (GAS) - General Use-Certified to U.S. Standards
CLASS 3371 12 - VALVES (GAS) - Manually Operated For Use on Piping



CSA Group

Certificate: 1578425 Master Contract: 189186
Project: 70020929 Date Issued: February 19, 2015

CLASS 3371 10 - VALVES(GAS) Lever Operated Non-Lubricated Shut-Off

CLASS 3371 90 - VALVES(GAS) Lever Operated Non-Lubricated Shut-Off - Certified to US requirements.

Models:

171(N), (L), LF series; Sizes - 1/4" x 1/4", 3/8" x 3/8", 1/2" x 1/2", 3/4" x 3/4", 1" x 1", 1 1/4" x 1 1/4", 1 1/2" x 1 1/2", 2" x 2", 2 1/2" x 2 1/2", 3" x 3" & 4" x 4"

172N series; Sizes - 1/4" x 1/4", 3/8" x 3/8", 1/2" x 1/2", 3/4" x 3/4" & 1" x 1"

141N series; Sizes - 1/4" x 1/4", 3/8" x 3/8", 1/2" x 1/2", 3/4" x 3/4", 1" x 1", 1 1/4" x 1 1/4", 1 1/2" x 1 1/2" & 2" x 2"

142N series; Sizes - 1/2" x 1/2", 3/4" x 3/4" & 1" x 1"

161N, (LF) series; Sizes - 1/2" x 1/2", 3/4" x 3/4", 1" x 1", 1 1/4" x 1 1/4", 1 1/2" x 1 1/2" & 2" x 2"

161L series; Sizes - 1/2" x 1/2", 3/4" x 3/4", 1" x 1", 1 1/4" x 1 1/4", 1 1/2" x 1 1/2" & 2" x 2"

600002 series; Sizes - 1/2" x 1/2", 3/4" x 3/4", 1" x 1", 1 1/4" x 1 1/4", 1 1/2" x 1 1/2", 2" x 2", 2 1/2" x 2 1/2", 3" x 3" & 4" x 4"

600003 series; Sizes - 1/2" x 1/2", 3/4" x 3/4", 1" x 1", 1 1/4" x 1 1/4", 1 1/2" x 1 1/2", 2" x 2", 2 1/2" x 2 1/2", 3" x 3" & 4" x 4"

9200 series; Sizes - 3/8" x 3/8", 1/2" x 1/2" & 3/4" x 3/4"

6595-LF series; Sizes - 1/2" x 1/2", 3/4" x 3/4", 1" x 1", 1 1/4" x 1 1/4", 1 1/2" x 1 1/2", 2" x 2"

The 171(N), (L),(LF) 172N, 141N, 142N, 161N, 161NLF, 6595LF [161NLF], 6595LF] and 9200 series valves are certified for operation at ambient temperature range of -40°C to 65°C (-40°F to 149°F) and the operating pressure of 125 psig.

- The 600002 and 600003 series valves are certified for operation at ambient temperature range of -10°C to 65°C (14°F to 149°F) and the operating pressure of 125 psig.
- 171(N), (L), (LF)and 172N valves, sizes 1/4" & 3/8" are certified for the maximum operating pressure of 250 psig in the US (UL 125) requirements.

CSA Group

Certificate: 1578425 Master Contract: 189186
Project: 70020929 Date Issued: February 19, 2015

CLASS 3371 00 - VALVES(GAS) General Use.

CLASS 3371 12 - VALVES(GAS) Manually Operated for use in House Piping System.

CLASS 3371 00 - VALVES(GAS) General Use - Certified to US requirements.

CLASS 3371 92 - VALVES(GAS) Manually Operated for use in House Piping System - Certified to US requirements

Models:

171(N), (L), (LF) series; Sizes - 1/4" x 1/4", 3/8" x 3/8", 1/2" x 1/2", 3/4" x 3/4", 1" x 1", 1 1/4" x 1 1/4", 1 1/2" x 1 1/2" & 2" x 2"

172N series; Sizes - 1/4" x 1/4", 3/8" x 3/8", 1/2" x 1/2", 3/4" x 3/4" & 1" x 1"

141N series; Sizes - 1/4" x 1/4", 3/8" x 3/8", 1/2" x 1/2", 3/4" x 3/4", 1" x 1", 1 1/4" x 1 1/4", 1 1/2" x 1 1/2" & 2" x 2"

142N series; Sizes - 1/2" x 1/2", 3/4" x 3/4" & 1" x 1"

161N, (LF) series; Sizes - 1/2" x 1/2", 3/4" x 3/4", 1" x 1", 1 1/4" x 1 1/4", 1 1/2" x 1 1/2" & 2" x 2"

161L series; Sizes - 1/2" x 1/2", 3/4" x 3/4", 1" x 1", 1 1/4" x 1 1/4", 1 1/2" x 1 1/2" & 2" x 2"

600002 series; Sizes - 1/2" x 1/2", 3/4" x 3/4", 1" x 1", 1 1/4" x 1 1/4", 1 1/2" x 1 1/2", 2" x 2", 2 1/2" x 2 1/2", 3" x 3" & 4" x 4"

600003 series; Sizes - 1/2" x 1/2", 3/4" x 3/4", 1" x 1", 1 1/4" x 1 1/4", 1 1/2" x 1 1/2", 2" x 2", 2 1/2" x 2 1/2", 3" x 3" & 4" x 4"

3616N series; Sizes - 1/8" x 1/8", 1/4" x 1/4", 3/8" x 3/8", 1/2" x 1/2" & 3/4" x 3/4"

9200 series; Sizes - 3/8" x 3/8", 1/2" x 1/2" & 3/4" x 3/4"

9201 series; Sizes - 3/8" x 3/8" ß, 1/2" x 3/8" ß, 1/2" x 1/2" ß

9202 series; Sizes - 3/8" M x 3/8" ß & 1/2" M x 1/2" ß

9203 series; Sizes - 3/8" ß x 3/8" ß, 3/8" ß x 1/2" ß & 1/2" ß x 1/2" ß

6595-LF series; Sizes - 1/2" x 1/2", 3/4" x 3/4", 1" x 1", 1 1/4" x 1 1/4", 1 1/2" x 1 1/2", 2" x 2"

The 171(N), (L),(LF) 172N, 141N, 142N, 161N (LF), 6595(LF), 9200, 9201, 9202 and 9203 series valves are certified for operation at ambient temperature range of -40°C to 65°C (-40°F to 149°F) and the operating pressure of ½, 2 & 2 psig.

- The 600002 and 600003 series valves are certified for operation at ambient temperature range of -10°C to 65°C (14°F to 149°F) and the operating pressure of ½, 2 & 5 psig.
- The 3616N series valves are certified for operation at ambient temperature range of 0°C to 88°C (32°F to 190°F) and the operating pressure of ½, 2 & 5 psig.



CSA Group

Certificate: 1578425 Master Contract: 189186
Project: 70020929 Date Issued: February 19, 2015

CLASS 3371 01 - VALVES(GAS) Appliance Connector

CLASS 3371 81 - VALVES(GAS) Appliance Connector - Certified to US requirements.

Models:

9201 series; Sizes - 3/8" x 3/8" ß, 1/2" x 3/8" ß, 1/2" x 1/2" ß

9202 series; Sizes - 3/8" M x 3/8" ß & 1/2" M x 1/2" ß

9203 series; Sizes - 3/8" ß x 3/8" ß, 3/8" ß x 1/2" ß & 1/2" ß x 1/2" ß

The 9201, 9202 and 9203 series models are certified for operation at ambient temperature range of -40°C to 65°C (-40°F to 149°F) and the operating pressure of ½, 2 & 5 psig.

APPLICABLE REQUIREMENTS

CSA 9.1-2009/ANSI Z21.15-2009	Manually Operated Gas Valves For Appliances, Appliance Connector Valves and Hose End Valves
CSA 9.1a-2012/ANSI Z21.15a-2012	Manually Operated Gas Valves For Appliances, Appliance Connector Valves and Hose End Valves
CGA Requirement CBS-002	Manually Operated Gas Valves For Use On Piping
ASME B16.44-2002 (R2007) Systems Up To 5 Psig	Manually Operated Metallic Gas Valves For Use In Aboveground Piping
CAN/CGA-3.16-B(R(R2009)	Lever Operated Non-Lubricated Gas Shut-Off Valves.
ASME B16.33-2012 up to 125 psig. (1/2" thru 2")	Manually Operated Metallic Gas Valves For Use In Gas Piping Systems
ASME B16.38-2012 up to 125 psig. (2½" thru 12")	Manually Operated Metallic Gas Valves For Use In Gas Piping Systems

BONOMI GROUP

CENED Certificazione ENergetica degli EDifici
Azienda certificata classe “A” - “A+”
con certificato n.17081 - 000459/12 e 000460/12

AEOF
Authorized Economic Operator (AEOF)

PED 0036
TÜV Süddeutschland Bau und Betrieb GmbH
Pressure Equipment Directive 2014/68/EU

ATEX
TÜV Süddeutschland Bau und Betrieb GmbH
Equipment for use in potentially
explosive atmospheres 2014/34/EU

CPR 0086
BSI British Standars institute
Construction Products Directive
Regulation (EU) n. 305/2011

SIL
TÜV Süddeutschland Bau und Betrieb GmbH
Safety Integrity Level

Ministero dell’Interno

RINA Registro Italiano Navale

RINA Registro Italiano Navale
Marine Equipment Directive
2014/90/EU

A2A Reti Gas
ITALGAS
Iren
2i Rete Gas

Deutscher Verein des Gas- und Wasserfaches
DVGW W 534 - W 531 - VP 614
DVGW GW 335-B4 - DVGW G 5600-I

TÜV Süddeutschland Bau und Betrieb GmbH
T.A. LUFT

TÜV Bayern Hessen Sachsen Südwest E.V.
FIRE SAFE BS 6755 Part.2, API Specification
6FA und ISO 10497

DBI GTI Gastechnologishes Institut
UNI TS 11343

Germanischer Lloyd Maritime

Schweizerischer Verein des Gas- und Wasserfaches
Europäische Vorschrift EN 331: 2015

ÖSTERREICHISCHE VEREINIGUNG FÜR
DAS GAS- UND WASSERFACH

Factory Mutual Research

Underwriters Laboratories Inc.

Underwriters Laboratories Inc.
ANSI/NSF 61-372 Drinking Water System Components
and Lead Contenent Verification

American Petroleum Institute
API 6A
License number 6A-1741

American Petroleum Institute
API 6D
License number 6D-1428

Technical Standards and Safety Authority

CSA International

Water Regulation Advisory Scheme
(By WRC Evalutation & Testing Centre)

Lloyd’s Register Marine

Bureau Veritas Industry and Marine Division

Laboratoire Santé Environnement Hygiène de Lyon
ACS: Attestation de Conformité Sanitarie

Centre scientifique et technique du bâtiment

Certification body 3 - Zds “Tisk”

Declaration of conformity TP-TC 010/2011
Declaration of conformity TP-TC 032/2013

Det Norske Veritas Maritime

GDV: GODKENDT TIL DRIKKEVAND

VA

INDEX

HOW TO ORDER PNEUMATIC & ELECTRIC VALVE PACKAGES page 8

VALBIA ACTUATORS

PNEUMATIC ACTUATORS
SERIES 82-83-84 page 12

ELECTRIC ACTUATORS
SERIES 85-86 NEW page 16

2-WAY THREADED BRASS BALL VALVE PACKAGES

DIRECT MOUNT 2 WAY BALL VALVE
SERIES 250N page 22

2-WAY THREADED CARBON STEEL BALL VALVE PACKAGES

CARBON STEEL BALL VALVE - 2PC & SEAL WELD
SERIES 600LL - 6600LL NEW page 26

CARBON STEEL 2-WAY 3000-2000 PSI BALL VALVE
SERIES 3000 - 7700LL NEW page 28

3 PC CARBON STEEL BALL VALVE
SERIES 710003 - 714000 - 715000 page 32

3 PC CARBON STEEL BALL VALVE
SERIES 620LL - 621LL - 622LL NEW page 34

2-WAY THREADED STAINLESS STEEL BALL VALVE PACKAGES

STAINLESS STEEL DIRECT MOUNT BALL VALVE
SERIES 700076 page 36

STAINLESS STEEL BALL VALVE - 2PC & SEAL WELD
SERIES 700LL page 38

STAINLESS STEEL 2-WAY 3000 PSI BALL VALVE
SERIES 3100 NEW page 39

3 PC STAINLESS STEEL BALL VALVE
SERIES 710001 - 711000 - 712000 NEW page 40

2-WAY SANITARY STAINLESS STEEL BALL VALVE PACKAGES

3 PC DIRECT MOUNT NON-CAVITY & CAVITY FILLED SANITARY
SERIES 770 NEW page 44

2-WAY COMPRESSED END STAINLESS STEEL BALL VALVE PACKAGES

3 PC INSTRUMENTATION BALL VALVE
SERIES 1300 page 46

2-WAY PVC/CPVC BALL VALVE PACKAGES

DIRECT MOUNT 2 WAY BALL VALVE
SERIES PVC-BV2 & CPVC-BV2 page 47

3-WAY THREADED BRASS BALL VALVE PACKAGES

DIRECT MOUNT 3 WAY BALL VALVE
SERIES 355N (T) - 365N (L) NEW page 48

3-WAY PVC / CPVC BALL VALVE PACKAGES

DIRECT MOUNT 3 WAY BALL VALVE
SERIES PVC-BV3T & PVC-BV3L page 52

3-WAY THREADED CARBON STEEL BALL VALVE PACKAGES

CARBON STEEL 3 WAY HIGH PRESSURE BALL VALVE
SERIES 3400 page 54

3-WAY THREADED STAINLESS STEEL BALL VALVE PACKAGES

DIRECT MOUNT 3 WAY STANDARD PORT BALL VALVE
SERIES 955N (T) - 965N (L) NEW page 56

DIRECT MOUNT 3 WAY BALL VALVE
SERIES 97L page 60

2-WAY WAFER FLANGED CARBON STEEL BALL VALVE PACKAGES

ANSI 150 DIRECT MOUNT CARBON STEEL WAFER VALVE
SERIES 724101 NEW page 63

ANSI 150 CARBON STEEL 2-WAY WAFER VALVE
SERIES 720017 NEW page 64

INDEX

2-WAY WAFER FLANGED STAINLESS STEEL BALL VALVE PACKAGES

ANSI 150 STAINLESS STEEL 2-WAY 'TRUE' WAFER VALVE
SERIES 725002 — NEW page 69

ANSI 150 DIRECT MOUNT STAINLESS STEEL WAFER VALVE
SERIES 723101 — NEW page 70

2-WAY SPLIT BODY FLANGED CARBON STEEL BALL VALVE PACKAGES

ANSI 150 DIRECT MOUNT CARBON STEEL VALVE
SERIES 766001 — NEW page 75

ANSI 150 CARBON STEEL 2-WAY VALVE
SERIES 762000 — NEW page 76

API 608 SPLIT BODY FLANGED CARBON STEEL BALL VALVE PACKAGES

ANSI 150 2-WAY CARBON STEEL FLANGED VALVE
SERIES 68F000 — NEW page 78

2-WAY SPLIT BODY FLANGED STAINLESS STEEL BALL VALVE PACKAGES

ANSI 150 DIRECT MOUNT STAINLESS STEEL VALVE
SERIES 766000 — NEW page 83

ANSI 150 STAINLESS STEEL 2-WAY VALVE
SERIES 760005 — NEW page 84

API 608 SPLIT BODY FLANGED STAINLESS STEEL BALL VALVE PACKAGES

ANSI 150 2-WAY STAINLESS STEEL FLANGED VALVE
SERIES 68J000 — NEW page 86

3-WAY FLANGED CARBON STEEL BALL VALVE PACKAGES

ANSI 150 3-WAY L-PORT CARBON STEEL VALVE
SERIES 776032 — page 92

3-WAY FLANGED STAINLESS STEEL BALL VALVE PACKAGES

ANSI 150 3-WAY L-PORT STAINLESS STEEL VALVE
SERIES 776018 — page 93

ANSI 150 3-WAY L-PORT STAINLESS STEEL VALVE
SERIES 97L150 — page 94

RUBBER-LINE & HIGH PERFORMANCE BUTTERFLY VALVE PACKAGES

WAFER STYLE BUTTERFLY VALVE WITH EPDM SEATS
SERIES N500N & N500S — NEW page 96

ANSI 150/300 WAFER STYLE CARBON STEEL VALVE
SERIES 8100 - 8300 & 9100 - 9300 — NEW page 107

GROOVED END BUTTERFLY VALVE
SERIES L700 — page 106

3-WAY TANDEM BUTTERFLY VALVE PACKAGES
SERIES N501S-T* — page 111

STAINLESS STEEL V-BALL VALVE PACKAGES

3 PC STAINLESS STEEL BALL V-BALL VALVE
SERIES 710190V36-V6-V9 — page 112

ANSI 150 STAINLESS STEEL SPLIT-BODY V-BALL VALVE
SERIES 760021V36-V6-V9 — NEW page 115

ANSI 150 STAINLESS STEEL WAFER V-BALL VALVE
SERIES 720370V36-V6-V9 — NEW page 113

3 PC STAINLESS STEEL BALL V-BALL VALVE
SERIES V300 - V600 -V900 — page 117

MANUAL VALVES WITH LIMIT SWITCHES — NEW page 121

PNEUMATIC AUTOMATION ACCESSORIES — page 122

PRESSURE/TEMPERATURE CHARTS — page 130

STEAM TEMPERATURE/PRESSURE TABLE — page 131

WARRANTY, LIMITATION OF LIABILITY, RETURNS — page 132

Index by package

PACKAGE	PAGE
8E064	22
8E064LF	23
8E065	48
8E065LF NEW	49
8E066	50
8E066LF NEW	51
8E067	37
8E068	25
8E069	56
8E070	58
8E071	57
8E072	59
8E074	40
8E075	32
8E076	71
8E077	93
8E079	84
8E080	40
8E081	40
8E082	64
8E083	32
8E084	32
8E085	76
8E086	92
8E0126	38
8E0127	26
8E0226 NEW	29
8E0227 NEW	27
8E0620	34
8E0621	34
8E0622	34
8E0630	35
8E0631	35
8E0632	35
8E0720	42
8E0721	42
8E0722	42
8E0730	43
8E0731	43
8E0732	43
8E0770	44
8E0771	45
8E3LPVC	53
8E3TPVC	52
8E864	22
8E864LF	23
8E865	48
8E865LF NEW	49
8E866	50
8E866LF NEW	51
8E867	37
8E868	24
8E1300	46
8E3000	28
8E3100	39
8E3200	30
8E3300	31
8E3400	54
8E3500	55
8E720288	73
8E720289	67
8E723101 NEW	70

PACKAGE	PAGE
8E724101 NEW	63
8E725002	69
8E761030	87
8E761031	79
8E766000	83
8E766001	75
8ECPVCBV2	47
8EPVCBV2	47
8P0026	38
8P0027	38
8P0080	22
8P0080LF	23
8P0082	22
8P0082LF	23
8P0124	26
8P0125	26
8P0129	48
8P0129LF NEW	49
8P0130	50
8P0130LF NEW	51
8P0131	48
8P0131LF NEW	49
8P0132	50
8P0132LF NEW	51
8P0133	36
8P0133SS	36
8P0134	36
8P0134SS	36
8P0135	24
8P0136	24
8P0139	56
8P0140	58
8P0141	56
8P0142	58
8P0143	57
8P0144	59
8P0145	57
8P0146	59
8P0169	40
8P0170	40
8P0171	32
8P0172	32
8P0173	71
8P0174	71
8P0175	64
8P0176	64
8P0177	84
8P0178	84
8P0179	76
8P0180	76
8P0181	93
8P0182	93
8P0183	92
8P0184	92
8P0187	40
8P0188	40
8P0189	40
8P0190	40
8P0191	32
8P0192	32
8P0193	32
8P0194	32

PACKAGE	PAGE
8P0195	41
8P0196	41
8P0197	33
8P0198	33
8P0199	41
8P0200	41
8P0201	33
8P0202	33
8P0203	41
8P0204	41
8P0205	33
8P0206	33
8P0224 NEW	27
8P0225 NEW	27
8P0226 NEW	29
8P0227 NEW	29
8P0620	34
8P0621	34
8P0622	34
8P0623	34
8P0624	34
8P0625	34
8P0630	35
8P0631	35
8P0632	35
8P0633	35
8P0634	35
8P0635	35
8P0720	42
8P0721	42
8P0722	42
8P0723	42
8P0724	42
8P0725	42
8P0730	43
8P0731	43
8P0732	43
8P0733	43
8P0734	43
8P0735	43
8P0770	44
8P0771	45
8P0772	44
8P0773	45
8P2DACPVC	47
8P2DAPVC	47
8P2SRCPVC	47
8P2SRPVC	47
8P3LDAPVC	53
8P3LSRPVC	53
8P3TDAPVC	52
8P3TSRPVC	52
8P68F000 NEW	78
8P68F002 NEW	78
8P68F100 NEW	80
8P68F102 NEW	80
8P68F400 NEW	82
8P68F402 NEW	82
8P68J000 NEW	86
8P68J002 NEW	86
8P68J100 NEW	88
8P68J102 NEW	88

PACKAGE	PAGE
8P68J401 NEW	90
8P68J403 NEW	90
8P1300	46
8P1302	46
8P3000	28
8P3002	28
8P3100	39
8P3102	39
8P3200	30
8P3202	30
8P3300	31
8P3302	31
8P3400	54
8P3402	54
8P3500	55
8P3502	55
8P720288	73
8P720289	67
8P720290	73
8P720291	67
8P720370	72
8P720372	72
8P720569	65
8P720571	65
8P720741	74
8P720743	74
8P720744	68
8P720746	68
8P720791	66
8P720793	66
8P723101 NEW	70
8P723103 NEW	70
8P724101 NEW	63
8P724103 NEW	63
8P725002	69
8P725003	69
8P760021	85
8P760023	85
8P760137	77
8P760139	77
8P760150	81
8P760151	81
8P760200	89
8P760201	89
8P761030	87
8P761031	79
8P761032	87
8P761033	79
8P766000	83
8P766001	75
8P766002	83
8P766003	75
DA97L	60
DA97L150	94
DA97T	61
DA97T150	95
DA97X	62
DA530S	98
DA531S	103
DA540N	99
DA540S	100
DA541N	104

PACKAGE	PAGE
DA541S	105
DA700E	106
DA8100	107
DA8101	108
DA8300	107
DA8301	108
DA9100	109
DA9101	110
DA9300	109
DA9301	110
DAN500N	96
DAN500S	97
DAN501N	101
DAN501S	102
E97L	60
E97T	61
E97X	62
E530S	98
E531S	103
E540N	99
E540S	100
E541N	104
E541S	105
E700E	106
EN500N	96
EN500S	97
EN501N	101
EN501S	102
EP710061V*DA	112
EP710061V*SR	12
EP710190V*DA	112
EP710190V*SR	112
EP720370V*DA NEW	113
EP720370V*SR NEW	113
EP725002V*SR NEW	114
EP75002V*DA NEW	114
EP760021V*DA	115
EP760021V*SR	115
EP760195V*DA NEW	116
EP760195V*SR NEW	116
EPV*00DA	117
EPV*00SR	117
EPV*10DA	117
EPV*10DA	117
EPV*10SR	117
EPVF*00DA	119
EPVF*00SR	119
EXM8E068 NEW	25
EXM8E069 NEW	56
EXM8E070 NEW	58
EXM8E071 NEW	57
EXM8E072 NEW	59
EXM8E079 NEW	84
EXM8E085 NEW	76
EXM8E0620 NEW	34
EXM8E0621 NEW	34
EXM8E0622 NEW	34
EXM8E0630 NEW	35
EXM8E0631 NEW	35
EXM8E0632 NEW	35
EXM8E0720 NEW	42
EXM8E0721 NEW	42

PACKAGE	PAGE
EXM8E0722 NEW	42
EXM8E0730 NEW	43
EXM8E0731 NEW	43
EXM8E0732 NEW	43
EXM8E0770 NEW	44
EXM8E0771 NEW	45
EXM8E68F000 NEW	78
EXM8E68F100 NEW	80
EXM8E68F400 NEW	82
EXM8E68J000 NEW	86
EXM8E68J100 NEW	88
EXM8E68J401 NEW	90
EXM8E3000 NEW	28
EXM8E3100 NEW	39
EXM8E720370 NEW	72
EXM8E720569 NEW	65
EXM8E720741 NEW	74
EXM8E720744 NEW	68
EXM8E725002 NEW	69
EXM8E761030 NEW	87
EXM8E761031 NEW	79
EXM8E766000 NEW	83
EXM8E766001 NEW	75
EXME530S NEW	98
EXME531S NEW	103
EXME540N NEW	99
EXME540S NEW	100
EXME541N NEW	104
EXME541S NEW	105
EXME8100 NEW	107
EXME8101 NEW	108
EXME8300 NEW	107
EXME8301 NEW	108
EXME9100 NEW	109
EXME9101 NEW	110
EXME9301 NEW	110
EXME9300 NEW	109
EXMEN500N NEW	96
EXMEN500S NEW	97
EXMEN501N NEW	101
EXMEN501S NEW	102
M8E064	22
M8E064LF	23
M8E065	48
M8E065LF NEW	49
M8E066	50
M8E066LF NEW	51
M8E067	37
M8E068	25
M8E069	56
M8E070	58
M8E071	57
M8E072	59
M8E074	40
M8E075	32
M8E076	71
M8E077	93
M8E079	84
M8E080	40
M8E081	40
M8E082	64
M8E083	32

PACKAGE	PAGE
M8E084	32
M8E085	76
M8E086	92
M8E0126	38
M8E0127	26
M8E0226 NEW	29
M8E0227 NEW	27
M8E0620	34
M8E0621	34
M8E0622	34
M8E0630	35
M8E0631	35
M8E0632	35
M8E0720	42
M8E0721	42
M8E0722	42
M8E0730	43
M8E0731	43
M8E0732	43

PACKAGE	PAGE
M8E0770	44
M8E0771	45
M8E68F000 NEW	78
M8E68F100 NEW	80
M8E68F400 NEW	82
M8E68J000 NEW	86
M8E68J100 NEW	88
M8E68J401 NEW	90
M8E97L150	94
M8E97T150	95
M8E1300	46
M8E3000	28
M8E3100	39
M8E3200	30
M8E3300	31
M8E3400	54
M8E3500	55
M8E710061	41
M8E710061V	112

PACKAGE	PAGE
M8E710062	41
M8E710064	33
M8E710065	33
M8E710085	33
M8E710190	41
M8E710190V	112
M8E720288	73
M8E720289	67
M8E720370	72
M8E720370V NEW	113
M8E720569	65
M8E720741	74
M8E720744	68
M8E720791	66
M8E723101 NEW	70
M8E724101 NEW	63
M8E725002	69
M8E725002V NEW	114
M8E760021	85

PACKAGE	PAGE
M8E760021V	115
M8E760137	77
M8E760195V NEW	116
M8E761030	87
M8E761031	79
M8E766000	83
M8E766001	75
ME97L	60
ME97T	61
ME97X	62
ME530S	98
ME531S	103
ME540N	99
ME540S	100
ME541N	104
ME541S	105
ME700E	106
ME8100	107
ME8101	108

PACKAGE	PAGE
ME8300	107
ME8301	108
ME9100	109
ME9101	110
ME9300	109
ME9301	110
MEN500N	96
MEN500S	97
MEN501N	101
MEN501S	102
MEV300	117-118
MEV310	117-118
MEV600	117-118
MEV610	117-118
MEV900	117-118
MEV910	117-118
MEVF300	119-120
MEVF600	119-120
MEVF900	119-120

PACKAGE	PAGE
PP710190V*DA	112
PP710190V*SR	112
PP720370V*DA NEW	113
PP720370V*SR NEW	113
PP725002V*SR NEW	114
PP725002V*DA NEW	114
PP760021V*DA	115
PP760195V*DA NEW	116
PP760195V*SR NEW	116
PP760021V*SR	115
PPV*00DA	117
PPV*00SR	117
PPVF*00DA	119
PPVF*00SR	119

Index by valve

VALVE	PAGE
68F000 NEW	78
68F100 NEW	80
68F400 NEW	82
68J000 NEW	86
68J100 NEW	88
68J401 NEW	90
97L	60
97L150	94
97T	61
97T150	95
97X	62
250N	22
250NLF	23
253N	24-25
355N	48
355NLF NEW	49
365N	50
365NLF NEW	51
530S	98
531S	103
540N	99
540S	100
541N	104
541S	105
600LL	26
620LL	34
621LL	34
622LL	34
630LL	35
631LL	35
632LL	35
700LL	38
720LL	42
721LL	42
722LL	42

VALVE	PAGE
730LL	43
731LL	43
732LL	43
770	44
771	45
955N	56
956N	57
965N	58
966N	59
1300	46
3000	28
3100	39
3200	30
3300	31
3400	54
3500	55
6600LL NEW	27
7700LL NEW	29
8100	107
8101	108
8300	107
8301	108
9100	109
9101	110
9300	109
9301	110
700076	36-37
710001	40
710003	32
710061	41
710062	41
710064	33
710065	33
710085	33
710190	41

VALVE	PAGE
711000	40
712000	40
714000	32
715000	32
720016	71
720017	64
720288	73
720289	67
720370	72
720569	65
720741	74
720744	68
720791	66
723101 NEW	70
724101 NEW	63
725002	69
760005	84
760021	85
760137	77
760150	81
760200	89
761030	87
761031	79
762000	76
766000	83
766001	75
776018	93
776032	92
710061V6	112
710061V9	112
710061V36	112
710190V6	112
710190V9	112
710190V36	112
720370V6 NEW	113

VALVE	PAGE
720370V9 NEW	113
720370V36 NEW	113
725002V6 NEW	114
725002V9 NEW	114
725002V36 NEW	114
760021V6	115
760021V9	115
760021V36	115
760195V6 NEW	116
760195V9 NEW	116
760195V36 NEW	116
CPVC-BV2	47
L700	106
N500N	96
N500S	97
N501N	101
N501S	102-111
PVC-BV2	47
PVC-BV3T	52
PVC-BV3L	53
V300	117-118
V310	117-118
V600	117-118
V610	117-118
V900	117-118
V910	117-118
VF300	119-120
VF600	119-120
VF900	119-120

PNEUMATIC PACKAGES (how to order)

Base model	Size	Limit switch/positioners	Solenoid	Accessories	Position
8P0080	**3**	**LS2**	**C1**	**SBM**	**FO**
Insert base model here (some base models not available in all sizes)	1/4” 3/8” 1/2” 3/4” 1” 1-1/4” 1-1/2” 2” 2-1/2” 3” 4” 5” 6” 8” 10” 12”	**LS2** = LS2-B **LS2EXM** = LS2-B-EXM **LS2EXN** = LS2-B-EXN **LS** = 3900000149 **FM51** = MON-FMYB-5120 **FM52** = MON-FMYB-5220 **AM51** = MON-AMYB-5120 **AM52** = MON-AMYB-5220 **F25E** = NBN3-F25-E8-V1 P+F **F31E** = NBN3-F31-E8-V1 P+F **F31Z** = NBN3-F31-Z8-V1 P+F **40N** = MON-40N-S1N-SF **41N** = MON-41N-E1N-SF **41S** = MON-41N-E1S-SF **41T** = MON-41N-E1T-SF **PNP** = PNP-B **ENP** = ENP-B **ENPBF** = ENP-B-F **CA20** = CA20 **CA21** = CA21 **CA22** = CA22 **SP** = smart positioner basic **SPH** = smart positioner hart **SPHF** = smart positioner hart w/feedback		**AW30** = BON-AW30-N02E-2Z **SSFR** = SS-FR-25 **KQ** = KQ2L07-35AS **BV** = BV-2 **SBM** = SBM-2 **SCM** = SCM-2 **AS** = ASN2-N02 **AS21** = AS2201F-N01-07S **AS22** = AS2201F-N02-07S **DMO** = De-clutchable manual override **SAD** = pressure gauges for CA20,CA21. CA22 **VB** = volume booster **NRB** = namur rotation block	**FO = fail open** All units are shipped fail closed unless this suffix is added $30 List price adder

See pages 122-123 for details

See pages 124-126 for details

5/2-SINGLE SOLENOID

C1 =	NMR1-C1 (5/2 120VAC Conduit)
4C1 =	NMR4-C1 (5/2 120VAC Conduit)
SSC1 =	SSNMR1-C1 (5/2 120VAC Conduit)
C2 =	NMR1-C2 (5/2 24VDC Conduit)
4C2 =	NMR4-C2 (5/2 24VDC Conduit)
SSC2 =	SSNMR1-C2 (5/2 24VDC Conduit)
C12 =	NMR1-C12 (5/2 12VDC Conduit)
C22 =	NMR1-C22 (5/2 220VAC Conduit)
C24 =	NMR1-C24 (5/2 24VAC Conduit)
D1 =	NMR1-D1 (5/2 120VAC Din)
4D1 =	NMR4-D1 (5/2 120VAC Din)
SSD1 =	SSNMR1-D1 (5/2 120VAC Din)
D2 =	NMR1-D2 (5/2 24VDC Din)
4D2 =	NMR4-D2 (5/2 24VDC Din)
SSD2 =	SSNMR1-D2 (5/2 24VDC Din)
D12 =	NMR1-D12 (5/2 12VDC Din)
D22 =	NMR1-D22 (5/2 220VAC Din)
D24 =	NMR1-D24 (5/2 24VAC Din)

3/2-SINGLE SOLENOID

3C1 =	NMR3-C1 (3/2 120VAC Conduit)
3C2 =	NMR3-C2 (3/2 24VDC Conduit)
3C12 =	NMR3-C12 (3/2 12VDC Conduit)
3C22 =	NMR3-C22 (3/2 220VAC Conduit)
3C24 =	NMR3-C24 (3/2 24VAC Conduit)
3D1 =	NMR3-D1 (3/2 120VAC Din)
3D2 =	NMR3-D2 (3/2 24VDC Din)
3D12 =	NMR3-D12 (3/2 12VDC Din)
3D22 =	NMR3-D22 (3/2 220VAC Din)
3D24 =	NMR3-D24 (3/2 24VAC Din)
EX1 =	NMR1-EX1 (5/2 120VAC Conduit)
EX2 =	NMR1-EX2 (5/2 24VDC Conduit)
EX12 =	NMR1-EX12 (5/2 12VDC Conduit)
EX22 =	NMR1-EX22 (5/2 220VAC Conduit)
3EX1 =	NMR3-EX1 (3/2 120VAC Conduit)
3EX2 =	NMR3-EX2 (3/2 24VDC Conduit)
3EX12 =	NMR3-EX12 (3/2 12VDC Conduit)
3EX22 =	NMR3-EX22 (3/2 220VAC Conduit)
AX2 =	NMR1-ATEX2 (5/2 24VDC Conduit)
3AX2 =	NMR3-ATEX2 (3/2 24VDC Conduit)

DOUBLE SOLENOID

DC1 =	DMR1-C1 (5/2 120VAC Conduit)
DC2 =	DMR1-C2 (5/2 24VDC Conduit)
DC12 =	DMR1-C12 (5/2 12VDC Conduit)
DC22 =	DMR1-C22 (5/2 220VAC Conduit)
DC24 =	DMR1-C24 (5/2 24VAC Conduit)
DD1 =	DMR1-D1 (5/2 120VAC Din)
DD2 =	DMR1-D2 (5/2 24VDC Din)
DD12 =	DMR1-D12 (5/2 12VDC Din)
DD22 =	DMR1-D22 (5/2 220VAC Din)
DD24 =	DMR1-D24 (5/2 24VAC Din)
DEX1 =	DMR1-EX1 (5/2 120VAC Conduit)
DEX2 =	DMR1-EX2 (5/2 24VDC Conduit)
DEX12 =	DMR1-EX12 (5/2 12VDC Conduit)
DEX22 =	DMR1-EX22 (5/2 220VAC Conduit)
DAX2 =	NMR1-ATEX2 (5/2 24VDC Conduit)
M12 =	4-Pin M12 Connector 50.00 List Adder to any Solenoid Valve (double solenoid valves require 2 pieces so price accordingly)

See pages 126-129 for details

ELECTRIC PACKAGES (how to order)

Model
M8E9101
Insert base model here (some base models not available in all sizes)

—

Voltage
003
on/off models
001 = 12 VDC
002 = 24 V AC/DC
003 = 100-240 VAC
on/off models W/battery backup
012 = 24 V AC/DC (fail closed)
013 = 100-240 V AC/DC (fail closed)
112 = 24 V AC/DC (fail open)
113 = 100-240 VAC (fail open)
modulating model
022 = 24 V AC/DC
023 = 100-240 VAC
modulating models W/battery backup
042 = 24 V AC/DC (fail closed)
043 = 100-240 VAC (fail closed)
142 = 24 V AC/DC (fail open)
143 = 100-240 VAC (fail open)

—

Size
3
1/4”
3/8”
1/2”
3/4”
1”
1-1/4”
1-1/2”
2”
2-1/2”
3”
4”
5”
6”
8”
10”
12”

—

Option
RLY24
MK = stand off mounting kit
RLY12 = 12V DC SPDT relay installed
RLY24 = 24V DC SPDT relay installed
RLY120 = 120V AC SPDT relay installed (VB060 and up only)
(These are optional only and are not required for standard actuator operation)

RELAY



VALBIA DOUBLE ACTING PNEUMATIC ACTUATORS "DA" – VITON Seals Standard

MODEL	DA32V	DA52V	DA63V	DA75V	DA85V	DA100V	DA115V	DA125V	DA140V	DA160V	DA180V	DA200V	DA230V	DA270V	DA330V
FKM/VITON SEALS	82DA1307	82DA1310	82DA1312	82DA1375	82DA1314	82DA1318	82DA1370	82DA1319	82DA1320	82DA1379	82DA1380	82DA1321	82DA1323	82DA1377	82DA1333
US$	**106.00**	**163.00**	**190.00**	**260.00**	**289.00**	**362.00**	**480.00**	**553.00**	**796.00**	**1,141.00**	**1,297.00**	**1,700.00**	**2,846.00**	**4,001.00**	**9,560.00**
Pkg. weight	1.08	2.47	3.66	6.13	8.60	12.12	19.51	23.81	35.93	47.95	63.93	81.57	128.97	182.25	370.38

VALBIA SPRING RETURN PNEUMATIC ACTUATORS "SR" – VITON Seals Standard

MODEL	SR52V	SR63V	SR75V	SR85V	SR100V	SR115V	SR125V	SR140V	SR160V	SR180V	SR200V	SR230V	SR270V	SR330V
FKM/VITON SEALS	82SR1310	82SR1312	82SR1375	82SR1314	82SR1318	82SR1370	82SR1319	82SR1320	82SR1379	82SR1380	82SR1321	82SR1323	82SR1377	82SR1333
US$	**175.00**	**205.00**	**285.00**	**324.00**	**413.00**	**555.00**	**633.00**	**936.00**	**1,342.00**	**1,749.00**	**2,131.00**	**3,631.00**	**4,344.00**	**11,570.00**
Pkg. weight	2.87	4.34	7.47	10.58	15.43	25.24	31.04	48.06	65.04	87.96	121.25	156.53	221.06	460.77

VALBIA ACTUATOR 0°–180°

MODEL	DA52V-180	DA63V-180	DA75V-180	DA85V-180	DA100V-180	DA115V-180	DA125V-180	DA140V-180	DA160V-180
CODE	83DA0110	83DA0112	83DA0175	83DA0114	83DA0118	83DA0170	83DA0119	83DA0120	83DA0179
US$	**344.00**	**404.00**	**483.00**	**619.00**	**767.00**	**851.00**	**1,004.00**	**1,446.00**	**1,724.00**
Pkg. weight	3.75	5.51	9.26	13.18	18.81	30.09	38.25	55.12	68.78

VALBIA STAINLESS STEEL ACTUATOR 0° – 90°

MODEL	SSDA52V	SSDA63V	SSDA75V	SSDA85V	SSDA100V
CODE	84DA0010	84DA0012	84DA0075	84DA0014	84DA0018
US$	736.00	809.00	1,081.00	1,311.00	1,615.00
Weight (Lbs)	5.00	6.90	10.90	16.60	22.50

MODEL	SSSR52V	SSSR63V	SSSR75V	SSSR85V	SSSR100V
CODE	84SR0010	84SR0012	84SR0075	84SR0014	84SR0018
US$	757.00	840.00	1,116.00	1,364.00	1,653.00
Weight (Lbs)	5.40	7.60	12.30	18.50	25.90

VALBIA PTFE-COATED PNEUMATIC ACTUATORS – VITON Seals Standard

MODEL	DA32VP	DA52VP	DA63VP	DA75VP	DA85VP	DA100VP	DA115VP	DA125VP	DA140VP	DA160VP	DA180VP	DA200VP	DA230VP	DA270VP	DA330VP
CODE	82DAH807	82DAH810	82DAH812	82DAH875	82DAH814	82DAH818	82DAH870	82DAH819	82DAH820	82DAH879	82DAH880	82DAH821	82DAH823	82DAH877	82DAH833
US$	135.00	204.00	251.00	343.00	380.00	479.00	632.00	742.00	1,016.00	C/F	C/F	C/F	C/F	C/F	C/F
Weight (Lbs)	1.08	2.47	3.66	6.13	8.60	12.12	19.51	23.81	35.93	47.95	63.93	81.57	128.97	182.25	370.38
MODEL		SR52VP	SR63VP	SR75VP	SR85VP	SR100VP	SR115VP	SR125VP	SR140VP	SR160VP	SR180VP	SR200VP	SR230VP	SR270VP	SR330VP
CODE		82SRH810	82SRH812	82SRH875	82SRH814	82SRH818	82SRH870	82SRH819	82SRH820	82SRH879	82SRH880	82SRH821	82SRH823	82SRH877	82SRH833
US$		246.00	345.00	407.00	505.00	672.00	786.00	1,125.00	1,562.00	C/F	C/F	C/F	C/F	C/F	C/F
Weight (Lbs)		2.87	4.34	7.47	10.58	15.43	25.24	31.04	48.06	65.04	87.96	121.25	156.53	221.06	460.77

PRICE LIST PNEUMATIC ACTUATOR SPARE PARTS

SET OF SPRINGS FOR SPRING RETURN ACTUATORS

*screws not included

	SET 05	SET 05	SET 05	SET 05	SET 05	SET 05	SET 05	SET0 05	SET 06	SET 06	SET 06	N° 1 screw*	N° 1 screw*	N° 1 screw*
SIZE	52	63	75	85	100	115	125	140	160	180	200	230	270	330
CODE	RI3385	RI3386	RI3387	RI3388	RI3389	RI3390	RI3391	RI4048	RI4738	RI4600	RI4746	RI4601	RI3531	RI4602
US$	27.00	34.00	50.00	56.00	80.00	114.00	147.00	194.00	505.00	599.00	729.00	99.00	95.00	265.00

SET OF SEALS O-RING (NBR70 -4 F + 185 F)

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
CODE	RI3101	RI4603	RI4604	RI4605	RI4606	RI4607	RI4608	RI4609	RI4610	RI4611	RI4612	RI4613	RI4614	RI4615	RI4616
US$	15.00	15.00	16.00	17.00	19.00	20.00	23.00	23.00	21.00	72.00	78.00	78.00	85.00	70.00	92.00

SET OF SEALS O-RING (VITON -4 F + 302 F)

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
CODE	RI3326	RI4617	RI4618	RI4619	RI4620	RI4621	RI4622	RI4623	RI4624	RI4625	RI4626	RI4627	RI4628	RI4629	RI4630
US$	26.00	23.00	30.00	40.00	59.00	68.00	75.00	77.00	67.00	106.00	121.00	128.00	178.00	197.00	476.00

SET OF SEALS O-RING (SILICON -40 F + 302 F)

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
CODE	-	RI4631	RI4632	RI4633	RI4634	RI4635	RI4636	RI4637	RI4638	RI4639	RI4640	RI4641	RI4642	RI4643	RI4644
US$	-	22.00	27.00	30.00	54.00	56.00	71.00	78.00	52.00	96.00	102.00	113.00	118.00	166.00	194.00

SET GUIDES FOR ACTUATORS (TEMPERATURE -4 F + 185 F)

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
CODE	-	RI4645	RI4646	RI4647	RI4648	RI4649	RI4650	RI4651	RI4652	RI4653	RI4654	RI4655	RI4656	RI4657	RI4658
US$	-	20.00	20.00	20.00	20.00	20.00	22.00	22.00	103.00	142.00	178.00	149.00	154.00	387.00	437.00

SET GUIDES FOR ACTUATORS (TEMPERATURE -4 F + 302 F)

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
CODE	-	RI4659	RI4660	RI4661	RI4662	RI4663	RI4664	RI4665	RI4666	RI4667	RI4668	RI4669	RI4670	RI4671	RI4672
US$	-	20.00	21.00	22.00	31.00	32.00	28.00	29.00	106.00	148.00	164.00	125.00	82.00	387.00	437.00

PINION NAMUR

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
CODE	RI3156	RI4673	RI4674	RI4675	RI4676	RI4677	RI4678	RI4679	RI4680	RI4681	RI4682	RI4683	RI4684	RI4685	RI4686
US$	51.00	61.00	67.00	82.00	85.00	133.00	177.00	192.00	202.00	241.00	303.00	382.00	614.00	1,027.00	2,541.00

PISTON (1 PIECE)

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
CODE	RI3215	RI3535	RI3536	RI3537	RI3538	RI3539	RI3540	RI3541	RI4053	RI3919	RI4687	RI3920	RI4688	RI3921	RI4689
US$	25.00	27.00	28.00	30.00	33.00	38.00	59.00	62.00	108.00	135.00	166.00	174.00	327.00	473.00	960.00

END CAP

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
RIGHT	RI3401	RI4690	RI4692	RI4694	RI4696	RI4698	RI4700	RI4702	RI4704	RI4706	RI4708	RI4710	RI4712	RI4714	RI4715
US$	50.00	27.00	28.00	30.00	32.00	40.00	64.00	66.00	88.00	116.00	124.00	138.00	179.00	584.00	828.00
LEFT	RI3401	RI4691	RI4693	RI4695	RI4697	RI4699	RI4701	RI4703	RI4705	RI4707	RI4709	RI4711	RI4713	RI4714	RI4716
US$	50.00	27.00	28.00	30.00	32.00	40.00	64.00	66.00	88.00	116.00	124.00	138.00	179.00	584.00	828.00

FOR STAINLESS STEEL ACTUATOR SPARE PARTS, PLEASE CONTACT OUR SALES DEPARTMENT

STANDARD VERSION 0° - 90° - Standard suffix - 00*

MODEL	VB010
VOLTAGE	110V AC (-003)
CODE	85H10010
US$	233.00
VOLTAGE	24V AC/DC (-002)
CODE	85L00010
US$	221.00
WEIGHT	2.0

STANDARD VERSION 0° - 90° (ON REQUEST 0° - 180° - 0° - 270°) - Standard suffix - 00*

MODEL	VB015	VB030	VB060	VB110	VB190	VB270	VB350
VOLTAGE	110V AC (-003)						
CODE	85H00101	85H00103	85H00106	85H00111	85H00119	85H00127	85H00135
US$	300.00	461.00	549.00	641.00	681.00	744.00	835.00
VOLTAGE	24V AC/DC (-002)						
CODE	85L00101	85L00103	85L00106	85L00111	85L00119	85L00127	85L00135
US$	249.00	419.00	480.00	563.00	590.00	639.00	771.00
VOLTAGE	12V AC/DC (-001)						
CODE	85L10101	85L10103	85L10106	85L10111	85L10119	85L10127	85L10135
US$	300.00	461.00	549.00	641.00	681.00	744.00	835.00
WEIGHT	3.09	5.07	7.26	10.80	10.80	13.23	13.23

VERSION WITH BATTERY BACK-UP *01 (OPERATING NORMALLY CLOSED) - Standard suffix - 01*

MODEL	VB015	VB030	VB060	VB110	VB190	VB270	VB350
VOLTAGE	110V AC (-013)						
CODE	NOT AVAILABLE	85H00903	85H00906	85H00911	85H00919	85H00927	85H00935
US$	-	962.00	1,033.00	1,139.00	1,234.00	1,296.00	1,388.00
VOLTAGE	24V AC/DC (-012)						
CODE	NOT AVAILABLE	85L00903	85L00906	85L00911	85L00919	85L00927	85L00935
US$	-	897.00	973.00	1,090.00	1,168.00	1,229.00	1,314.00
WEIGHT	-	5.51	7.72	11.68	11.68	13.89	13.89

VERSION WITH POSITIONER 4-20 mA or 0-10V DC - or REVERSE 20-4 mA or 10-0V DC - Standard suffix - 02*

MODEL	VB015	VB030	VB060	VB110	VB190	VB270	VB350
VOLTAGE	110V AC (-023)						
CODE	NOT AVAILABLE	85H01003	85H01006	85H01011	85H01019	85H01027	85H01035
US$	-	925.00	978.00	1,037.00	1,147.00	1,209.00	1,270.00
VOLTAGE	24V AC/DC (-022)						
CODE	NOT AVAILABLE	85L01003	85L01006	85L01011	85L01019	85L01027	85L001035
US$	-	838.00	892.00	953.00	1,034.00	1,119.00	1,198.00
VOLTAGE	12V AC/DC (-021)						
CODE	NOT AVAILABLE	85L11003	85L11006	85L11011	85L11019	85L11027	85L11035
US$	-	925.00	978.00	1,037.00	1,147.00	1,209.00	1,270.00
WEIGHT	-	5.07	7.26	10.80	10.80	13.23	13.23

VERSION WITH BATTERY BACK-UP *04 (OPERATING NORMALLY CLOSED) - Standard suffix - 04*

MODEL	VB015	VB030	VB060	VB110	VB190	VB270	VB350
VOLTAGE	110V AC (-043)						
CODE	NOT AVAILABLE	85H0CD03	85H0CD06	85H0CD11	85H0CD19	85H0CD27	85H0CD35
US$	-	1,078.00	1,146.00	1,313.00	1,391.00	1,482.00	1,567.00
VOLTAGE	24V AC/DC (-042)						
CODE	NOT AVAILABLE	85L0CD03	85L0CD06	85L0CD11	85L0CD19	85L0CD27	85L0CD35
US$	-	1,006.00	1,089.00	1,230.00	1,317.00	1,406.00	1,505.00
WEIGHT	-	5.51	7.72	11.68	11.68	13.89	13.89

VERSION WITH MIDDLE POSITION *06 4-20 mA or 0-10V DC - or REVERSE 20-4 mA or 10-0V DC - Standard suffix - 06*

MODEL	VB015	VB030	VB060	VB110	VB190	VB270	VB350
VOLTAGE	110V AC (-063)						
CODE	NOT AVAILABLE	85H0CE03	85H0CE06	85H0CE11	85H0CE19	85H0CE27	85H0CE35
US$	-	651.00	756.00	854.00	929.00	995.00	1,091.00
VOLTAGE	24V AC/DC (-062)						
CODE	NOT AVAILABLE	85L0CE03	85L0CE06	85L0CE11	85L0CE19	85L0CE27	85L0CE35
US$	-	589.00	688.00	784.00	852.00	919.00	1,007.00

STANDARD VERSION 0° - 90° (ON REQUEST 0° - 180° - 0° - 270°) - Standard suffix - 00*

MODEL	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
VOLTAGE	110V AC (-003)					
CODE	86H00103	86H00106	86H00111	86H00119	86H00127	86H00135
US$	561.00	643.00	1,106.00	1,189.00	1,286.00	1,391.00
VOLTAGE	24V AC/DC (-002)					
CODE	86L00103	86L00106	86L00111	86L00119	86L00127	86L00135
US$	519.00	600.00	986.00	1,033.00	1,241.00	1,327.00
VOLTAGE	12V AC/DC (-001)					
CODE	86L10103	86L10106	86L10111	86L10119	86L10127	86L10135
US$	561.00	643.00	1,106.00	1,189.00	1,286.00	1,391.00
WEIGHT	7.70	9.9	18.7	18.7	20.9	20.9

VERSION WITH BATTERY BACK-UP *01 (OPERATING NORMALLY CLOSED) - Standard suffix - 01*

MODEL	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
VOLTAGE	110V AC (-013)					
CODE	86H00903	86H00906	86H00911	86H00919	86H00927	86H00935
US$	1,312.00	1,374.00	1,792.00	1,978.00	2,062.00	2,245.00
VOLTAGE	24V AC/DC (-012)					
CODE	86L00903	86L00906	86L00911	86L00919	86L00927	86L00935
US$	1,234.00	1,296.00	1,729.00	1,868.00	1,952.00	2,123.00
WEIGHT	7.8	10.0	19.0	19.0	21.2	21.2

VERSION WITH POSITIONER 4-20 mA or 0-10V DC - or REVERSE 20-4 mA or 10-0V DC - Standard suffix - 02*

MODEL	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
VOLTAGE	110V AC (-023)					
CODE	86H01003	86H01006	86H01011	86H01019	86H01027	86H01035
US$	1,229.00	1,364.00	1,746.00	1,887.00	2,009.00	2,111.00
VOLTAGE	24V AC/DC (-022)					
CODE	86L01003	86L01006	86L01011	86L01019	86L01027	86L01035
US$	1,137.00	1,268.00	1,668.00	1,803.00	1,924.00	2,022.00
VOLTAGE	12V AC/DC (-021)					
CODE	86L11003	86L11006	86L11011	86L11019	86L11027	86L11035
US$	1,229.00	1,364.00	1,746.00	1,887.00	2,009.00	2,111.00
WEIGHT	7.7	9.9	18.7	18.7	20.9	20.9

VERSION WITH BATTERY BACK-UP *04 (OPERATING NORMALLY CLOSED) - Standard suffix - 04*

MODEL	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
VOLTAGE	110V AC (-043)					
CODE	86H0CD03	86H0CD06	86H0CD11	86H0CD19	86H0CD27	86H0CD35
US$	1,547.00	1,560.00	1,949.00	2,205.00	2,238.00	2,493.00
VOLTAGE	24V AC/DC (-042)					
CODE	86L0CD03	86L0CD06	86L0CD11	86L0CD19	86L0CD27	86L0CD35
US$	1,483.00	1,415.00	1,751.00	1,958.00	2,047.00	2,225.00
WEIGHT	7.8	10.0	19.0	19.0	21.2	21.2

VERSION WITH MIDDLE POSITION *06 4-20 mA or 0-10V DC - or REVERSE 20-4 mA or 10-0V DC - Standard suffix - 06*

MODEL	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
VOLTAGE	110V AC (-063)					
CODE	86H0CE03	86H0CE06	86H0CE11	86H0CE19	86H0CE27	86H0CE35
US$	1,239.00	1,224.00	1,580.00	1,756.00	1,800.00	1,945.00
VOLTAGE	24V AC/DC (-062)					
CODE	86L0CE03	86L0CE06	86L0CE11	86L0CE19	86L0CE27	86L0CE35
US$	1,132.00	1,114.00	1,505.00	1,693.00	1,740.00	1,881.00

SPRING RETURN ELECTRIC ACTUATORS (NO MANUAL OVERRIDE)

C US Pending

Standard suffix - 05*

MODEL	EA045	EA120	EA180	EA230
VOLTAGE	24 AC/DC, 110VAC or 220VAC			
WEIGHT	60.0	126.0	209.0	209.0
US$	5,237.00	7,620.00	12,497.00	13,230.00

SPRING RETURN ELECTRIC ACTUATORS (WITH MANUAL OVERRIDE)

Standard suffix - 05*

MODEL	EA045-M	EA120-M	EA180-M	EA230-M
VOLTAGE	24 AC/DC, 110VAC or 220VAC			
WEIGHT	82.0	163.0	298.0	298.0
US$	6,685.00	9,527.00	14,586.00	15,320.00

*VOLTAGE: 052 = 24V AC/DC / 053 = 120V AC



EXPLOSION PROOF ELECTRIC ACTUATORS - Standard Suffix - 00*

Certified

NEMA 4x, 7, 8, 9
IP68

MODEL	EAX035	EAX045
VOLTAGE	24 AC/DC, 110VAC OR 220VAC	
ON-OFF (US$) -00*	1,464.00	1,674.00
POSITIONER (US$) -02*	2,274.00	2,485.00
WEIGHT	4.41	6.61



EXPLOSION PROOF ELECTRIC ACTUATORS (with Handwheel) - Standard Suffix - 00*

Certified

NEMA 4x, 7, 8, 9
IP68

MODEL	EAX080	EAX130	EAX360	EAX450
VOLTAGE	24 AC/DC, 110VAC OR 220VAC			
ON-OFF (US$) -00*	3,464.00	3,797.00	4,288.00	4,657.00
POSITIONER (US$) -02*	4,274.00	4,608.00	5,099.00	5,467.00
WEIGHT	24.25	24.25	44.09	44.09



SPRING RETURN EXPLOSION PROOF ELECTRIC ACTUATORS - Standard Suffix - 05*

Certified

NEMA 4x, 7, 8, 9
IP68

MODEL	EAX045
VOLTAGE	24 AC/DC, 110VAC OR 220VAC
ON-OFF (US$) -05*	8,257.00
POSITIONER (US$) -07*	9,144.00
WEIGHT	82.00



SPRING RETURN EXPLOSION PROOF ELECTRIC ACTUATORS (with Handwheel) Standard Suffix - 05*

Certified

NEMA 4x, 7, 8, 9
IP68

MODEL	EAX120	EAX180	EAX230
VOLTAGE	24 AC/DC, 110VAC OR 220VAC		
ON-OFF (US$) -05*	12,207.00	18,190.00	19,340.00
POSITIONER (US$) -07*	13,094.00	19,077.00	20,227.00
WEIGHT	163.00	298.00	298.00

VOLTAGE SUFFIX							
ON/OFF		POSITIONER		SPRING RETURN ON/OFF		SPRING RETURN POSITIONER	
-002	24V AC/DC	-022	24V AC/DC	-052	24V AC/DC	-072	24V AC/DC
-003	110V AC	-023	110V AC	-053	110V AC	-073	110V AC
-004	220V AC	-024	220V AC	-054	220V AC	-074	220V AC

VALVE TIMER

MODEL	DESCRIPTION	US$
VT-1	Valve Timer - 5.0A AC / 277V AC	354.00
VT-2	Valve Timer - 5.0A DC / 125V DC	354.00

ENCLOSURE FEATURES & SPECIFICATIONS

E208470

Protection Level	IP65 - Nema Type 4x
Enclosure Material	Polycarbonate
Door Material	Polycarbonate
Material Temperature Range	-40°C to 120°C (-40°F to 248°F)
Included Accessories	35mm DIN rail

ENCLOSURE DIMENSIONS



A	B	C	D
1.42	1.81	3.70	5.12

BREAKER - SINGLE POLE

489

LISTED
C.B.
E329510

MODEL	VT-1	VT-2
Rated Current	5.0A AC	5.0A DC
Rated Voltage	277V AC	125V DC

TIMER FEATURES

- Multi-functional Timer (8 or 18 Functions
- Universal Voltage 24-265V AC/DC
- Wide Time Range: 0.1 seconds ~ 999 hours
- 3 Digit LCD Display for Preset Time & Run Time
- DIN Rail Mounted
- 17.5mm Width

LISTED
E351145

TIMER FEATURES

Output Contacts	1 C/O
No. of Timer Functions	8
Functions [Setting Mode]	1. ON Delay [a] 2. Cyclic OFF/ON [b] 3. Cyclic ON/OFF [c] 4. Signal ON/OFF [d] 5. Signal OFF Delay [e] 6. Interval [f] 7. Signal OFF/ON [g] 8. One Shot Output [h]

CONNECTION DIAGRAM





TIMER SPECIFICATIONS

Supply Voltage	24 - 265V AC/DC (50, 60Hz)
Power Consumption	10 VA max.
Cycle Timing Range	0.1 seconds - 999 hours
Reset Time	200ms. max
Repeat Accuracy	+ -0.5%
Output Contact Rating	8A @ 240V AC / 24V DC Resistive
Electrical Life	10,000 switching cycles
Mechanical Life	2,000,000 switching cycles
AC-15 Rating	Rated Voltage (ue): 125/240V, Rated Current (Ie): 3/1.5a
DC-13 Rating	Rated Voltage (ue): 125/250V, Rated Current (Ie): 2/0.22/0.1a
Operating Temperature	-10°C ~ +55°C (+14°F ~ 131°F)
Storage Temperature	-20°C ~ +65°C (-4°F ~ 149°F)
Terminal Wire Size	0.3-2.5 mm^2 (22-14 AWG)

NEW

VALVE TIMER WITH DIGITAL TIMER SWITCH & CLOCK

MODEL	DESCRIPTION	US$
VT-C120	Chrono Version - Valve Timer with Digital Timer Switch - 4.0A AC / 110-240V AC	425.00
VT-C12	Chrono Version - Valve Timer with Digital Timer Switch - 4.0A DC / 12V DC	425.00
VT-C24	Chrono Version - Valve Timer with Digital Timer Switch - 4.0A DC / 24V DC	425.00
VT-P120	Pulse Version - Valve Timer with Digital Timer Switch - 4.0A AC / 110-240V AC	C/F
VT-P12	Pulse Version - Valve Timer with Digital Timer Switch - 4.0A DC / 12V DC	C/F
VT-P24	Pulse Version - Valve Timer with Digital Timer Switch - 4.0A DC / 24V DC	C/F

ENCLOSURE FEATURES & SPECIFICATIONS

E208470

Protection Level	IP65 - NEMA Type 4x
Enclosure Material	Polycarbonate
Door Material	Polycarbonate
Material Temperature Range	-40°C to 120°C (-40°F to 248°F)
Included Accessories	35mm DIN rail

ENCLOSURE DIMENSIONS



A	B	C	D
1.42	1.81	3.70	5.12

BREAKER - SINGLE POLE

489

LISTED C.B. E329510

MODEL	VT-C120	VT-C12	VT-C24	VT-P120	VT-P12	VT-P24
Rated Current	4.0A AC	4.0A DC	4.0A DC	4.0A AC	4.0A DC	4.0A DC
Rated Voltage	100-240V AC	12V DC	24V DC	100-240V AC	12V DC	24V DC

TIMER FEATURES

- 25 ON/OFF Programs (16 ON Programs for Pulse Version
- LCD Display for Time and Program Information
- Various Supply voltages
- Settable Daylight Savings Time
- Lockable Keypad
- Simple Manual Override
- 12 / 24 Hour time format
- DIN rail mount

LISTED E351145

TIMER FEATURES		
Power Consumption	4 VA max.	4 VA max.
Programs	25 ON/OFF Programs	16 Pulse Programs
Minimum Switching Time	1 min	1 s
Programmable Pulse Duration	-	1-59 s

OPERATING MODES	CHRONO VERSION	PULSE VERSION
AUTO	Program ON	Program OFF
ON AUTO	Instant ON until next Auto Event	Instant ON until next Auto Event
AUTO OFF	Instant OFF until next Auto Event	Instant OFF until next Auto Event
ON	Continuous ON	Continuous ON
OFF	Continuous OFF	Continuous OFF

CONNECTION DIAGRAM



DISPLAY FUNCTIONS



SPECIFICATIONS

FUNCTIONAL	
Display	3 Line Text LCD
Clock Resolution	1 minute
Clock Mode	12h (AM/PM) or 24h
Clock Accuracy	+/- 2s above operating temperature
LED Indicator	ON: relay activated. OFF: relay deactivated
OUTPUT	
Output Configuration	1 x SPDT
Output Contact Rating	16A (NO), 5A (NC) @ 240VAC/24VDC (resistive) - 6A @ 250VAC, cosΦ = 0.6 (inductive)
Electrical Life	30,000 switching cycles
AC-15 Rating	250VAC / 6.0A, cosΦ = 0.6, 185°F
DC-13 Rating	Rated Voltage (Ue): 24VDC, Rated Current (Ie): 2.0A
MATERIAL	
Operating Temperature	14°F - 131°F
Storage Temperature	14°F - 140°F
Protection Enclosure	IP40 (Enclosure), IP20 Terminals
Housing	UL94-V0
Terminal Wire Size	24-12AWG
Weight	0.24 lbs.

RB 250N 2-way direct mount brass 600 WOG 150 WSP full port ball valve.

8P0080

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32	DA32	DA32	DA32	DA32	DA32	DA52	DA52	DA63	DA63	DA85
Weight (Lbs)	1.9	1.9	1.8	2.1	2.7	3.3	6.1	7.9	12.2	16.7	29.2
US$	189.00	189.00	189.00	195.00	216.00	250.00	349.00	423.00	626.00	784.00	1,266.00

8P0082

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52	SR52	SR52	SR52	SR52	SR52	SR63	SR63	SR85	SR85	SR100
Weight (Lbs)	3.6	3.5	3.4	4.1	4.3	4.9	7.8	9.6	18.5	22.9	36.1
US$	262.00	262.00	262.00	268.00	289.00	323.00	397.00	471.00	766.00	924.00	1,390.00

8E864-00*

With standard on/off **plastic Valbia electric** actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"
ACT.		VB010	VB010	VB010	VB010	VB010	VB010
Weight (Lbs)		2.9	2.9	2.9	3.0	3.7	4.4
24V AC/DC	US$	269.00	269.00	269.00	275.00	296.00	330.00
110V AC	US$	281.00	281.00	281.00	287.00	308.00	342.00

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E064-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.												
ACT.		VB015	VB015	VB015	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US$	336.00	336.00	336.00	342.00	363.00	397.00	605.00	679.00	916.00	1,074.00	1,540.00
12V AC/DC, 100-240 VAC	US$	387.00	387.00	387.00	393.00	414.00	448.00	647.00	721.00	985.00	1,143.00	1,618.00
8E064-01* With fail-safe battery back-up **plastic Valbia electric** actuator.												
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US$	984.00	984.00	984.00	990.00	1,011.00	1,045.00	1,083.00	1,157.00	1,409.00	1,567.00	2,067.00
100-240 VAC	US$	1,049.00	1,049.00	1,049.00	1,055.00	1,076.00	1,110.00	1,148.00	1,222.00	1,469.00	1,627.00	2,116.00
8E064-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.												
24V AC/DC	US$	925.00	925.00	925.00	931.00	952.00	986.00	1,024.00	1,098.00	1,328.00	1,486.00	1,930.00
12V AC/DC, 100-240 VAC	US$	1,012.00	1,012.00	1,012.00	1,018.00	1,039.00	1,073.00	1,111.00	1,185.00	1,414.00	1,572.00	2,014.00
8E064-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.												
24V AC/DC	US$	1,093.00	1,093.00	1,093.00	1,099.00	1,120.00	1,154.00	1,192.00	1,266.00	1,525.00	1,683.00	2,207.00
100-240 VAC	US$	1,165.00	1,165.00	1,165.00	1,171.00	1,192.00	1,226.00	1,264.00	1,338.00	1,582.00	1,740.00	2,290.00
Weight (Lbs)		3.9	3.9	3.9	4.0	4.7	5.3	8.8	10.6	16.1	20.6	32.4

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E064-00* With **UL approved** standard on/off **metal Valbia electric** actuator.												
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M
24V AC/DC	US$	606.00	606.00	606.00	612.00	633.00	667.00	705.00	779.00	1,036.00	1,194.00	1,963.00
12V AC/DC, 100-240 VAC	US$	648.00	648.00	648.00	654.00	675.00	709.00	747.00	821.00	1,079.00	1,237.00	2,083.00
M8E064-01* With fail-safe battery back-up **metal Valbia electric** actuator.												
24V AC/DC	US$	1,321.00	1,321.00	1,321.00	1,327.00	1,348.00	1,382.00	1,420.00	1,494.00	1,732.00	1,890.00	2,706.00
100-240 VAC	US$	1,399.00	1,399.00	1,399.00	1,405.00	1,426.00	1,460.00	1,498.00	1,572.00	1,810.00	1,968.00	2,769.00
M8E064-02* With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.												
24V AC/DC	US$	1,224.00	1,224.00	1,224.00	1,230.00	1,251.00	1,285.00	1,323.00	1,397.00	1,704.00	1,862.00	2,645.00
12V AC/DC, 100-240 VAC	US$	1,316.00	1,316.00	1,316.00	1,322.00	1,343.00	1,377.00	1,415.00	1,489.00	1,800.00	1,958.00	2,723.00
M8E064-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.												
24V AC/DC	US$	1,570.00	1,570.00	1,570.00	1,576.00	1,597.00	1,631.00	1,669.00	1,743.00	1,851.00	2,009.00	2,728.00
100-240 VAC	US$	1,634.00	1,634.00	1,634.00	1,640.00	1,661.00	1,695.00	1,733.00	1,807.00	1,996.00	2,154.00	2,926.00
Weight (Lbs)		8.2	8.2	8.2	8.3	9.0	9.6	11.1	13.0	19.0	23.2	41.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

LEAD FREE
NSF/ANSI
372, 61

RB 250NLF 2-way direct mount lead free brass 600 WOG 150 WSP full port ball valve.

8P0080LF

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA32	DA32	DA32	DA32	DA52	DA52
Weight (Lbs)	1.8	2.1	2.7	3.3	6.1	7.9
US$	193.00	205.00	227.00	277.00	392.00	494.00

8P0082LF

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR52	SR52	SR52	SR52	SR63	SR63
Weight (Lbs)	3.4	4.1	4.3	4.9	7.8	9.6
US$	266.00	278.00	300.00	350.00	440.00	542.00

8E864LF-00*

With standard on/off **plastic Valbia electric** actuator.

SIZE		1/2"	3/4"	1"	1 1/4"
ACT.		VB010	VB010	VB010	VB010
Weight (Lbs)		2.9	3.0	3.7	4.4
24V AC/DC	US$	273.00	285.00	307.00	357.00
110V AC	US$	285.00	297.00	319.00	369.00

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E064LF-00*					With **UL approved** standard on/off **plastic Valbia electric** actuator.		
ACT.		VB015	VB015	VB015	VB015	VB030	VB030
24V AC/DC	US$	340.00	352.00	374.00	424.00	648.00	750.00
12V AC/DC, 100-240 VAC	US$	391.00	403.00	425.00	475.00	690.00	792.00
8E064LF-01*					With fail-safe battery back-up **plastic Valbia electric** actuator.		
ACT.		VB030	VB030	VB030	VB030	VB030	VB030
24V AC/DC	US$	988.00	1,000.00	1,022.00	1,072.00	1,126.00	1,228.00
100-240 VAC	US$	1,053.00	1,065.00	1,087.00	1,137.00	1,191.00	1,293.00
8E064LF-02*					With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.		
24V AC/DC	US$	929.00	941.00	963.00	1,013.00	1,067.00	1,169.00
12V AC/DC, 100-240 VAC	US$	1,016.00	1,028.00	1,050.00	1,100.00	1,154.00	1,256.00
8E064LF-04*					With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.		
24V AC/DC	US$	1,097.00	1,109.00	1,131.00	1,181.00	1,235.00	1,337.00
100-240 VAC	US$	1,169.00	1,181.00	1,203.00	1,253.00	1,307.00	1,409.00
Weight (Lbs)		3.9	4.0	4.7	5.3	8.8	10.6

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E064LF-00*					With **UL approved** standard on/off **metal Valbia electric** actuator.		
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M
24V AC/DC	US$	610.00	622.00	644.00	694.00	748.00	850.00
12V AC/DC, 100-240 VAC	US$	652.00	664.00	686.00	736.00	790.00	892.00
M8E064LF-01*					With fail-safe battery back-up **metal Valbia electric** actuator.		
24V AC/DC	US$	1,325.00	1,337.00	1,359.00	1,409.00	1,463.00	1,565.00
100-240 VAC	US$	1,403.00	1,415.00	1,437.00	1,487.00	1,541.00	1,643.00
M8E064LF-02*					With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	1,228.00	1,240.00	1,262.00	1,312.00	1,366.00	1,468.00
12V AC/DC, 100-240 VAC	US$	1,320.00	1,332.00	1,354.00	1,404.00	1,458.00	1,560.00
M8E064LF-04*					With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	1,574.00	1,586.00	1,608.00	1,658.00	1,712.00	1,814.00
100-240 VAC	US$	1,638.00	1,650.00	1,672.00	1,722.00	1,776.00	1,878.00
Weight (Lbs)		8.2	8.3	9.0	9.6	11.1	13.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

RB 253N 2-way direct mount brass (stainless steel ball/stem) 600 WOG 150 WSP full port ball valve.

8P0135

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA32	DA32	DA32	DA32	DA32	DA32	DA52	DA52
Weight (Lbs)	1.9	1.9	1.8	2.1	2.7	3.3	6.1	8.6
US$	220.00	220.00	220.00	229.00	253.00	292.00	411.00	520.00

8P0136

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR52	SR52	SR52	SR52	SR52	SR52	SR63	SR63
Weight (Lbs)	3.6	3.5	3.4	4.1	4.3	4.9	7.8	10.4
US$	293.00	293.00	293.00	302.00	326.00	365.00	459.00	568.00

8E868-00*

With standard on/off **plastic Valbia electric** actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"
ACT.		VB010	VB010	VB010	VB010	VB010	VB010
Weight (Lbs)		2.9	2.9	2.9	3.0	3.7	4.4
24V AC/DC	US$	300.00	300.00	300.00	309.00	333.00	372.00
110V AC	US$	312.00	312.00	312.00	321.00	345.00	384.00

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

RB 253N 2-way direct mount brass (stainless steel ball/stem) 600 WOG 150 WSP full port ball valve.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E068-00*					With **UL approved** standard on/off **plastic Valbia electric** actuator.				
ACT.		VB015	VB015	VB015	VB015	VB015	VB015	VB030	VB030
24V AC/DC	US$	367.00	367.00	367.00	376.00	400.00	439.00	667.00	776.00
12V AC/DC, 100-240 VAC	US$	418.00	418.00	418.00	427.00	451.00	490.00	709.00	818.00
8E068-01*					With fail-safe battery back-up **plastic Valbia electric** actuator.				
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB030
24V AC/DC	US$	1,015.00	1,015.00	1,015.00	1,024.00	1,048.00	1,087.00	1,145.00	1,254.00
100-240 VAC	US$	1,080.00	1,080.00	1,080.00	1,089.00	1,113.00	1,152.00	1,210.00	1,319.00
8E068-02*					With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	956.00	956.00	956.00	965.00	989.00	1,028.00	1,086.00	1,195.00
12V AC/DC, 100-240 VAC	US$	1,043.00	1,043.00	1,043.00	1,052.00	1,076.00	1,115.00	1,173.00	1,282.00
8E068-04*					With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,124.00	1,124.00	1,124.00	1,133.00	1,157.00	1,196.00	1,254.00	1,363.00
100-240 VAC	US$	1,196.00	1,196.00	1,196.00	1,205.00	1,229.00	1,268.00	1,326.00	1,435.00
Weight (Lbs)		3.9	3.9	3.9	4.0	4.7	5.3	8.8	10.6

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E068-00*					With **UL approved** standard on/off **metal Valbia electric** actuator.				
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030	VB030M
24V AC/DC	US$	637.00	637.00	637.00	646.00	670.00	709.00	767.00	876.00
12V AC/DC, 100-240 VAC	US$	679.00	679.00	679.00	688.00	712.00	751.00	809.00	918.00
M8E068-01*					With fail-safe battery back-up **metal Valbia electric** actuator.				
24V AC/DC	US$	1,352.00	1,352.00	1,352.00	1,361.00	1,385.00	1,424.00	1,482.00	1,591.00
100-240 VAC	US$	1,430.00	1,430.00	1,430.00	1,439.00	1,463.00	1,502.00	1,560.00	1,669.00
M8E068-02*					With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	1,255.00	1,255.00	1,255.00	1,264.00	1,288.00	1,327.00	1,385.00	1,494.00
12V AC/DC, 100-240 VAC	US$	1,347.00	1,347.00	1,347.00	1,356.00	1,380.00	1,419.00	1,477.00	1,586.00
M8E068-04*					With fail-safe battery back-up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	1,601.00	1,601.00	1,601.00	1,610.00	1,634.00	1,673.00	1,731.00	1,840.00
100-240 VAC	US$	1,665.00	1,665.00	1,665.00	1,674.00	1,698.00	1,737.00	1,795.00	1,904.00
Weight (Lbs)		8.2	8.2	8.2	8.3	9.0	9.6	11.1	13.0

NEW

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
EXM8E068-00*					With **CSA approved** explosion proof on/off **metal electric** actuator.				
ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX035
24V AC/DC, 110V AC, 220V AC	US$	1,582.00	1,582.00	1,582.00	1,591.00	1,615.00	1,654.00	1,712.00	1,821.00
EXM8E068-02*					With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.				
24V AC/DC, 110V AC, 220V AC	US$	2,392.00	2,392.00	2,392.00	2,401.00	2,425.00	2,464.00	2,522.00	2,631.00
Weight (Lbs)		4.68	4.79	4.81	4.88	5.59	6.23	7.70	7.95

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

600LL 2-way 2-piece carbon steel 2,000 psi full port ball valve.

8P0124

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA32	DA32	DA32	DA32	DA52	DA52	DA63	DA75
Weight (Lbs)	3.9	3.9	3.9	4.3	6.3	7.0	9.5	14.4
Bracket kit	MK700LL-1/4	MK700LL-1/4	MK700LL-1/2	MK700LL-3/4	MK700LL-1	MK700LL-1-1/4	MK700LL-1-1/2	MK700LL-2
US$	261.00	262.00	266.00	273.00	352.00	361.00	426.00	534.00

8P0125

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR52	SR52	SR52	SR63	SR75	SR75	SR85	SR100
Weight (Lbs)	5.4	5.4	5.4	7.2	10.9	11.7	15.9	23.5
Bracket kit	MK700LL-1/4	MK700LL-1/4	MK700LL-1/2	MK700LL-3/4	MK700LL-1	MK700LL-1-1/4	MK700LL-1-1/2	MK700LL-2
US$	330.00	331.00	335.00	372.00	474.00	483.00	560.00	687.00

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E0127-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.									
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB030	VB060
24V AC/DC	US$	404.00	405.00	409.00	416.00	608.00	617.00	655.00	754.00
12V AC/DC, 100-240 VAC	US$	455.00	456.00	460.00	467.00	650.00	659.00	697.00	823.00
8E0127-01* With fail-safe battery back-up **plastic e Valbia lectric** actuator.									
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060
24V AC/DC	US$	1,052.00	1,053.00	1,057.00	1,064.00	1,086.00	1,095.00	1,133.00	1,247.00
100-240 VAC	US$	1,117.00	1,118.00	1,122.00	1,129.00	1,151.00	1,160.00	1,198.00	1,307.00
8E0127-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.									
24V AC/DC	US$	993.00	994.00	998.00	1,005.00	1,027.00	1,036.00	1,074.00	1,166.00
12V AC/DC, 100-240 VAC	US$	1,080.00	1,081.00	1,085.00	1,092.00	1,114.00	1,123.00	1,161.00	1,252.00
8E0127-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.									
24V AC/DC	US$	1,161.00	1,162.00	1,166.00	1,173.00	1,195.00	1,204.00	1,242.00	1,363.00
100-240 VAC	US$	1,233.00	1,234.00	1,238.00	1,245.00	1,267.00	1,276.00	1,314.00	1,420.00
Weight (Lbs)/Bracket kit		3.9/MK700LL-1/2	3.9/MK700LL-1/2	3.9/MK700LL-1/2	3.9/MK700LL-3/4	7.1/MK700LL-1	7.7/MK700LL-11/4	9.5/MK700LL-11/2	14.1/MK700LL-11/2

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E0127-00* With **UL approved** standard on/off **metal Valbia electric** actuator.									
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M
24V AC/DC	US$	674.00	675.00	679.00	686.00	708.00	717.00	755.00	874.00
12V AC/DC, 100-240 VAC	US$	716.00	717.00	721.00	728.00	750.00	759.00	797.00	917.00
M8E0127-01* With fail-safe battery back-up **metal Valbia electric** actuator.									
24V AC/DC	US$	1,389.00	1,390.00	1,394.00	1,401.00	1,423.00	1,432.00	1,470.00	1,570.00
100-240 VAC	US$	1,467.00	1,468.00	1,472.00	1,479.00	1,501.00	1,510.00	1,548.00	1,648.00
M8E0127-02* With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,292.00	1,293.00	1,297.00	1,304.00	1,326.00	1,335.00	1,373.00	1,542.00
12V AC/DC, 100-240 VAC	US$	1,384.00	1,385.00	1,389.00	1,396.00	1,418.00	1,427.00	1,465.00	1,638.00
M8E0127-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,638.00	1,639.00	1,643.00	1,650.00	1,672.00	1,681.00	1,719.00	1,689.00
100-240 VAC	US$	1,702.00	1,703.00	1,707.00	1,714.00	1,736.00	1,745.00	1,783.00	1,834.00
Weight (Lbs)/Bracket kit		8.3/MK700LL-1/2	8.3/MK700LL-1/2	8.3/MK700LL-1/2	8.5/MK700LL-3/4	10.6/MK700LL-1	11.0/MK700LL-11/4	12.0/MK700LL-11/2	17.0/MK700LL-11/2

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

6600LL 2-way unibody carbon steel 2,000 psi seal weld ball valve.

NEW

8P0224

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
ACT.	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA63V	DA75V
Weight (Lbs.)	3.9	3.9	3.9	4.3	6.3	7.0	9.5	14.4
Bracket Kit	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-3/4	MK7700LL-1	MK7700LL-1-1/4	MK7700LL-1-1/2	MK7700LL-1-1/2
US$	286.00	286.00	286.00	302.00	389.00	409.00	492.00	626.00

8P0225

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
ACT.	SR52V	SR52V	SR52V	SR63V	SR75V	SR75V	SR85V	SR100V
Weight (Lbs.)	5.4	5.4	5.4	7.2	10.9	11.7	15.9	23.5
Bracket Kit	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-3/4	MK7700LL-1	MK7700LL-1-1/4	MK7700LL-1-1/2	MK7700LL-1-1/2
US$	355.00	355.00	355.00	401.00	511.00	531.00	626.00	779.00

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
8E0227-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.			
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB030	VB060
24V AC/DC	US$	429.00	429.00	429.00	445.00	645.00	665.00	721.00	846.00
12V AC/DC, 100-240V AC	US$	480.00	480.00	480.00	496.00	687.00	707.00	763.00	915.00
8E0227-01*						With fail-safe battery backup **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060
24V AC/DC	US$	1,077.00	1,077.00	1,077.00	1,093.00	1,123.00	1,143.00	1,199.00	1,339.00
100-240V AC	US$	1,142.00	1,142.00	1,142.00	1,158.00	1,188.00	1,208.00	1,264.00	1,399.00
8E0227-02*						With 0-10VDC or 4-20 mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,018.00	1,018.00	1,018.00	1,034.00	1,064.00	1,084.00	1,140.00	1,258.00
12V AC/DC, 100-240V AC	US$	1,105.00	1,105.00	1,105.00	1,121.00	1,151.00	1,171.00	1,227.00	1,344.00
8E0227-04*						With fail-safe battery backup and 0-10VDC or 4-20 mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,186.00	1,186.00	1,186.00	1,202.00	1,232.00	1,252.00	1,308.00	1,455.00
100-240V AC	US$	1,258.00	1,258.00	1,258.00	1,274.00	1,304.00	1,324.00	1,380.00	1,512.00
Weight (Lbs.)		3.9/MK7700LL-1/2	3.9/MK7700LL-1/2	3.9/MK7700LL-1/2	3.9/MK7700LL-3/4	7.1/MK7700LL-1	7.7/MK7700LL-11/4	9.5/MK7700LL-11/2	14.1/MK7700LL-11/2

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
M8E0227-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M
24V AC/DC	US$	699.00	699.00	699.00	715.00	745.00	765.00	821.00	966.00
12V AC/DC, 100-240V AC	US$	741.00	741.00	741.00	757.00	787.00	807.00	863.00	1,009.00
M8E0227-01*						With fail-safe battery backup **metal Valbia electric** actuator.			
24V AC/DC	US$	1,414.00	1,414.00	1,414.00	1,430.00	1,460.00	1,480.00	1,536.00	1,662.00
100-240V AC	US$	1,492.00	1,492.00	1,492.00	1,508.00	1,538.00	1,558.00	1,614.00	1,740.00
M8E0227-02*						With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,317.00	1,317.00	1,317.00	1,333.00	1,363.00	1,383.00	1,439.00	1,634.00
12V AC/DC, 100-240V AC	US$	1,409.00	1,409.00	1,409.00	1,425.00	1,455.00	1,475.00	1,531.00	1,730.00
M8E0227-04*						With fail-safe battery backup and 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,663.00	1,663.00	1,663.00	1,679.00	1,709.00	1,729.00	1,785.00	1,781.00
100-240V AC	US$	1,727.00	1,727.00	1,727.00	1,743.00	1,773.00	1,793.00	1,849.00	1,926.00
Weight (Lbs.)		8.3/MK7700LL-1/2	8.3/MK7700LL-1/2	8.3/MK7700LL-1/2	8.5/MK7700LL-3/4	10.6/MK7700LL-1	11.0/MK7700LL-11/4	12.0/MK7700LL-11/2	17.0/MK7700LL-11/2

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

3000 series direct mount, 2-way 2-piece carbon steel 3,000 psi full port ball valve.

8P3000

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA52	DA52	DA52	DA52	DA63	DA75	DA75	DA75
Weight (Lbs)	3.9	3.9	3.9	4.3	6.3	7.0	9.5	14.4
pad/stem	F03/9	F03/9	F03/9	F03/9	F05/11	F05/11	F05/14	F05/14
US$	297.00	297.00	297.00	310.00	375.00	503.00	601.00	650.00

8P3002

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR63	SR63	SR63	SR75*	SR75	SR85	SR100	SR115
Weight (Lbs)	5.4	5.4	5.4	7.2	10.9	11.7	15.9	23.5
Pad/stem	F04/9	F04/9	F04/9	*Bracket	F05/11	F05/11	F07/14	F07/14
US$	353.00	353.00	353.00	547.00	471.00	567.00	754.00	954.00

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E3000-00*	With **UL approved** standard on/off **plastic Valbia electric** actuator.								
ACT.		VB015	VB015	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US$	383.00	383.00	553.00	566.00	598.00	722.00	815.00	864.00
12V AC/DC, 100-240 VAC	US$	434.00	434.00	595.00	608.00	640.00	791.00	884.00	933.00
8E3000-01*	With fail-safe battery back-up **plastic Valbia electric** actuator.								
ACT.		VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US$	1,031.00	1,031.00	1,031.00	1,044.00	1,076.00	1,215.00	1,308.00	1,357.00
100-240 VAC	US$	1,096.00	1,096.00	1,096.00	1,109.00	1,141.00	1,275.00	1,368.00	1,417.00
8E3000-02*	With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.								
24V AC/DC	US$	972.00	972.00	972.00	985.00	1,017.00	1,134.00	1,227.00	1,276.00
12V AC/DC, 100-240 VAC	US$	1,059.00	1,059.00	1,059.00	1,072.00	1,104.00	1,220.00	1,313.00	1,362.00
8E3000-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.								
24V AC/DC	US$	1,140.00	1,140.00	1,140.00	1,153.00	1,185.00	1,331.00	1,424.00	1,473.00
100-240 VAC	US$	1,212.00	1,212.00	1,212.00	1,225.00	1,257.00	1,388.00	1,481.00	1,530.00
Weight (Lbs)		3.9	3.9	3.9	4.3	6.3	7.0	9.5	14.4

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E3000-00*	With **UL approved** standard on/off **metal Valbia electric** actuator.								
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US$	653.00	653.00	653.00	666.00	698.00	842.00	935.00	984.00
12V AC/DC, 100-240 VAC	US$	695.00	695.00	695.00	708.00	740.00	885.00	978.00	1,027.00
M8E3000-01*	With fail-safe battery back-up **metal Valbia electric** actuator.								
24V AC/DC	US$	1,368.00	1,368.00	1,368.00	1,381.00	1,413.00	1,538.00	1,631.00	1,680.00
100-240 VAC	US$	1,446.00	1,446.00	1,446.00	1,459.00	1,491.00	1,616.00	1,709.00	1,758.00
M8E3000-02*	With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.								
24V AC/DC	US$	1,271.00	1,271.00	1,271.00	1,284.00	1,316.00	1,510.00	1,603.00	1,652.00
12V AC/DC, 100-240 VAC	US$	1,363.00	1,363.00	1,363.00	1,376.00	1,408.00	1,606.00	1,699.00	1,748.00
M8E3000-04*	With fail-safe battery back-up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.								
24V AC/DC	US$	1,617.00	1,617.00	1,617.00	1,630.00	1,662.00	1,657.00	1,750.00	1,799.00
100-240 VAC	US$	1,681.00	1,681.00	1,681.00	1,694.00	1,726.00	1,802.00	1,895.00	1,944.00
Weight (Lbs)		8.4	8.4	8.4	8.9	10.9	11.6	12.2	17.0

NEW

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
EXM8E3000-00*	With **CSA approved** explosion proof on/off **metal electric** actuator.								
ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX045
24V AC/DC, 110V AC, 220VAC	US$	1,598.00	1,598.00	1,598.00	1,611.00	1,643.00	1,916.00	2,009.00	2,058.00
EXM8E3000-02*	With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.								
24V AC/DC, 110V AC, 220VAC	US$	2,408.00	2,408.00	2,408.00	2,421.00	2,453.00	2,727.00	2,820.00	2,869.00
Weight (Lbs)		5.40	5.40	5.50	6.00	7.10	11.80	15.10	17.50

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

7700LL API 607 2-way unibody stainless steel 2,000 psi seal weld ball valve.

NEW

8P0226

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
ACT.	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA63V	DA75V
Weight (Lbs.)	3.9	3.9	3.9	4.3	6.3	7.0	9.5	14.4
Bracket Kit	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-3/4	MK7700LL-1	MK7700LL-1-1/4	MK7700LL-1-1/2	MK7700LL-1-1/2
US$	291.00	291.00	291.00	308.00	398.00	421.00	518.00	663.00

8P0227

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
ACT.	SR52V	SR52V	SR52V	SR63V	SR75V	SR75V	SR85V	SR100V
Weight (Lbs.)	5.4	5.4	5.4	7.2	10.9	11.7	15.9	23.5
Bracket Kit	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-3/4	MK7700LL-1	MK7700LL-1-1/4	MK7700LL-1-1/2	MK7700LL-1-1/2
US$	360.00	360.00	360.00	407.00	520.00	543.00	652.00	816.00

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
8E0226-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.									
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB030	VB060
24V AC/DC	US$	434.00	434.00	434.00	451.00	654.00	677.00	747.00	883.00
12V AC/DC, 100-240V AC	US$	485.00	485.00	485.00	502.00	696.00	719.00	789.00	952.00
8E0226-01* With fail-safe battery backup **plastic Valbia electric** actuator.									
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060
24V AC/DC	US$	1,082.00	1,082.00	1,082.00	1,099.00	1,132.00	1,155.00	1,225.00	1,376.00
100-240V AC	US$	1,147.00	1,147.00	1,147.00	1,164.00	1,197.00	1,220.00	1,290.00	1,436.00
8E0226-02* With 0-10VDC or 4-20 mA positioning **plastic Valbia electric** actuator.									
24V AC/DC	US$	1,023.00	1,023.00	1,023.00	1,040.00	1,073.00	1,096.00	1,166.00	1,295.00
12V AC/DC, 100-240V AC	US$	1,110.00	1,110.00	1,110.00	1,127.00	1,160.00	1,183.00	1,253.00	1,381.00
8E0226-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning **plastic Valbia electric** actuator.									
24V AC/DC	US$	1,191.00	1,191.00	1,191.00	1,208.00	1,241.00	1,264.00	1,334.00	1,492.00
100-240V AC	US$	1,263.00	1,263.00	1,263.00	1,280.00	1,313.00	1,336.00	1,406.00	1,549.00
Weight (Lbs.)		3.9/MK7700LL-1/2	3.9/MK7700LL-1/2	3.9/MK7700LL-1/2	3.9/MK7700LL-3/4	7.1/MK7700LL-1	7.7/MK7700LL-11/4	9.5/MK7700LL-11/2	14.1/MK7700LL-11/2

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
M8E0226-00* With **UL approved** standard on/off **metal Valbia electric** actuator.									
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M
24V AC/DC	US$	704.00	704.00	704.00	721.00	754.00	777.00	847.00	1,003.00
12V AC/DC, 100-240V AC	US$	746.00	746.00	746.00	763.00	796.00	819.00	889.00	1,046.00
M8E0226-01* With fail-safe battery backup **metal Valbia electric** actuator.									
24V AC/DC	US$	1,419.00	1,419.00	1,419.00	1,436.00	1,469.00	1,492.00	1,562.00	1,699.00
100-240V AC	US$	1,497.00	1,497.00	1,497.00	1,514.00	1,547.00	1,570.00	1,640.00	1,777.00
M8E0226-02* With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,322.00	1,322.00	1,322.00	1,339.00	1,372.00	1,395.00	1,465.00	1,671.00
12V AC/DC, 100-240V AC	US$	1,414.00	1,414.00	1,414.00	1,431.00	1,464.00	1,487.00	1,557.00	1,767.00
M8E0226-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,668.00	1,668.00	1,668.00	1,685.00	1,718.00	1,741.00	1,811.00	1,818.00
100-240V AC	US$	1,732.00	1,732.00	1,732.00	1,749.00	1,782.00	1,805.00	1,875.00	1,963.00
Weight (Lbs.)		8.3/MK7700LL-1/2	8.3/MK7700LL-1/2	8.3/MK7700LL-1/2	8.5/MK7700LL-3/4	10.6/MK7700LL-1	11.0/MK7700LL-11/4	12.0/MK7700LL-11/2	17.0/MK7700LL-11/2

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

3200 series, 2-way, NPT threaded, carbon steel high pressure hydraulic ball valve.

8P3200

With **double acting Valbia pneumatic** actuator.

SIZE	3/8"	1/2"	3/4"	1"
ACT.	DA52	DA52	DA63	DA63
Weight (Lbs)	4.3	4.6	7.7	8.5
Pressure rating	7350 psi	7350 psi	5880 psi	5145 psi
US$	660.00	667.00	795.00	823.00

8P3202

With **spring return Valbia pneumatic** actuator.

SIZE	3/8"	1/2"	3/4"	1"
ACT.	SR75	SR85	SR85	SR100
Weight (Lbs)	9.3	12.8	14.7	20.5
Pressure rating	7350 psi	7350 psi	5880 psi	5145 psi
US$	782.00	828.00	929.00	1,046.00

SIZE		3/8"	1/2"	3/4"	1"
8E3200-00* (NPT)				With **UL approved** standard on/off **plastic Valbia electric** actuator.	
ACT.		VB030	VB030	VB030	VB060
24V AC/DC	US$	916.00	923.00	1,085.00	1,113.00
12V AC/DC, 100-240 VAC	US$	958.00	965.00	1,154.00	1,182.00
8E3200-01* (NPT)				With fail-safe battery back-up **plastic Valbia electric** actuator.	
24V AC/DC	US$	1,394.00	1,401.00	1,578.00	1,606.00
100-240 VAC	US$	1,459.00	1,466.00	1,638.00	1,666.00
8E3200-02* (NPT)				With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.	
24V AC/DC	US$	1,335.00	1,342.00	1,497.00	1,525.00
12V AC/DC, 100-240 VAC	US$	1,422.00	1,429.00	1,583.00	1,611.00
8E3200-04* (NPT)				With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.	
24V AC/DC	US$	1,422.00	1,429.00	1,583.00	1,611.00
100-240 VAC	US$	1,575.00	1,582.00	1,751.00	1,779.00
Weight (Lbs)/Pressure		7.0/7350 psi	7.5/7350 psi	9.4/5880 psi	12.0/5145 psi

SIZE		3/8"	1/2"	3/4"	1"
M8E3200-00* (NPT)				With **UL approved** standard on/off **metal Valbia electric** actuator.	
ACT.		VB030M	VB030M	VB030M	VB060M
24V AC/DC	US$	1,016.00	1,023.00	1,205.00	1,233.00
12V AC/DC, 100-240 VAC	US$	1,058.00	1,065.00	1,248.00	1,276.00
M8E3200-01* (NPT)				With fail-safe battery back-up **metal Valbia electric** actuator.	
24V AC/DC	US$	1,731.00	1,738.00	1,901.00	1,929.00
100-240 VAC	US$	1,809.00	1,816.00	1,979.00	2,007.00
M8E3200-02* (NPT)				With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.	
24V AC/DC	US$	1,634.00	1,641.00	1,873.00	1,901.00
12V AC/DC, 100-240 VAC	US$	1,726.00	1,733.00	1,969.00	1,997.00
M8E3200-04* (NPT)				With fail-safe battery back-up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.	
24V AC/DC	US$	1,980.00	1,987.00	2,020.00	2,048.00
100-240 VAC	US$	2,044.00	2,051.00	2,165.00	2,193.00
Weight (Lbs)/Pressure		9.5/7350 psi	10.0/7350 psi	11.7/5880 psi	14.8/5145 psi

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

3300 series, 2-way, SAE threaded, carbon steel high pressure hydraulic ball valve.

8P3300

With **double acting Valbia pneumatic** actuator.

SIZE	9/16-18	3/4-16	1-1/16-12	1-5/16-12
ACT.	DA52	DA52	DA63	DA63
Weight (Lbs)	4.3	4.6	7.7	8.5
Pressure rating	7350 psi	7350 psi	5880 psi	5145 psi
US$	660.00	667.00	795.00	823.00

8P3302

With **spring return Valbia pneumatic** actuator.

SIZE	9/16-18	3/4-16	1-1/16-12	1-5/16-12
ACT.	SR75	SR85	SR85	SR100
Weight (Lbs)	9.3	12.8	14.7	20.5
Pressure rating	7350 psi	7350 psi	5880 psi	5145 psi
US$	782.00	828.00	929.00	1,046.00

SIZE		9/16-18	3/4-16	1-1/16-12	1-5/16-12
8E3300-00* (SAE)				With **UL approved** standard on/off **plastic Valbia electric** actuator.	
ACT.		VB030	VB030	VB030	VB060
24V AC/DC	US$	916.00	923.00	1,085.00	1,113.00
12V AC/DC, 100-240 VAC	US$	958.00	965.00	1,154.00	1,182.00
8E3300-01* (SAE)				With fail-safe battery back-up **plastic Valbia electric** actuator.	
ACT.		VB030	VB030	VB030	VB060
24V AC/DC	US$	1,394.00	1,401.00	1,578.00	1,606.00
100-240 VAC	US$	1,459.00	1,466.00	1,638.00	1,666.00
8E3300-02* (SAE)				With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.	
24V AC/DC	US$	1,335.00	1,342.00	1,497.00	1,525.00
12V AC/DC, 100-240 VAC	US$	1,422.00	1,429.00	1,583.00	1,611.00
8E3300-04* (SAE)				With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.	
24V AC/DC	US$	1,503.00	1,510.00	1,694.00	1,722.00
100-240 VAC	US$	1,575.00	1,582.00	1,751.00	1,779.00
Weight (Lbs)/Pressure		7.0/7350 psi	7.5/7350 psi	9.4/5880 psi	12.0/5145 psi

SIZE		9/16-18	3/4-16	1-1/16-12	1-5/16-12
M8E3300-00* (SAE)				With **UL approved** standard on/off **metal Valbia electric** actuator.	
ACT.		VB030M	VB030M	VB030M	VB060M
24V AC/DC	US$	1,016.00	1,023.00	1,205.00	1,233.00
12V AC/DC, 100-240 VAC	US$	1,058.00	1,065.00	1,248.00	1,276.00
M8E3300-01* (SAE)				With fail-safe battery back-up **metal Valbia electric** actuator.	
ACT.		VB030M	VB030M	VB030M	VB060M
24V AC/DC	US$	1,731.00	1,738.00	1,901.00	1,929.00
100-240 VAC	US$	1,809.00	1,816.00	1,979.00	2,007.00
M8E3300-02* (SAE)				With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.	
24V AC/DC	US$	1,634.00	1,641.00	1,873.00	1,901.00
12V AC/DC, 100-240 VAC	US$	1,726.00	1,733.00	1,969.00	1,997.00
M8E3300-04* (SAE)				With fail-safe battery back-up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.	
24V AC/DC	US$	1,980.00	1,987.00	2,020.00	2,048.00
100-240 VAC	US$	2,044.00	2,051.00	2,165.00	2,193.00
Weight (Lbs)/Pressure		9.5/7350 psi	10.0/7350 psi	11.7/5880 psi	14.8/5145 psi

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 710003 (NPT) - 714000 (SW) - 71500 (BW) 2-way, 3 piece carbon steel 1,000 psi, full port ball valve.

8P0171 (NPT) - 8P0191 (SW) - 8P0193 (BW)

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32	DA32	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100
Weight (Lbs)	3.8	3.9	4.1	5.7	7.0	8.2	10.0	14.1	27.8	37.5	61.8
Bracket Kit	RI3015	RI3015	RI3789	RI3781	RI3030	RI3030	RI3031	RI3034	RI3003	RI3003	RI3004
US$	292.00	292.00	287.00	361.00	395.00	429.00	512.00	640.00	939.00	1,103.00	1,729.00

Note: 714000, 1/4" not available in socket weld and 715000, 1/4" not available in butt weld

8P0172 (NPT) - 8P0192 (SW) - 8P0194 (BW)

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52	SR52	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125
Weight (Lbs)	5.3	5.3	5.6	7.6	9.0	10.2	17.5	33.8	44.2	57.1	77.5
Bracket Kit	RI3021	RI3021	RI3790	RI3783	RI3033	RI3033	RI3034	RI3034	RI3010	RI3010	RI3005
US$	376.00	376.00	357.00	403.00	438.00	472.00	648.00	793.00	1,216.00	1,458.00	2,002.00

Note: 714000, 1/4" not available in socket weld and 715000, 1/4" not available in butt weld

SIZE		1/4"*	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E075-00* (NPT) - **8E083-00*** (SW) - **8E084-00*** (BW) — With **UL approved** standard on/off **plastic Valbia electric** actuator.												
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	450.00 *	450.00	431.00	447.00	651.00	685.00	802.00	858.00	1,213.00	1,377.00	1,957.00
12V AC/DC, 100-240 VAC	US$	501.00 *	501.00	482.00	498.00	693.00	727.00	871.00	927.00	1,291.00	1,455.00	2,048.00
8E075-01* (NPT) - **8E083-01*** (SW) - **8E084-01*** (BW) — With fail-safe battery back-up **plastic Valbia electric** actuator.												
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	1,098.00 *	1,098.00	1,079.00	1,095.00	1,129.00	1,163.00	1,295.00	1,351.00	1,740.00	1,904.00	2,535.00
100-240 VAC	US$	1,163.00 *	1,163.00	1,144.00	1,160.00	1,194.00	1,228.00	1,355.00	1,411.00	1,789.00	1,953.00	2,601.00
8E075-02* (NPT) - **8E083-02*** (SW) - **8E084-02*** (BW) — With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.												
24V AC/DC	US$	1,039.00 *	1,039.00	1,020.00	1,036.00	1,070.00	1,104.00	1,214.00	1,270.00	1,603.00	1,767.00	2,401.00
12V AC/DC, 100-240 VAC	US$	1,126.00 *	1,126.00	1,107.00	1,123.00	1,157.00	1,191.00	1,300.00	1,356.00	1,687.00	1,851.00	2,514.00
8E075-04* (NPT) - **8E083-04*** (SW) - **8E084-04*** (BW) — With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.												
24V AC/DC	US$	1,207.00 *	1,207.00	1,188.00	1,204.00	1,238.00	1,272.00	1,411.00	1,467.00	1,880.00	2,044.00	2,684.00
100-240 VAC	US$	1,279.00 *	1,279.00	1,260.00	1,276.00	1,310.00	1,344.00	1,468.00	1,524.00	1,963.00	2,127.00	2,758.00
Weight (Lbs)/Bracket Kit		5.7/RI3021*	5.7/RI3021	6.2/RI3790	6.8/RI3781	7.9/RI3030	10.9/RI3030	14.5/RI3031	18.0/RI3031	31.3/RI3003	41.5/RI3003	61.7/RI3004

* not available for 8E083 - 8E084

SIZE		1/4"*	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E075-00* (NPT) - **M8E083-00*** (SW) - **M8E084-00*** (BW) — With **UL approved** standard on/off **metal Valbia electric** actuator.												
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US$	720.00 *	720.00	701.00	717.00	751.00	785.00	922.00	978.00	1,636.00	1,800.00	2,400.00
12V AC/DC, 100-240 VAC	US$	762.00 *	762.00	743.00	759.00	793.00	827.00	965.00	1,021.00	1,756.00	1,920.00	2,556.00
M8E075-01* (NPT) - **M8E083-01*** (SW) - **M8E084-01*** (BW) — With fail-safe battery back-up **metal Valbia electric** actuator.												
24V AC/DC	US$	1,435.00 *	1,435.00	1,416.00	1,432.00	1,466.00	1,500.00	1,618.00	1,674.00	2,379.00	2,543.00	3,235.00
100-240 VAC	US$	1,513.00 *	1,513.00	1,494.00	1,510.00	1,544.00	1,578.00	1,696.00	1,752.00	2,442.00	2,606.00	3,345.00
M8E075-02* (NPT) - **M8E083-02*** (SW) - **M8E084-02*** (BW) — With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.												
24V AC/DC	US$	1,338.00 *	1,338.00	1,319.00	1,335.00	1,369.00	1,403.00	1,590.00	1,646.00	2,318.00	2,482.00	3,170.00
12V AC/DC, 100-240 VAC	US$	1,430.00 *	1,430.00	1,411.00	1,427.00	1,461.00	1,495.00	1,686.00	1,742.00	2,396.00	2,560.00	3,254.00
M8E075-04* (NPT) - **M8E083-04*** (SW) - **M8E084-04*** (BW) — With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.												
24V AC/DC	US$	1,684.00 *	1,684.00	1,665.00	1,681.00	1,715.00	1,749.00	1,737.00	1,793.00	2,401.00	2,565.00	3,325.00
100-240 VAC	US$	1,748.00 *	1,748.00	1,729.00	1,745.00	1,779.00	1,813.00	1,882.00	1,938.00	2,599.00	2,763.00	3,572.00
Weight (Lbs)/Bracket Kit		8.0/RI3021*	8.0/RI3021	8.3/RI3790	9.1/RI3781	10.2/RI3030	13.2/RI3030	17.3/RI3031	21/RI3031	40/RI3003	50/RI3003	70/RI3004

* not available for M8E083 - M8E084

* VOLTAGE SUFFIX		
1 = 12V AC/DC	**2 =** 24V AC/DC	**3 =**100-240V AC

Valpres 710085 (NPT) - 710064 (SW) - 710065 (BW) 2-way, 3 piece carbon steel 1000 WOG 250 WSP, full port ball valve.

FOR STEAM

8P0197 (NPT) - 8P0201 (SW) - 8P0205 (BW)

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32V	DA32V	DA32V	DA52V	DA52V	DA52V	DA63V	DA75V	DA85V	DA85V	DA100V
Weight (Lbs)	3.8	3.9	4.1	5.7	7.0	8.2	10.0	14.1	27.8	37.5	61.8
Bracket Kit	RI3015	RI3015	RI3789	RI3781	RI3030	RI3030	RI3031	RI3034	RI3003	RI3003	RI3004
US$	298.00	298.00	293.00	368.00	405.00	455.00	550.00	692.00	1,003.00	1,227.00	1,876.00

Note: 710064, 1/4" not available in socket weld and 710065, 1/4" not available in butt weld

8P0198 (NPT) - 8P0202 (SW) - 8P0206 (BW)

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52V	SR52V	SR52V	SR63V	SR63V	SR63V	SR85V	SR100V	SR115V	SR125V	SR125V
Weight (Lbs)	5.3	5.3	5.6	7.6	9.0	10.2	17.5	33.8	44.2	57.1	77.5
Bracket Kit	RI3021	RI3021	RI3790	RI3783	RI3033	RI3033	RI3034	RI3034	RI3010	RI3010	RI3005
US$	382.00	382.00	363.00	410.00	448.00	498.00	686.00	845.00	1,280.00	1,582.00	2,149.00

SIZE		1/4"*	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E710085-00* (NPT) - M8E710064-00* (SW) - M8E710065-00* (BW)							With **UL approved** standard on/off **metal Valbia electric** actuator.					
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US$	726.00 *	726.00	707.00	724.00	761.00	811.00	960.00	1,030.00	1,700.00	1,924.00	2,547.00
12V AC/DC, 100-240 VAC	US$	768.00 *	768.00	749.00	766.00	803.00	853.00	1,003.00	1,073.00	1,820.00	2,044.00	2,703.00
M8E710085-01* (NPT) - M8E710064-01* (SW) - M8E710065-01* (BW)							With fail-safe battery back-up **metal Valbia electric** actuator.					
24V AC/DC	US$	1,441.00 *	1,441.00	1,422.00	1,439.00	1,476.00	1,526.00	1,656.00	1,726.00	2,443.00	2,667.00	3,382.00
100-240 VAC	US$	1,519.00 *	1,519.00	1,500.00	1,517.00	1,554.00	1,604.00	1,734.00	1,804.00	2,506.00	2,730.00	3,492.00
M8E710085-02* (NPT) - M8E710064-02* (SW) - M8E710065-02* (BW)							With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,344.00 *	1,344.00	1,325.00	1,342.00	1,379.00	1,429.00	1,628.00	1,698.00	2,382.00	2,606.00	3,317.00
12V AC/DC, 100-240 VAC	US$	1,436.00 *	1,436.00	1,417.00	1,434.00	1,471.00	1,521.00	1,724.00	1,794.00	2,460.00	2,684.00	3,401.00
M8E710085-04* (NPT) - M8E710064-04* (SW) - M8E710065-04* (BW)							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,690.00 *	1,690.00	1,671.00	1,688.00	1,725.00	1,775.00	1,775.00	1,845.00	2,465.00	2,689.00	3,472.00
100-240 VAC	US$	1,754.00 *	1,754.00	1,735.00	1,752.00	1,789.00	1,839.00	1,920.00	1,990.00	2,663.00	2,887.00	3,719.00
Weight (Lbs)/Bracket Kit		8.0/RI3021*	8.0/RI3021	8.3/RI3790	9.1/RI3781	10.2/RI3030	13.2/RI3030	17.3/RI3031	21/RI3031	40/RI3003	50/RI3003	70/RI3004

* not available for M8E710064 - M8E710065

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

620LL (NPT) - 621LL (SW) - 622LL (BW) direct mount 2-way, 3 piece carbon steel, 1,000 psi full port ball valve.

8P0620 (NPT) - 8P0622 (SW) - 8P0624 (BW)

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32	DA32	DA32	DA32	DA52	DA52	DA63	DA75	DA75	DA85	DA100
Weight (Lbs)	2.5	2.5	2.7	2.9	5.3	8.3	9.8	15.3	26.5	35.4	58.9
Pad/Stem	F03/9	F03/9	F03/9	F03/9	F05/11	F05/11	F05/14	F05/14	F07/17	F07/17	F07/17
US$	217.00	217.00	219.00	229.00	318.00	359.00	452.00	619.00	925.00	1,105.00	1,740.00

8P0621 (NPT) - 8P0623 (SW) - 8P0625 (BW)

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52	SR52	SR52	SR63/04	SR75	SR75	SR85	SR100	SR115	SR125	SR140
Weight (Lbs)	4.0	4.0	4.2	5.8	9.9	12.9	15.9	24.2	44.9	54.8	93.2
Pad/Stem	F03/9	F03/9	F03/9	F04/9	F05/11	F05/11	F05/14	F05/14	F07/17	F07/17	F07/17
US$	290.00	290.00	292.00	352.00	447.00	488.00	592.00	772.00	1,229.00	1,458.00	2,334.00

SIZE		1/4"*	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E0620-00* (FNPT) - 8E0621-00* (SW) - 8E0622-00* (BW) With **UL approved** standard on/off **plastic Valbia electric** actuator.												
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	364.00 *	364.00	366.00	376.00	574.00	615.00	742.00	833.00	1,228.00	1,379.00	1,968.00
12V AC/DC, 100-240 VAC	US$	415.00 *	415.00	417.00	427.00	616.00	657.00	811.00	902.00	1,306.00	1,457.00	2,059.00
8E0620-01* (FNPT) - 8E0621-01* (SW) - 8E0622-01* (BW) With fail-safe battery back-up **plastic Valbia electric** actuator.												
ACT.		VB030*	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	1,012.00 *	1,012.00	1,014.00	1,024.00	1,052.00	1,093.00	1,235.00	1,326.00	1,755.00	1,906.00	2,546.00
100-240 VAC	US$	1,077.00 *	1,077.00	1,079.00	1,089.00	1,117.00	1,158.00	1,295.00	1,386.00	1,804.00	1,955.00	2,612.00
8E0620-02* (FNPT) - 8E0621-02* (SW) - 8E0622-02* (BW) With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.												
24V AC/DC	US$	953.00 *	953.00	955.00	965.00	993.00	1,034.00	1,154.00	1,245.00	1,618.00	1,769.00	2,412.00
12V AC/DC, 100-240 VAC	US$	1,040.00 *	1,040.00	1,042.00	1,052.00	1,080.00	1,121.00	1,240.00	1,331.00	1,702.00	1,853.00	2,525.00
8E0620-04* (FNPT) - 8E0621-04* (SW) - 8E0622-04* (BW) With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.												
24V AC/DC	US$	1,121.00 *	1,121.00	1,123.00	1,133.00	1,161.00	1,202.00	1,351.00	1,442.00	1,895.00	2,046.00	2,695.00
100-240 VAC	US$	1,193.00 *	1,193.00	1,195.00	1,205.00	1,233.00	1,274.00	1,408.00	1,499.00	1,978.00	2,129.00	2,769.00
Weight (Lbs)		6.5	6.5	6.7	6.9	8.1	11.1	13.8	17.1	31.8	38.8	58.7

* not available for 8E621 - 8E622

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E0620-00* (NPT) - M8E0621-00* (SW) - M8E0622-00* (BW) With **UL approved** standard on/off **metal Valbia electric** actuator.												
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US$	634.00 *	634.00	636.00	646.00	674.00	715.00	862.00	953.00	1,651.00	1,802.00	2,411.00
12V AC/DC, 100-240 VAC	US$	676.00 *	676.00	678.00	688.00	716.00	757.00	905.00	996.00	1,771.00	1,922.00	2,567.00
M8E0620-01* (NPT) - M8E0621-01* (SW) - M8E0622-01* (BW) With fail-safe battery back-up **metal Valbia electric** actuator.												
24V AC/DC	US$	1,349.00 *	1,349.00	1,351.00	1,361.00	1,389.00	1,430.00	1,558.00	1,649.00	2,394.00	2,545.00	3,246.00
100-240 VAC	US$	1,427.00 *	1,427.00	1,429.00	1,439.00	1,467.00	1,508.00	1,636.00	1,727.00	2,457.00	2,608.00	3,356.00
M8E0620-02* (NPT) - M8E0621-02* (SW) - M8E0622-02* (BW) With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.												
24V AC/DC	US$	1,252.00 *	1,252.00	1,254.00	1,264.00	1,292.00	1,333.00	1,530.00	1,621.00	2,333.00	2,484.00	3,181.00
12V AC/DC, 100-240 VAC	US$	1,344.00 *	1,344.00	1,346.00	1,356.00	1,384.00	1,425.00	1,626.00	1,717.00	2,411.00	2,562.00	3,265.00
M8E0620-04* (NPT) - M8E0621-04* (SW) - M8E0622-04* (BW) With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.												
24V AC/DC	US$	1,598.00 *	1,598.00	1,600.00	1,610.00	1,638.00	1,679.00	1,677.00	1,768.00	2,416.00	2,567.00	3,336.00
100-240 VAC	US$	1,662.00 *	1,662.00	1,664.00	1,674.00	1,702.00	1,743.00	1,822.00	1,913.00	2,614.00	2,765.00	3,583.00
Weight (Lbs)		10.9	10.9	11.1	11.4	12.6	15.3	18.0	21.3	40.0	47.0	67.0

* not available for M8E621 - M8E622

NEW

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
EXM8E0620-00* (NPT) - EXM8E0621-00* (SW) - EXM8E0622-00* (BW) With **CSA approved** explosion proof on/off **metal electric** actuator.												
ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX080	EAX130
24V AC/DC, 110 VAC, 220 VAC	US$	1,579.00	1,579.00	1,581.00	1,591.00	1,619.00	1,660.00	1,936.00	2,027.00	4,129.00	4,280.00	5,175.00
EXM8E0620-02* (NPT) - EXM8E0621-02* (SW) - EXM8E0622-02* (BW) With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.												
24V AC/DC, 110 VAC, 220 VAC	US$	2,389.00	2,389.00	2,391.00	2,401.00	2,429.00	2,470.00	2,747.00	2,838.00	4,939.00	5,090.00	5,986.00
Weight (Lbs)		5.40	5.40	5.60	5.80	7.00	10.00	13.50	16.80	58.00	65.00	84.90

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

630LL (NPT) - 631LL (SW) - 632LL (BW) encapsulated bolts direct mount, 2-way 3 piece carbon steel, 2,220 psi (1/4”-2”), 1,500 psi (2 1/2” - 3”) full port ball valve.

8P0630 (NPT) - 8P0632 (SW) - 8P0634 (BW)

With **double acting Valbia pneumatic** actuator.

SIZE	1/4”	3/8"	1/2"	3/4"	1"	1 1/4”	1 1/2”	2"	2 1/2”	3”	4”
ACT.	DA52	DA52	DA52	DA52	DA63	DA63	DA75	DA85	-	-	-
Weight (Lbs)	4.0	4.0	2.7	6.3	9.3	10.7	17.1	30.6	-	-	
Pad/Stem	F04/9	F04/9	F07/9	F05/11	F05/11	F07/14	F07/14	F10/17	-	-	-
US$	300.00	300.00	306.00	317.00	380.00	436.00	567.00	812.00	C/F	C/F	C/F

8P0631 (NPT) - 8P0633 (SW) - 8P0635 (BW)

With **spring return Valbia pneumatic** actuator.

SIZE	1/4”	3/8"	1/2"	3/4"	1"	1 1/4”	1 1/2”	2"	2 1/2”	3”	4”
ACT.	SR63	SR63	SR63	SR75	SR75	SR85	SR115	SR125	-	-	-
Weight (Lbs)	5.9	5.9	6.6	11.3	13.1	17.6	36.3	53.0	-	-	
Pad/Stem	F04/9	F04/9	F07/9	F05/11	F05/11	F07/14	F07/14	F10/17	-	-	-
US$	349.00	349.00	355.00	446.00	476.00	576.00	871.00	1,165.00	C/F	C/F	C/F

SIZE		1/4”	3/8"	1/2"	3/4"	1"	1 1/4”	1 1/2”	2"	2 1/2”	3”	4”
8E0630-00* (NPT) - 8E0631-00* (SW) - 8E0632-00* (BW)							With **UL approved** standard on/off **plastic Valbia electric** actuator.					
ACT.		VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	-	-	-
24V AC/DC	US$	375.00	375.00	381.00	573.00	603.00	726.00	781.00	1,109.00	C/F	C/F	C/F
12V AC/DC, 100-240 VAC	US$	426.00	426.00	432.00	615.00	645.00	795.00	850.00	1,187.00	C/F	C/F	C/F
8E0630-01* (NPT) - 8E0631-01* (SW) - 8E0632-01* (BW)							With fail-safe battery back-up **plastic Valbia electric** actuator.					
ACT.		VB030	VB030	VB030	VB0030	VB030	VB060	VB060	VB110	-	-	-
24V AC/DC	US$	1,023.00	1,023.00	1,029.00	1,051.00	1,081.00	1,219.00	1,274.00	1,636.00	C/F	C/F	C/F
100-240 VAC	US$	1,088.00	1,088.00	1,094.00	1,116.00	1,146.00	1,279.00	1,334.00	1,685.00	C/F	C/F	C/F
8E0630-02* (NPT) - 8E0631-02* (SW) - 8E0632-02* (BW)							With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.					
24V AC/DC	US$	964.00	964.00	970.00	992.00	1,022.00	1,138.00	1,193.00	1,499.00	C/F	C/F	C/F
12V AC/DC, 100-240 VAC	US$	1,051.00	1,051.00	1,057.00	1,079.00	1,109.00	1,224.00	1,279.00	1,583.00	C/F	C/F	C/F
8E0630-04* (NPT) - 8E0631-04* (SW) - 8E0632-04* (BW)							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.					
24V AC/DC	US$	1,132.00	1,132.00	1,138.00	1,160.00	1,190.00	1,335.00	1,390.00	1,776.00	C/F	C/F	C/F
100-240 VAC	US$	1,204.00	1,204.00	1,210.00	1,232.00	1,262.00	1,392.00	1,447.00	1,859.00	C/F	C/F	C/F
Weight (Lbs)		7.0	7.0	7.7	11.5	11.1	14.7	18.7	33.7	-	-	-

SIZE		1/4”	3/8"	1/2"	3/4"	1"	1 1/4”	1 1/2”	2"	2 1/2”	3”	4”
M8E0630-00* (NPT) - M8E0631-00* (SW) - M8E0632-00* (BW)							With **UL approved** standard on/off **metal Valbia electric** actuator.					
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	-	-	-
24V AC/DC	US$	645.00	645.00	651.00	677.00	703.00	846.00	901.00	1,532.00	C/F	C/F	C/F
12V AC/DC, 100-240 VAC	US$	687.00	687.00	693.00	719.00	745.00	889.00	944.00	1,652.00	C/F	C/F	C/F
M8E0630-01* (NPT) - M8E0631-01* (SW) - M8E0632-01* (BW)							With fail-safe battery back-up **metal Valbia electric** actuator.					
24V AC/DC	US$	1,360.00	1,360.00	1,366.00	1,392.00	1,418.00	1,542.00	1,597.00	2,275.00	C/F	C/F	C/F
100-240 VAC	US$	1,438.00	1,438.00	1,444.00	1,470.00	1,496.00	1,620.00	1,675.00	2,338.00	C/F	C/F	C/F
M8E0630-02* (NPT) - M8E0631-02* (SW) - M8E0632-02* (BW)							With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,263.00	1,263.00	1,269.00	1,295.00	1,321.00	1,514.00	1,569.00	2,214.00	C/F	C/F	C/F
12V AC/DC, 100-240 VAC	US$	1,355.00	1,355.00	1,361.00	1,387.00	1,413.00	1,610.00	1,665.00	2,292.00	C/F	C/F	C/F
M8E0630-04* (NPT) - M8E0631-04* (SW) - M8E0632-04* (BW)							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,609.00	1,609.00	1,615.00	1,641.00	1,667.00	1,661.00	1,716.00	2,297.00	C/F	C/F	C/F
100-240 VAC	US$	1,673.00	1,673.00	1,679.00	1,705.00	1,731.00	1,806.00	1,861.00	2,495.00	C/F	C/F	C/F
Weight (Lbs)		11.4	11.4	12.1	13.7	15.5	19.1	23.1	43.1	-	-	-

NEW

SIZE		1/4”	3/8”	1/2”	3/4”	1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”
EXM8E0630-00* (NPT) - EXM8E0631-00* (SW) - EXM8E0632-00* (BW)							With **CSA approved** explosion proof on/off **metal electric** actuator.					
ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX080	EAX360	EAX360	-
24V AC/DC, 110V AC, 220V AC	US$	1,590.00	1,590.00	1,596.00	1,622.00	1,648.00	1,710.00	1,975.00	4,010.00	4,880.00	5,244.00	C/F
EXM8E0630-02* (NPT) - EXM8E0631-02*(SW) - EXM8E0632-02* (BW)							With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.					
24V AC/DC, 110V AC, 220V AC	US$	2,400.00	2,400.00	2,406.00	2,432.00	2,458.00	2,520.00	2,786.00	4,820.00	5,691.00	6,055.00	C/F
Weight (Lbs)		5.40	5.40	5.60	5.80	7.00	10.00	13.50	46.80	89.00	96.00	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 700076 direct mount , 2-way 2 piece stainless steel, 1000 WOG 150 WSP, full port ball valve.

8P0133

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	DA32	DA32	DA32	DA32	DA32	DA32	DA52	DA52	DA75	DA85
Weight (Lbs)	1.8	1.8	1.8	2.1	2.6	3.4	6.2	8.9	22.0	31.0
US$	229.00	229.00	246.00	256.00	284.00	339.00	438.00	542.00	778.00	967.00

8P0134

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	SR52	SR52	SR52	SR52	SR52	SR52	SR63	SR63	SR115	SR125
Weight (Lbs)	3.5	3.5	3.5	3.7	4.2	5.0	7.8	10.7	41.0	50.0
US$	302.00	302.00	319.00	329.00	357.00	412.00	486.00	590.00	1,082.00	1,320.00

8P0133SS

With **double acting stainless steel pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	SSDA52	SSDA52	SSDA52	SSDA52	SSDA52	SSDA52	SSDA52	SSDA52	SSDA75	SSDA85
Weight (Lbs)	6.1	6.1	6.3	6.9	7.3	7.8	9.1	11.8	27.3	45.3
US$	843.00	843.00	880.00	890.00	918.00	973.00	1,011.00	1,115.00	1,599.00	1,989.00

8P0134SS

With **spring return stainless steel pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SSSR52	SSSR52	SSSR52	SSSR52	SSSR52	SSSR52	SSSR63	SSSR63
Weight (Lbs)	6.6	6.6	6.8	7.4	7.8	8.3	11.7	14.5
US$	864.00	864.00	901.00	911.00	939.00	994.00	1,121.00	1,225.00

Valpres 700076 direct mount, 2-way 2 piece stainless steel, 1000 WOG 150 WSP, full port ball valve.

8E867-00*

With standard on/off **plastic Valbia electric** actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"
ACT.		VB010	VB010	VB010	VB010	VB010	VB010
Weight (Lbs)		2.9	2.9	2.9	3.1	3.7	4.4
24V AC/DC	US$	309.00	309.00	326.00	336.00	364.00	419.00
110V AC	US$	321.00	321.00	338.00	348.00	376.00	431.00

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
8E067-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.					
ACT.		VB015	VB015	VB015	VB015	VB015	VB015	VB030	VB030	VB0110	VB0110
24V AC/DC	US$	356.00	356.00	393.00	403.00	431.00	486.00	694.00	798.00	1,081.00	1,241.00
12V AC/DC, 100-240 VAC	US$	407.00	407.00	444.00	454.00	482.00	537.00	736.00	840.00	1,159.00	1,319.00
8E067-01*						With fail-safe battery back-up **plastic Valbia electric** actuator.					
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB0110
24V AC/DC	US$	1,004.00	1,004.00	1,041.00	1,051.00	1,079.00	1,134.00	1,172.00	1,276.00	1,608.00	1,768.00
100-240 VAC	US$	1,069.00	1,069.00	1,106.00	1,116.00	1,144.00	1,199.00	1,237.00	1,341.00	1,657.00	1,817.00
8E067-02*						With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.					
24V AC/DC	US$	945.00	945.00	982.00	992.00	1,020.00	1,075.00	1,113.00	1,217.00	1,471.00	1,631.00
12V AC/DC, 100-240 VAC	US$	1,032.00	1,032.00	1,069.00	1,079.00	1,107.00	1,162.00	1,200.00	1,304.00	1,555.00	1,715.00
8E067-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.					
24V AC/DC	US$	1,113.00	1,113.00	1,150.00	1,160.00	1,188.00	1,243.00	1,281.00	1,385.00	1,748.00	1,908.00
100-240 VAC	US$	1,185.00	1,185.00	1,222.00	1,232.00	1,260.00	1,315.00	1,353.00	1,457.00	1,831.00	1,991.00
Weight (Lbs)		4.3	4.3	3.8	4.0	4.7	5.4	8.8	11.6	24.1	32.1

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
M8E067-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.					
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB0110M	VB0110M
24V AC/DC	US$	626.00	626.00	663.00	673.00	701.00	756.00	794.00	898.00	1,504.00	1,664.00
12V AC/DC, 100-240 VAC	US$	668.00	668.00	705.00	715.00	743.00	798.00	836.00	940.00	1,624.00	1,784.00
M8E067-01*						With fail-safe battery back-up **metal Valbia electric** actuator.					
24V AC/DC	US$	1,341.00	1,341.00	1,378.00	1,388.00	1,416.00	1,471.00	1,509.00	1,613.00	2,247.00	2,407.00
100-240 VAC	US$	1,419.00	1,419.00	1,456.00	1,466.00	1,494.00	1,549.00	1,587.00	1,691.00	2,310.00	2,470.00
M8E067-02*						With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,244.00	1,244.00	1,281.00	1,291.00	1,319.00	1,374.00	1,412.00	1,516.00	2,186.00	2,346.00
12V AC/DC, 100-240 VAC	US$	1,336.00	1,336.00	1,373.00	1,383.00	1,411.00	1,466.00	1,504.00	1,608.00	2,264.00	2,424.00
M8E067-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,590.00	1,590.00	1,627.00	1,637.00	1,665.00	1,720.00	1,758.00	1,862.00	2,269.00	2,429.00
100-240 VAC	US$	1,654.00	1,654.00	1,691.00	1,701.00	1,729.00	1,784.00	1,822.00	1,926.00	2,467.00	2,627.00
Weight (Lbs)		8.6	8.6	8.2	8.7	9.2	10.0	11.2	14.0	32.0	40.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

700LL 2-way 2 piece stainless steel 2,000 psi 1/4”-1”, 1,500 psi 1 1/4”-2” full port ball valve.

8P0026

With **double acting Valbia pneumatic** actuator.

SIZE	1/4”	3/8"	1/2"	3/4"	1"	1 1/4”	1 1/2”	2"
ACT.	DA32	DA32	DA32	DA32	DA52	DA52	DA63	DA75
Weight (Lbs)	3.9	3.9	3.9	4.3	6.3	7.0	9.5	14.4
Bracket kit	MK700LL-1/4	MK700LL-1/4	MK700LL-1/2	MK700LL-3/4	MK700LL-1	MK700LL-1-1/4	MK700LL-1-1/2	MK700LL-2
US$	263.00	264.00	268.00	276.00	356.00	366.00	437.00	550.00

8P0027

With **spring return Valbia pneumatic** actuator.

SIZE	1/4”	3/8"	1/2"	3/4"	1"	1 1/4”	1 1/2”	2"
ACT.	SR52	SR52	SR52	SR63	SR75	SR75	SR85	SR100
Weight (Lbs)	5.4	5.4	5.4	7.2	10.9	11.7	15.9	23.5
Bracket kit	MK700LL-1/4	MK700LL-1/4	MK700LL-1/2	MK700LL-3/4	MK700LL-1	MK700LL-1-1/4	MK700LL-1-1/2	MK700LL-2
US$	332.00	333.00	337.00	375.00	478.00	488.00	571.00	703.00

SIZE		1/4”	3/8"	1/2"	3/4"	1"	1 1/4”	1 1/2”	2"
8E0126-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.			
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB030	VB060
24V AC/DC	US$	406.00	407.00	411.00	419.00	612.00	622.00	666.00	770.00
12V AC/DC, 100-240 VAC	US$	457.00	458.00	462.00	470.00	654.00	664.00	708.00	839.00
8E0126-01*						With fail-safe battery back-up **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060
24V AC/DC	US$	1,054.00	1,055.00	1,059.00	1,067.00	1,090.00	1,100.00	1,144.00	1,263.00
100-240 VAC	US$	1,119.00	1,120.00	1,124.00	1,132.00	1,155.00	1,165.00	1,209.00	1,323.00
8E0126-02*						With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	995.00	996.00	1,000.00	1,008.00	1,031.00	1,041.00	1,085.00	1,182.00
12V AC/DC, 100-240 VAC	US$	1,082.00	1,083.00	1,087.00	1,095.00	1,118.00	1,128.00	1,172.00	1,268.00
8E0126-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,163.00	1,164.00	1,168.00	1,176.00	1,199.00	1,209.00	1,253.00	1,379.00
100-240 VAC	US$	1,235.00	1,236.00	1,240.00	1,248.00	1,271.00	1,281.00	1,325.00	1,436.00
Weight (Lbs)/Bracket kit		3.9/MK700LL-1/2	3.9/MK700LL-1/2	3.9/MK700LL-1/2	3.9/MK700LL-3/4	7.1/MK700LL-1	7.7/MK700LL-11/4	9.5/MK700LL-11/2	14.1/MK700LL-11/2

SIZE		1/4”	3/8"	1/2"	3/4"	1"	1 1/4”	1 1/2”	2"
M8E0126-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030	VB060M
24V AC/DC	US$	676.00	677.00	681.00	689.00	712.00	722.00	766.00	890.00
12V AC/DC, 100-240 VAC	US$	718.00	719.00	723.00	731.00	754.00	764.00	808.00	933.00
M8E0126-01*						With fail-safe battery back-up **metal Valbia electric** actuator.			
24V AC/DC	US$	1,391.00	1,392.00	1,396.00	1,404.00	1,427.00	1,437.00	1,481.00	1,586.00
100-240 VAC	US$	1,469.00	1,470.00	1,474.00	1,482.00	1,505.00	1,515.00	1,559.00	1,664.00
M8E0126-02*						With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,294.00	1,295.00	1,299.00	1,307.00	1,330.00	1,340.00	1,384.00	1,558.00
12V AC/DC, 100-240 VAC	US$	1,386.00	1,387.00	1,391.00	1,399.00	1,422.00	1,432.00	1,476.00	1,654.00
M8E0126-04*						With fail-safe battery back-up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,640.00	1,641.00	1,645.00	1,653.00	1,676.00	1,686.00	1,730.00	1,705.00
100-240 VAC	US$	1,704.00	1,705.00	1,709.00	1,717.00	1,740.00	1,750.00	1,794.00	1,850.00
Weight (Lbs)/Bracket kit		8.2/MK700LL-1/2	8.2/MK700LL-1/2	8.2/MK700LL-1/2	8.2/MK700LL-3/4	9.6/MK700LL-1	10.2/MK700LL-11/4	12.0/MK700LL-11/2	16.8/MK700LL-11/2

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

3100 series direct mount, 2-way 2 piece stainless steel, 3,000 psi full port ball valve.

8P3100

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA52	DA52	DA52	DA52	DA63	DA75	DA75	DA75
Weight (Lbs)	3.9	3.9	3.9	4.3	6.3	7.0	9.5	14.4
Pad/stem	F03/9	F03/9	F03/9	F03/9	F05/11	F05/11	F05/14	F05/14
US$	316.00	316.00	316.00	334.00	402.00	552.00	660.00	737.00

8P3102

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR63	SR63	SR63	SR75*	SR75	SR85	SR100	SR115
Weight (Lbs)	5.4	5.4	6.5	7.2	10.9	11.7	15.9	23.5
Pad/stem	F04/9	F04/9	F04/9	**Bracket**	F05/11	F05/11	F07/14	F07/14
US$	378.00	378.00	379.00	571.00	498.00	616.00	822.00	1,041.00

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E3100-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.			
ACT.		VB015	VB015	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US$	402.00	402.00	572.00	590.00	625.00	771.00	874.00	951.00
12V AC/DC, 100-240 VAC	US$	453.00	453.00	614.00	632.00	667.00	840.00	943.00	1,020.00
8E3100-01*						With fail-safe battery back-up **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US$	1,050.00	1,050.00	1,050.00	1,068.00	1,103.00	1,264.00	1,367.00	1,444.00
100-240 VAC	US$	1,115.00	1,115.00	1,115.00	1,133.00	1,168.00	1,324.00	1,427.00	1,504.00
8E3100-02*						With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	991.00	991.00	991.00	1,009.00	1,044.00	1,183.00	1,286.00	1,363.00
12V AC/DC, 100-240 VAC	US$	1,078.00	1,078.00	1,078.00	1,096.00	1,131.00	1,269.00	1,372.00	1,449.00
8E3100-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,159.00	1,159.00	1,159.00	1,177.00	1,212.00	1,380.00	1,483.00	1,560.00
100-240 VAC	US$	1,231.00	1,231.00	1,231.00	1,249.00	1,284.00	1,437.00	1,540.00	1,617.00
Weight (Lbs)		3.9	3.9	3.9	4.3	6.3	7.0	9.5	14.4

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E3100-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US$	672.00	672.00	672.00	690.00	725.00	891.00	994.00	1,071.00
12V AC/DC, 100-240 VAC	US$	714.00	714.00	714.00	732.00	767.00	934.00	1,037.00	1,114.00
M8E3100-01*						With fail-safe battery back-up **metal Valbia electric** actuator.			
24V AC/DC	US$	714.00	714.00	714.00	732.00	767.00	934.00	1,037.00	1,114.00
100-240 VAC	US$	1,465.00	1,465.00	1,465.00	1,483.00	1,518.00	1,665.00	1,768.00	1,845.00
M8E3100-02*						With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,290.00	1,290.00	1,290.00	1,308.00	1,343.00	1,559.00	1,662.00	1,739.00
12V AC/DC, 100-240 VAC	US$	1,382.00	1,382.00	1,382.00	1,400.00	1,435.00	1,655.00	1,758.00	1,835.00
M8E3100-04*						With fail-safe battery back-up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,636.00	1,636.00	1,636.00	1,654.00	1,689.00	1,706.00	1,809.00	1,886.00
100-240 VAC	US$	1,700.00	1,700.00	1,700.00	1,718.00	1,753.00	1,851.00	1,954.00	2,031.00
Weight (Lbs)		8.4	8.4	8.4	8.9	10.9	11.6	12.2	17.0

NEW

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
EXM8E3100-00*						With **CSA approved** explosion proof on/off **metal electric** actuator.			
ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX045
24V AC/DC, 110V AC, 220 VAC	US$	1,617.00	1,617.00	1,617.00	1,635.00	1,670.00	1,965.00	2,068.00	2,145.00
EXM8E3100-02*						With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.			
24V AC/DC, 110V AC, 220 VAC	US$	2,427.00	2,427.00	2,427.00	2,445.00	2,480.00	2,776.00	2,879.00	2,956.00
Weight (Lbs)		5.40	5.40	5.50	6.00	7.10	11.80	15.10	17.50

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 710001 (NPT) - 711000 (SW) - 712000 (BW) 2-way, 3 piece stainless steel 1,000 psi, full port ball valve.



8P0169 (NPT) - 8P0187 (SW) - 8P0189 (BW)

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32	DA32	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100
Weight (Lbs)	3.8	3.8	4.1	5.7	7.0	8.2	10.0	14.1	27.8	37.5	61.8
Bracket kit	RI3015	RI3015	RI3789	RI3781	RI3030	RI3030	RI3031	RI3034	RI3003	RI3003	RI3004
US$	298.00	298.00	305.00	383.00	424.00	475.00	570.00	729.00	1,150.00	1,375.00	2,186.00

8P0170 (NPT) - 8P0188 (SW) - 8P0190 (BW)

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52	SR52	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125
Weight (Lbs)	5.3	5.3	5.6	7.6	9.0	10.2	17.5	33.8	44.2	57.1	77.5
Bracket kit	RI3021	RI3021	RI3790	RI3783	RI3033	RI3033	RI3034	RI3034	RI3010	RI3010	RI3005
US$	382.00	382.00	375.00	425.00	467.00	518.00	706.00	882.00	1,427.00	1,730.00	2,459.00

SIZE		1/4"*	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E074-00* (NPT) - 8E080-00* (SW) - 8E081-00* (BW)					With **UL approved** standard on/off **plastic Valbia electric** actuator.							
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	456.00 *	456.00	449.00	469.00	680.00	731.00	860.00	947.00	1,424.00	1,649.00	2,414.00
12V AC/DC, 100-240 VAC	US$	507.00 *	507.00	500.00	520.00	722.00	773.00	929.00	1,016.00	1,502.00	1,727.00	2,505.00
8E074-01* (NPT) - 8E080-01* (SW) - 8E081-01* (BW)					With fail-safe battery back-up **plastic Valbia electric** actuator.							
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	1,104.00 *	1,104.00	1,097.00	1,117.00	1,158.00	1,209.00	1,353.00	1,440.00	1,951.00	2,176.00	2,992.00
100-240 VAC	US$	1,169.00 *	1,169.00	1,162.00	1,182.00	1,223.00	1,274.00	1,413.00	1,500.00	2,000.00	2,225.00	3,058.00
8E074-02* (NPT) - 8E080-02* (SW) - 8E081-02* (BW)					With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.							
24V AC/DC	US$	1,045.00 *	1,045.00	1,038.00	1,058.00	1,099.00	1,150.00	1,272.00	1,359.00	1,814.00	2,039.00	2,858.00
12V AC/DC, 100-240 VAC	US$	1,132.00 *	1,132.00	1,125.00	1,145.00	1,186.00	1,237.00	1,358.00	1,445.00	1,898.00	2,123.00	2,971.00
8E074-04* (NPT) - 8E080-04* (SW) - 8E081-04* (BW)					With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.							
24V AC/DC	US$	1,213.00 *	1,213.00	1,206.00	1,226.00	1,267.00	1,318.00	1,469.00	1,556.00	2,091.00	2,316.00	3,141.00
100-240 VAC	US$	1,285.00 *	1,285.00	1,278.00	1,298.00	1,339.00	1,390.00	1,526.00	1,613.00	2,174.00	2,399.00	3,215.00
Weight (Lbs)/Bracket kit		5.7/RI3021	5.7/RI3021	6.2/RI3790	6.8/RI3781	7.9/RI3030	10.9/RI3030	14.5/RI3031	18.0/RI3031	31.3/RI3003	41.5/RI3003	61.7/RI3004

* not available for 8E080 - 8E081

SIZE		1/4"*	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E074-00* (NPT) - M8E080-00* (SW) - M8E081-00* (BW)					With **UL approved** standard on/off **metal Valbia electric** actuator.							
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US$	726.00 *	726.00	719.00	739.00	780.00	831.00	980.00	1,067.00	1,847.00	2,072.00	2,857.00
12V AC/DC, 100-240 VAC	US$	768.00 *	768.00	761.00	781.00	822.00	873.00	1,023.00	1,110.00	1,967.00	2,192.00	3,013.00
M8E074-01* (NPT) - M8E080-01* (SW) - M8E081-01* (BW)					With fail-safe battery back-up **metal Valbia electric** actuator.							
24V AC/DC	US$	1,441.00 *	1,441.00	1,434.00	1,454.00	1,495.00	1,546.00	1,676.00	1,763.00	2,590.00	2,815.00	3,692.00
100-240 VAC	US$	1,519.00 *	1,519.00	1,512.00	1,532.00	1,573.00	1,624.00	1,754.00	1,841.00	2,653.00	2,878.00	3,802.00
M8E074-02* (NPT) - M8E080-02* (SW) - M8E081-02* (BW)					With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.							
24V AC/DC	US$	1,344.00 *	1,344.00	1,337.00	1,357.00	1,398.00	1,449.00	1,648.00	1,735.00	2,529.00	2,754.00	3,627.00
12V AC/DC, 100-240 VAC	US$	1,436.00 *	1,436.00	1,429.00	1,449.00	1,490.00	1,541.00	1,744.00	1,831.00	2,607.00	2,832.00	3,711.00
M8E074-04* (NPT) - M8E080-04* (SW) - M8E081-04* (BW)					With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.							
24V AC/DC	US$	1,690.00 *	1,690.00	1,683.00	1,703.00	1,744.00	1,795.00	1,795.00	1,882.00	2,612.00	2,837.00	3,782.00
100-240 VAC	US$	1,754.00 *	1,754.00	1,747.00	1,767.00	1,808.00	1,859.00	1,940.00	2,027.00	2,612.00	2,837.00	4,029.00
Weight (Lbs)/Bracket kit		8.0/RI3021	8.0/RI3021	8.3/RI3790	9.1/RI3781	10.2/RI3030	13.2/RI3030	17.3/RI3031	21/RI3031	40/RI3003	50/RI3003	70/RI3004

* not available for M8E080 - M8E081

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

FOR STEAM

Valpres 710190 (NPT) - 710061 (SW) - 710062 (BW) 2-way, 3 piece stainless steel, 1000 WOG 250 WSP full port ball valve.

8P0195 (NPT) - 8P0199 (SW) - 8P0203 (BW)

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32V	DA32V	DA32V	DA52V	DA52V	DA52V	DA63V	DA75V	DA85V	DA85V	DA100V
Weight (Lbs)	3.8	3.9	4.1	5.7	7.0	8.2	10.0	14.1	27.8	37.5	61.8
Bracket kit	RI3015	RI3015	RI3789	RI3781	RI3030	RI3030	RI3031	RI3034	RI3003	RI3003	RI3004
US$	303.00	303.00	314.00	396.00	444.00	498.00	605.00	767.00	1,205.00	1,487.00	2,317.00

8P0196 (NPT) - 8P0200 (SW) - 8P0204 (BW)

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52V	SR52V	SR52V	SR63V	SR63V	SR63V	SR85V	SR100V	SR115V	SR125V	SR125V
Weight (Lbs)	5.3	5.3	5.6	7.6	9.0	10.2	17.5	33.8	44.2	57.1	77.5
Bracket kit	RI3021	RI3021	RI3790	RI3783	RI3033	RI3033	RI3034	RI3034	RI3010	RI3010	RI3005
US$	387.00	387.00	384.00	438.00	487.00	541.00	741.00	920.00	1,482.00	1,842.00	2,590.00

SIZE		1/4" *	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E710190-00* (NPT) - **M8E710061-00*** (SW) - **M8E710062-00*** (BW) — With **UL approved** standard on/off **metal Valbia electric** actuator.												
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US$	731.00 *	731.00	728.00	752.00	800.00	854.00	1,015.00	1,105.00	1,902.00	2,184.00	2,988.00
12V AC/DC, 100-240 VAC	US$	773.00 *	773.00	770.00	794.00	842.00	896.00	1,058.00	1,148.00	2,022.00	2,304.00	3,144.00
M8E710190-01* (NPT) - **M8E710061-01*** (SW) - **M8E710062-01*** (BW) — With fail-safe battery back-up **metal Valbia electric** actuator.												
24V AC/DC	US$	1,446.00 *	1,446.00	1,443.00	1,467.00	1,515.00	1,569.00	1,711.00	1,801.00	2,645.00	2,927.00	3,823.00
100-240 VAC	US$	1,524.00 *	1,524.00	1,521.00	1,545.00	1,593.00	1,647.00	1,789.00	1,879.00	2,708.00	2,990.00	3,933.00
M8E710190-02* (NPT) - **M8E710061-02*** (SW) - **M8E710062-02*** (BW) — With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.												
24V AC/DC	US$	1,349.00 *	1,349.00	1,346.00	1,370.00	1,418.00	1,472.00	1,683.00	1,773.00	2,584.00	2,866.00	3,758.00
12V AC/DC, 100-240 VAC	US$	1,441.00 *	1,441.00	1,438.00	1,462.00	1,510.00	1,564.00	1,779.00	1,869.00	2,662.00	2,944.00	3,842.00
M8E710190-04* (NPT) - **M8E710061-04*** (SW) - **M8E710062-04*** (BW) — With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.												
24V AC/DC	US$	1,695.00 *	1,695.00	1,692.00	1,716.00	1,764.00	1,818.00	1,830.00	1,920.00	2,667.00	2,949.00	3,913.00
100-240 VAC	US$	1,759.00 *	1,759.00	1,756.00	1,780.00	1,828.00	1,882.00	1,975.00	2,065.00	2,667.00	2,949.00	4,160.00
Weight (Lbs)/Bracket kit		8.0/RI3021	8.0/RI3021	8.3/RI3790	9.1/RI3781	10.2/RI3030	13.2/RI3030	17.3/RI3031	21/RI3031	40/RI3003	50/RI3003	70/RI3004

* not available for M8E710061 - M8E710062

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

720LL (NPT) - 721LL (SW) - 722LL (BW) direct mount, 2-way 3 piece stainless steel 1,000 psi, full port ball valve.



8P0720 (NPT) - 8P0722 (SW) - 8P0724 (BW)

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32	DA32	DA32	DA32	DA52	DA52	DA63	DA75	DA75	DA85	DA100
Weight (Lbs)	2.5	2.5	2.7	2.9	5.3	8.3	9.8	15.3	26.5	35.4	58.9
Pad/Stem	F03/9	F03/9	F03/9	F03/9	F05/11	F05/11	F05/14	F05/14	F07/17	F07/17	F07/17
US$	221.00	221.00	238.00	244.00	334.00	381.00	496.00	661.00	1,033.00	1,235.00	1,962.00

8P0721 (NPT) - 8P0723 (SW) - 8P0725 (BW)

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52	SR52	SR52	SR63/04	SR75	SR75	SR85	SR100	SR115	SR125	SR140
Weight (Lbs)	4.0	4.0	4.2	5.8	9.9	12.9	15.9	24.2	44.9	54.8	93.2
Pad/Stem	F03/9	F03/9	F03/9	F04/9	F05/11	F05/11	F05/14	F05/14	F07/17	F07/17	F07/17
US$	299.00	299.00	311.00	362.00	463.00	510.00	636.00	814.00	1,337.00	1,588.00	2,556.00

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E0720-00* (NPT) - 8E0721-00* (SW) - 8E0722-00* (BW)					With **UL approved** standard on/off **plastic Valbia electric** actuator.							
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	373.00	373.00	375.00	386.00	590.00	637.00	786.00	875.00	1,336.00	1,509.00	2,190.00
12V AC/DC, 100-240 VAC	US$	424.00	424.00	426.00	437.00	632.00	679.00	855.00	944.00	1,414.00	1,587.00	2,281.00
8E0720-01* (NPT) - 8E0721-01* (SW) - 8E0722-01* (BW)					With fail-safe battery back-up **plastic Valbia electric** actuator.							
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	1,021.00	1,021.00	1,023.00	1,034.00	1,068.00	1,115.00	1,279.00	1,368.00	1,863.00	2,036.00	2,768.00
100-240 VAC	US$	1,086.00	1,086.00	1,088.00	1,099.00	1,133.00	1,180.00	1,339.00	1,428.00	1,912.00	2,085.00	2,834.00
8E0720-02* (NPT) - 8E0721-02* (SW) - 8E0722-02* (BW)					With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.							
24V AC/DC	US$	962.00	962.00	964.00	975.00	1,009.00	1,056.00	1,198.00	1,287.00	1,726.00	1,899.00	2,634.00
12V AC/DC, 100-240 VAC	US$	1,049.00	1,049.00	1,051.00	1,062.00	1,096.00	1,143.00	1,284.00	1,373.00	1,810.00	1,983.00	2,747.00
8E0720-04* (NPT) - 8E0721-04* (SW) - 8E0722-04* (BW)				With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.								
24V AC/DC	US$	1,130.00	1,130.00	1,132.00	1,143.00	1,177.00	1,224.00	1,395.00	1,484.00	2,003.00	2,176.00	2,917.00
100-240 VAC	US$	1,202.00	1,202.00	1,204.00	1,215.00	1,249.00	1,296.00	1,452.00	1,541.00	2,086.00	2,259.00	2,991.00
Weight (Lbs)		6.5	6.5	6.7	6.9	8.1	11.1	13.8	17.1	31.8	38.8	58.7

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E0720-00* (FNPT) - M8E0721-00* (SW) - M8E0722-00* (BW)					With **UL approved** standard on/off **metal Valbia electric** actuator.							
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US$	643.00	643.00	645.00	656.00	690.00	737.00	906.00	995.00	1,759.00	1,932.00	2,633.00
12V AC/DC, 100-240 VAC	US$	685.00	685.00	687.00	698.00	732.00	779.00	949.00	1,038.00	1,879.00	2,052.00	2,789.00
M8E0720-01* (FNPT) - M8E0721-01* (SW) - M8E0722-01* (BW)					With fail-safe battery back-up **metal Valbia electric** actuator.							
24V AC/DC	US$	1,358.00	1,358.00	1,360.00	1,371.00	1,405.00	1,452.00	1,602.00	1,691.00	2,502.00	2,675.00	3,468.00
100-240 VAC	US$	1,436.00	1,436.00	1,438.00	1,449.00	1,483.00	1,530.00	1,680.00	1,769.00	2,565.00	2,738.00	3,578.00
M8E0720-02* (FNPT) - M8E0721-02* (SW) - M8E0722-02* (BW)					With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.							
24V AC/DC	US$	1,261.00	1,261.00	1,263.00	1,274.00	1,308.00	1,355.00	1,574.00	1,663.00	2,441.00	2,614.00	3,403.00
12V AC/DC, 100-240 VAC	US$	1,353.00	1,353.00	1,355.00	1,366.00	1,400.00	1,447.00	1,670.00	1,759.00	2,519.00	2,692.00	3,487.00
M8E0720-04* (FNPT) - M8E0721-04* (SW) - M8E0722-04* (BW)					With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.							
24V AC/DC	US$	1,607.00	1,607.00	1,609.00	1,620.00	1,654.00	1,701.00	1,721.00	1,810.00	2,524.00	2,697.00	3,558.00
100-240 VAC	US$	1,671.00	1,671.00	1,673.00	1,684.00	1,718.00	1,765.00	1,866.00	1,955.00	2,722.00	2,895.00	3,805.00
Weight (Lbs)		10.9	10.9	11.1	11.4	12.6	15.3	18.0	21.3	40.0	47.0	67.0

NEW

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
EXM8E0720-00* (NPT) - EXM8E0721-00* (SW - EXM8E0722-00* (BW)					With **CSA approved** explosion proof on/off **metal Valbia electric** actuator.							
ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX080	EAX130
24V AC/DC, 110V AC, 220 VAC	US$	1,588.00	1,588.00	1,590.00	1,601.00	1,635.00	1,682.00	1,980.00	2,069.00	4,237.00	4,410.00	5,397.00
EXM8E0720-02* (NPT) - EXM8E0721-02* (SW - EXM8E0722-02* (BW)					With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal Valbia electric** actuator.							
24V AC/DC, 110V AC, 220 VAC	US$	2,398.00	2,398.00	2,400.00	2,411.00	2,445.00	2,492.00	2,791.00	2,880.00	5,047.00	5,220.00	6,208.00
Weight (Lbs)		5.40	5.40	5.60	5.80	7.00	10.00	13.50	16.80	58.00	65.00	84.90

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

730LL (NPT) - 731LL (SW) - 732LL (BW) encapsulated bolts, direct mount, 2-way 3 piece, stainless steel, 2,160 psi (1/4"-2"), 1,500 psi (2 1/2"-3") full port ball valve.

8P0730 (NPT) - 8P0732 (SW) - 8P0734 (BW)

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52	DA52	DA52	DA52	DA63	DA63	DA75	DA85	-	-	-
Weight (Lbs)	4.0	4.0	2.7	6.3	9.3	10.7	17.1	30.6	-	-	
Pad/Stem	F04/9	F04/9	F04/9	F05/11	F05/11	F07/14	F07/14	F010/17	-	-	-
US$	309.00	309.00	318.00	339.00	411.00	481.00	622.00	925.00	C/F	C/F	C/F

8P0731 (NPT) - 8P0733 (SW) - 8P0735 (BW)

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63	SR63	SR63	SR75	SR75	SR85	SR115	SR125	-	-	-
Weight (Lbs)	5.9	5.9	6.6	11.3	13.1	17.6	36.3	53.0	-	-	
Pad/Stem	F04/9	F04/9	F07/9	F05/11	F05/11	F07/14	F07/14	F10/17	-	-	-
US$	358.00	358.00	367.00	468.00	507.00	621.00	926.00	1,278.00	C/F	C/F	C/F

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E0730-00* (NPT) - **8E0731-00*** (SW) - **8E0732-00*** (BW)									With **UL approved** standard on/off **plastic Valbia electric** actuator.			
ACT.		VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	-	-	-
24V AC/DC	US$	384.00	384.00	393.00	595.00	634.00	771.00	836.00	1,222.00	C/F	C/F	C/F
12V AC/DC, 100-240 VAC	US$	435.00	435.00	444.00	637.00	676.00	840.00	905.00	1,300.00	C/F	C/F	C/F
8E0730-01* (NPT) - **8E0731-01*** (SW) - **8E0732-01*** (BW)									With fail-safe battery back-up **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB0030	VB030	VB060	VB060	VB110	-	-	-
24V AC/DC	US$	1,032.00	1,032.00	1,041.00	1,073.00	1,112.00	1,264.00	1,329.00	1,749.00	C/F	C/F	C/F
100-240 VAC	US$	1,097.00	1,097.00	1,106.00	1,138.00	1,177.00	1,324.00	1,389.00	1,798.00	C/F	C/F	C/F
8E0730-02* (NPT) - **8E0731-02*** (SW) - **8E0732-02*** (BW)									With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	973.00	973.00	982.00	1,014.00	1,053.00	1,183.00	1,248.00	1,612.00	C/F	C/F	C/F
12V AC/DC, 100-240 VAC	US$	1,060.00	1,060.00	1,069.00	1,101.00	1,140.00	1,269.00	1,334.00	1,696.00	C/F	C/F	C/F
8E0730-04* (NPT) - **8E0731-04*** (SW) - **8E0732-04*** (BW)									With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,141.00	1,141.00	1,150.00	1,182.00	1,221.00	1,380.00	1,445.00	1,889.00	C/F	C/F	C/F
100-240 VAC	US$	1,213.00	1,213.00	1,222.00	1,254.00	1,293.00	1,437.00	1,502.00	1,972.00	C/F	C/F	C/F
Weight (Lbs)		7.0	7.0	7.7	11.5	11.1	14.7	18.7	33.7	-	-	-

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E0730-00* (FNPT) - **M8E0731-00*** (SW) - **M8E0732-00*** (BW)									With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	-	-	-
24V AC/DC	US$	654.00	654.00	663.00	699.00	734.00	891.00	956.00	1,645.00	C/F	C/F	C/F
12V AC/DC, 100-240 VAC	US$	696.00	696.00	705.00	741.00	776.00	934.00	999.00	1,765.00	C/F	C/F	C/F
M8E0730-01* (FNPT) - **M8E0731-01*** (SW) - **M8E0732-01*** (BW)									With fail-safe battery back-up **metal Valbia electric** actuator.			
24V AC/DC	US$	1,369.00	1,369.00	1,378.00	1,414.00	1,449.00	1,587.00	1,652.00	2,388.00	C/F	C/F	C/F
100-240 VAC	US$	1,447.00	1,447.00	1,456.00	1,492.00	1,527.00	1,665.00	1,730.00	2,451.00	C/F	C/F	C/F
M8E0730-02* (FNPT) - **M8E0731-02*** (SW) - **M8E0732-02*** (BW)									With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,272.00	1,272.00	1,281.00	1,317.00	1,352.00	1,559.00	1,624.00	2,327.00	C/F	C/F	C/F
12V AC/DC, 100-240 VAC	US$	1,364.00	1,364.00	1,373.00	1,409.00	1,444.00	1,655.00	1,720.00	2,405.00	C/F	C/F	C/F
M8E0730-04* (FNPT) - **M8E0731-04*** (SW) - **M8E0732-04*** (BW)									With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,618.00	1,618.00	1,627.00	1,663.00	1,698.00	1,706.00	1,771.00	2,410.00	C/F	C/F	C/F
100-240 VAC	US$	1,682.00	1,682.00	1,691.00	1,727.00	1,762.00	1,851.00	1,916.00	2,608.00	C/F	C/F	C/F
Weight (Lbs)		11.4	11.4	12.1	13.7	15.5	19.1	23.1	43.1	-	-	-

NEW

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
EXM8E0730-00* (NPT) - **EXM8E0731-00*** (SW) - **EXM8E0732-00*** (BW)									With **CSA approved** explosion proof on/off **metal electric** actuator.			
ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX080	EAX360	EAX360	-
24V AC/DC, 110V AC, 220V AC	US$	1,599.00	1,599.00	1,608.00	1,644.00	1,679.00	1,755.00	2,030.00	4,123.00	5,018.00	5,667.00	C/F
EXM8E0730-02* (NPT) - **EXM8E0731-02*** (SW) - **EXM8E0732-02*** (BW)									With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.			
24V AC/DC, 110V AC, 220V AC	US$	2,409.00	2,409.00	2,418.00	2,454.00	2,489.00	2,565.00	2,841.00	4,933.00	5,829.00	6,478.00	C/F
Weight (Lbs)		5.40	5.40	5.60	5.80	7.00	10.00	13.50	46.80	89.00	96.00	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

770 2-way 3 piece direct mount stainless steel sanitary connection, non-cavity filled, full port ball valve.



8P0770

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32	DA52	DA52	DA63	DA75	DA75	DA85	DA100
Weight (Lbs)	4.2	4.5	5.5	10.7	15.7	27.4	36.4	57.6
US$	267.00	327.00	356.00	535.00	702.00	1,112.00	1,367.00	2,115.00

8P0772

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52-04	SR63-04	SR75	SR85	SR100	SR115	SR125	SR125
Weight (Lbs)	5.7	6.0	10.3	16.8	24.7	46.1	58.9	111.7
US$	346.00	389.00	485.00	675.00	855.00	1,410.00	1,720.00	2,395.00

SIZE		1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
8E0770-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.			
ACT.		VB015	VB015	VB030	VB030	VB060	VB110	VB110	VB190
24V AC/DC	US$	406.00	409.00	442.00	825.00	916.00	1,409.00	1,641.00	2,316.00
12V AC/DC, 100-240 VAC	US$	457.00	460.00	493.00	894.00	985.00	1,487.00	1,719.00	2,394.00
8E0770-01*						With fail-safe battery back-up **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB030	VB060	VB110	VB110	VB190
24V AC/DC	US$	1,054.00	1,057.00	1,090.00	1,318.00	1,409.00	1,936.00	2,168.00	2,843.00
100-240 VAC	US$	1,119.00	1,122.00	1,155.00	1,378.00	1,469.00	1,985.00	2,217.00	2,892.00
8E0770-02*						With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	995.00	998.00	1,031.00	1,237.00	1,328.00	1,799.00	2,031.00	2,706.00
12V AC/DC, 100-240 VAC	US$	1,082.00	1,085.00	1,118.00	1,323.00	1,414.00	1,883.00	2,115.00	2,790.00
8E0770-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,163.00	1,166.00	1,199.00	1,434.00	1,525.00	2,076.00	2,308.00	2,983.00
100-240 VAC	US$	1,235.00	1,238.00	1,271.00	1,491.00	1,582.00	2,159.00	2,391.00	3,066.00
Weight (Lbs)		4.8	5.0	6.4	14.7	17.5	32.8	40.0	57.5

SIZE		1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
M8E0770-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US$	676.00	679.00	712.00	945.00	1,036.00	1,832.00	2,064.00	2,739.00
12V AC/DC, 100-240 VAC	US$	718.00	721.00	754.00	988.00	1,079.00	1,952.00	2,184.00	2,859.00
M8E0770-01*						With fail-safe battery back-up **metal Valbia electric** actuator.			
24V AC/DC	US$	1,391.00	1,394.00	1,427.00	1,641.00	1,732.00	2,575.00	2,807.00	3,482.00
100-240 VAC	US$	1,469.00	1,472.00	1,505.00	1,719.00	1,810.00	2,638.00	2,870.00	3,545.00
M8E0770-02*						With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,294.00	1,297.00	1,330.00	1,613.00	1,704.00	2,514.00	2,746.00	3,421.00
12V AC/DC, 100-240 VAC	US$	1,386.00	1,389.00	1,422.00	1,709.00	1,800.00	2,592.00	2,824.00	3,499.00
M8E0770-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,640.00	1,643.00	1,676.00	1,760.00	1,851.00	2,597.00	2,829.00	3,504.00
100-240 VAC	US$	1,704.00	1,707.00	1,740.00	1,905.00	1,996.00	2,795.00	3,027.00	3,702.00
Weight (Lbs)		9.1	9.3	10.7	18.2	20.0	36.0	48.0	66.0

NEW

SIZE		1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"
EXM8E0770-00*						With **CSA approved** explosion proof on/off **metal electric** actuator.			
ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX080	EAX080	EAX130
24V AC/DC, 110V AC, 220V AC	US$	1,621.00	1,624.00	1,657.00	1,809.00	1,900.00	4,310.00	4,542.00	5,550.00
EXM8E0770-02*						With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.			
24V AC/DC, 110V AC, 220V AC	US$	2,431.00	2,434.00	2,467.00	2,619.00	2,710.00	5,120.00	5,352.00	6,361.00
Weight (Lbs)		5.67	5.91	7.17	11.24	14.10	58.80	66.00	83.50

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

771 2-way 3 piece direct mount, stainless steel sanitary connection, cavity filled, full port ball valve.



8P0771

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52	DA52	DA52	DA75	DA75	DA85	DA100	DA115
Weight (Lbs)	4.2	4.5	5.5	10.7	15.7	27.4	36.4	57.6
US$	347.00	350.00	390.00	692.00	836.00	1,353.00	1,816.00	2,750.00

8P0773

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63-04	SR63-04	SR75	SR100	SR115	SR125	SR125	SR125
Weight (Lbs)	5.7	6.0	10.3	16.8	24.7	46.1	58.9	111.7
US$	409.00	412.00	519.00	845.00	1,140.00	1,706.00	2,096.00	2,903.00

SIZE		1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
8E0771-00*			With **UL approved** standard on/off **plastic Valbia electric** actuator.						
ACT.		VB015	VB015	VB030	VB030	VB060	VB110	VB110	VB190
24V AC/DC	US$	429.00	432.00	527.00	906.00	1,050.00	1,627.00	2,017.00	2,824.00
12V AC/DC, 100-240 VAC	US$	480.00	483.00	527.00	975.00	1,119.00	1,705.00	2,095.00	2,902.00
8E0771-01*			With fail-safe battery back-up **plastic Valbia electric** actuator.						
ACT.		VB030	VB030	VB030	VB030	VB060	VB110	VB110	VB190
24V AC/DC	US$	1,077.00	1,080.00	1,124.00	1,399.00	1,543.00	2,154.00	2,544.00	3,351.00
100-240 VAC	US$	1,142.00	1,145.00	1,189.00	1,459.00	1,603.00	2,203.00	2,593.00	3,400.00
8E0771-02*			With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.						
24V AC/DC	US$	1,018.00	1,021.00	1,065.00	1,318.00	1,462.00	2,017.00	2,407.00	3,214.00
12V AC/DC, 100-240 VAC	US$	1,105.00	1,108.00	1,152.00	1,404.00	1,548.00	2,101.00	2,491.00	3,298.00
8E0771-04*			With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.						
24V AC/DC	US$	1,186.00	1,189.00	1,233.00	1,515.00	1,659.00	2,294.00	2,684.00	3,491.00
100-240 VAC	US$	1,258.00	1,261.00	1,305.00	1,572.00	1,716.00	2,377.00	2,767.00	3,574.00
Weight (Lbs)		4.8	5.0	6.4	14.7	17.5	32.8	40.0	57.5

SIZE		1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
M8E0771-00*			With **UL approved** standard on/off **metal Valbia electric** actuator.						
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US$	699.00	702.00	746.00	1,026.00	1,170.00	2,050.00	2,440.00	3,247.00
12V AC/DC, 100-240 VAC	US$	741.00	744.00	788.00	1,069.00	1,213.00	2,170.00	2,560.00	3,367.00
M8E0771-01*			With fail-safe battery back-up **metal Valbia electric** actuator.						
24V AC/DC	US$	1,414.00	1,417.00	1,461.00	1,722.00	1,866.00	2,793.00	3,183.00	3,990.00
100-240 VAC	US$	1,492.00	1,495.00	1,539.00	1,800.00	1,944.00	2,856.00	3,246.00	4,053.00
M8E0771-02*			With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.						
24V AC/DC	US$	1,317.00	1,320.00	1,364.00	1,694.00	1,838.00	2,732.00	3,122.00	3,929.00
12V AC/DC, 100-240 VAC	US$	1,409.00	1,412.00	1,456.00	1,790.00	1,934.00	2,810.00	3,200.00	4,007.00
M8E0771-04*			With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.						
24V AC/DC	US$	1,663.00	1,666.00	1,710.00	1,841.00	1,985.00	2,815.00	3,205.00	4,012.00
100-240 VAC	US$	1,727.00	1,730.00	1,774.00	1,986.00	2,130.00	3,013.00	3,403.00	4,210.00
Weight (Lbs)		9.1	9.3	10.7	17.2	20.0	36.0	48.0	66.0

NEW

SIZE		1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"
EXM8E0771-00*			With **CSA approved** explosion proof on/off **metal electric** actuator.						
ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX080	EAX080	EAX130
24V AC/DC, 110V AC, 220V AC	US$	1,644.00	1,647.00	1,691.00	1,890.00	2,034.00	4,528.00	4,918.00	6,058.00
EXM8E0771-02*			With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.						
24V AC/DC, 110V AC, 220V AC	US$	2,454.00	2,457.00	2,501.00	2,700.00	2,844.00	5,338.00	5,728.00	6,869.00
Weight (Lbs)		5.67	5.91	7.17	11.24	14.10	58.80	66.00	83.50

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

1300, 2-way 3 piece stainless steel 2,000 psi compression end full port ball valve.



8P1300

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"
ACT.	DA32	DA32	DA32	DA32
Weight (Lbs)	3.9	3.9	3.9	4.3
Pad/Stem	F03/9	F03/9	F03/9	F03/9
US$	298.00	307.00	320.00	365.00

8P1302

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"
ACT.	SR52	SR52	SR52	SR63/F04
Weight (Lbs)	5.4	5.4	5.4	7.2
Pad/Stem	F03/9	F03/9	F03/9	F04/9
US$	371.00	380.00	393.00	488.00

SIZE		1/4"	3/8"	1/2"	3/4"
8E1300-00*			With **UL approved** standard on/off **plastic Valbia electric** actuator.		
ACT.		VB015	VB015	VB015	VB015
24V AC/DC	US$	445.00	454.00	467.00	512.00
12V AC/DC, 100-240 VAC	US$	496.00	505.00	518.00	563.00
8E1300-01*			With fail-safe battery back-up **plastic Valbia electric** actuator.		
ACT.		VB030	VB030	VB030	VB030
24V AC/DC	US$	1,093.00	1,102.00	1,115.00	1,160.00
100-240 VAC	US$	1,158.00	1,167.00	1,180.00	1,225.00
8E1300-02*			With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.		
24V AC/DC	US$	1,034.00	1,043.00	1,056.00	1,101.00
12V AC/DC, 100-240 VAC	US$	1,121.00	1,130.00	1,143.00	1,188.00
8E1300-04*		With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,202.00	1,211.00	1,224.00	1,269.00
100-240 VAC	US$	1,274.00	1,283.00	1,296.00	1,341.00
Weight (Lbs)		3.9	3.9	3.9	4.3

SIZE		1/4"	3/8"	1/2"	3/4"
M8E1300-00*			With **UL approved** standard on/off **metal Valbia electric** actuator.		
ACT.		VB030M	VB030M	VB030M	VB030M
24V AC/DC	US$	715.00	724.00	737.00	782.00
12V AC/DC, 100-240 VAC	US$	757.00	766.00	779.00	824.00
M8E1300-01*			With fail-safe battery back-up **metal Valbia electric** actuator.		
24V AC/DC	US$	1,430.00	1,439.00	1,452.00	1,497.00
100-240 VAC	US$	1,508.00	1,517.00	1,530.00	1,575.00
M8E1300-02*			With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	1,333.00	1,342.00	1,355.00	1,400.00
12V AC/DC, 100-240 VAC	US$	1,425.00	1,434.00	1,447.00	1,492.00
M8E1300-04*		With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,679.00	1,688.00	1,701.00	1,746.00
100-240 VAC	US$	1,743.00	1,752.00	1,765.00	1,810.00
Weight (Lbs)		8.2	8.2	8.2	8.5

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

NSF/ANSI 372

PVC-BV2 and CPVC-BV2 2-way direct mount full port ball valve.

8P2DAPVC
8P2DACPVC

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52	DA52	DA52	DA52	DA52	DA63	DA75	DA75	DA85
Weight (Lbs)	3.0	3.3	3.6	4.0	4.8	7.3	12.0	16.5	30.0
PVC US$	362.00	400.00	422.00	477.00	534.00	584.00	857.00	976.00	1,300.00
CPVC US$	396.00	444.00	481.00	567.00	632.00	742.00	1,373.00	1,433.00	2,237.00

8P2SRPVC
8P2SRCPVC

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52	SR52	SR52	SR63	SR63	SR75	SR85	SR100	SR115
Weight (Lbs)	3.5	3.8	4.1	6.0	6.8	11.5	17.0	26.0	46.0
PVC US$	374.00	412.00	434.00	495.00	546.00	685.00	921.00	1,129.00	1,566.00
CPVC US$	408.00	456.00	493.00	585.00	644.00	843.00	1,437.00	1,586.00	2,503.00

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8EPVCBV2-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.										
ACT.		VB015	VB015	VB015	VB015	VB015	VB030	VB060	VB060	VB110
24V AC/DC	US$	448.00	486.00	508.00	563.00	620.00	843.00	1,077.00	1,196.00	1,574.00
12V AC/DC, 100-240 VAC	US$	499.00	537.00	559.00	614.00	671.00	885.00	1,146.00	1,265.00	1,652.00
8EPVCBV2-01* With fail-safe battery back-up **plastic Valbia electric** actuator.										
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US$	1,096.00	1,134.00	1,156.00	1,211.00	1,268.00	1,321.00	1,570.00	1,689.00	2,101.00
100-240 VAC	US$	1,161.00	1,199.00	1,221.00	1,276.00	1,333.00	1,386.00	1,630.00	1,749.00	2,150.00
8EPVCBV2-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.										
24V AC/DC	US$	1,037.00	1,075.00	1,097.00	1,152.00	1,209.00	1,262.00	1,489.00	1,608.00	1,964.00
12V AC/DC, 100-240 VAC	US$	1,124.00	1,162.00	1,184.00	1,239.00	1,296.00	1,349.00	1,575.00	1,694.00	2,048.00
8EPVCBV2-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.										
24V AC/DC	US$	1,205.00	1,243.00	1,265.00	1,320.00	1,377.00	1,430.00	1,686.00	1,805.00	2,241.00
100-240 VAC	US$	1,277.00	1,315.00	1,337.00	1,392.00	1,449.00	1,502.00	1,743.00	1,862.00	2,324.00
Weight (Lbs)		4.2	4.5	5.8	6.3	7.1	9.6	14.0	16.0	32.0

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8ECPVCBV2-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.										
ACT.		VB015	VB015	VB015	VB015	VB015	VB030	VB060	VB060	VB110
24V AC/DC	US$	482.00	530.00	567.00	653.00	718.00	1,001.00	1,593.00	1,653.00	2,511.00
12V AC/DC, 100-240 VAC	US$	533.00	581.00	618.00	704.00	769.00	1,043.00	1,662.00	1,722.00	2,589.00
8ECPVCBV2-01* With fail-safe battery back-up **plastic Valbia electric** actuator.										
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US$	1,130.00	1,178.00	1,215.00	1,301.00	1,366.00	1,479.00	2,086.00	2,146.00	3,038.00
100-240 VAC	US$	1,195.00	1,243.00	1,280.00	1,366.00	1,431.00	1,544.00	2,146.00	2,206.00	3,087.00
8ECPVCBV2-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.										
24V AC/DC	US$	1,071.00	1,119.00	1,156.00	1,242.00	1,307.00	1,420.00	2,005.00	2,065.00	2,901.00
12V AC/DC, 100-240 VAC	US$	1,158.00	1,206.00	1,243.00	1,329.00	1,394.00	1,507.00	2,091.00	2,151.00	2,985.00
8ECPVCBV2-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.										
24V AC/DC	US$	1,239.00	1,287.00	1,324.00	1,410.00	1,475.00	1,588.00	2,202.00	2,262.00	3,178.00
100-240 VAC	US$	1,311.00	1,359.00	1,396.00	1,482.00	1,547.00	1,660.00	2,259.00	2,319.00	3,261.00
Weight (Lbs)		4.2	4.5	5.8	6.3	7.1	9.6	14.0	16.0	32.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

RB 355N 3-way direct mount brass, 400 WOG 100 WSP, standard T-port ball valve.

8P0129 T-Port

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	DA32	DA32	DA32	DA32	DA52	DA52	DA52	DA63	DA63	DA63
Weight (Lbs)	2.4	2.3	2.4	2.6	5.1	6.6	8.5	12.5	19.7	22.9
US$	212.00	212.00	212.00	223.00	312.00	370.00	462.00	621.00	974.00	969.00

8P0131 T-Port

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	SR52	SR52	SR52	SR52	SR52	SR52	SR63	SR85	SR85	SR85
Weight (Lbs)	4.0	3.9	4.0	4.2	5.4	7.0	10.1	16.8	25.8	29.1
US$	285.00	285.00	285.00	296.00	324.00	382.00	510.00	761.00	1,114.00	1,109.00

8E865-00*

With standard on/off **plastic Valbia electric** actuator.

SIZE		1/4"	3/8"	1/2"	3/4"
ACT.		VB010	VB010	VB010	VB010
Weight (Lbs)		3.4	3.4	3.4	3.6
24V AC/DC	US$	292.00	292.00	292.00	303.00
110V AC	US$	304.00	304.00	304.00	315.00

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
8E065-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.					
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US$	359.00	359.00	359.00	370.00	568.00	626.00	718.00	911.00	1,264.00	1,259.00
12V AC/DC, 100-240 VAC	US$	410.00	410.00	410.00	421.00	610.00	668.00	760.00	980.00	1,333.00	1,328.00
8E065-01*						With fail-safe battery back-up **plastic Valbia electric** actuator.					
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US$	1,007.00	1,007.00	1,007.00	1,018.00	1,046.00	1,104.00	1,196.00	1,404.00	1,757.00	1,752.00
100-240 VAC	US$	1,072.00	1,072.00	1,072.00	1,083.00	1,111.00	1,169.00	1,261.00	1,464.00	1,817.00	1,812.00
8E065-02*						With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.					
24V AC/DC	US$	948.00	948.00	948.00	959.00	987.00	1,045.00	1,137.00	1,323.00	1,676.00	1,671.00
12V AC/DC, 100-240 VAC	US$	1,035.00	1,035.00	1,035.00	1,046.00	1,074.00	1,132.00	1,224.00	1,409.00	1,762.00	1,757.00
8E065-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.					
24V AC/DC	US$	1,116.00	1,116.00	1,116.00	1,127.00	1,155.00	1,213.00	1,305.00	1,520.00	1,873.00	1,868.00
100-240 VAC	US$	1,188.00	1,188.00	1,188.00	1,199.00	1,227.00	1,285.00	1,377.00	1,577.00	1,930.00	1,925.00
Weight (Lbs)		4.3	4.3	4.3	4.5	7.7	9.3	11.1	16.4	23.7	26.9

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
M8E065-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.					
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US$	629.00	629.00	629.00	640.00	668.00	726.00	818.00	1,031.00	1,384.00	1,379.00
12V AC/DC, 100-240 VAC	US$	671.00	671.00	671.00	682.00	710.00	768.00	860.00	1,074.00	1,427.00	1,422.00
M8E065-01*						With fail-safe battery back-up **metal Valbia electric** actuator.					
24V AC/DC	US$	1,344.00	1,344.00	1,344.00	1,355.00	1,383.00	1,441.00	1,533.00	1,727.00	2,080.00	2,075.00
100-240 VAC	US$	1,422.00	1,422.00	1,422.00	1,433.00	1,461.00	1,519.00	1,611.00	1,805.00	2,158.00	2,153.00
M8E065-02*						With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,247.00	1,247.00	1,247.00	1,258.00	1,286.00	1,344.00	1,436.00	1,699.00	2,052.00	2,047.00
12V AC/DC, 100-240 VAC	US$	1,339.00	1,339.00	1,339.00	1,350.00	1,378.00	1,436.00	1,528.00	1,795.00	2,148.00	2,143.00
M8E065-04*						With fail-safe battery back-up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,593.00	1,593.00	1,593.00	1,604.00	1,632.00	1,690.00	1,782.00	1,846.00	2,199.00	2,194.00
100-240 VAC	US$	1,657.00	1,657.00	1,657.00	1,668.00	1,696.00	1,754.00	1,846.00	1,991.00	2,344.00	2,339.00
Weight (Lbs)		8.6	8.6	8.6	8.8	10.2	11.8	13.6	19.0	26.5	30.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

LF LEAD FREE NSF/ANSI 61/372

NEW

RB 355NLF 3-way direct mount, lead free brass, 400 WOG 100 WSP, standard T-port ball valve.



8P0129LF T-Port

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
ACT.	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA52V	DA63V	DA63V	DA63V
Weight (Lbs.)	2.4	2.3	2.4	2.6	5.1	6.6	8.5	12.5	19.7	22.9
US$	215.00	215.00	215.00	226.00	317.00	377.00	472.00	635.00	C/F	C/F

8P0131LF T-Port

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
ACT.	SR52V	SR52V	SR52V	SR52V	SR52V	SR52V	SR63V	SR85V	SR85V	SR85V
Weight (Lbs.)	4.0	3.9	4.0	4.2	5.4	7.0	10.1	16.8	25.8	29.1
US$	288.00	288.00	288.00	299.00	329.00	389.00	520.00	775.00	C/F	C/F

8E865LF-00*

With standard on/off **plastic Valbia electric** actuator.

SIZE		1/4"	3/8"	1/2"	3/4"
ACT.		VB010	VB010	VB010	VB010
Weight (Lbs.)		3.4	3.4	3.4	3.6
24V AC/DC	US$	295.00	295.00	295.00	306.00
110V AC	US$	307.00	307.00	307.00	318.00

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
8E065LF-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.											
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US$	362.00	362.00	362.00	373.00	573.00	633.00	728.00	925.00	C/F	C/F
12V AC/DC, 100-240V AC	US$	413.00	413.00	413.00	424.00	615.00	675.00	770.00	994.00	C/F	C/F
8E065LF-01* With fail-safe battery backup **plastic Valbia electric** actuator.											
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US$	1,010.00	1,010.00	1,010.00	1,021.00	1,051.00	1,111.00	1,206.00	1,418.00	C/F	C/F
100-240V AC	US$	1,075.00	1,075.00	1,075.00	1,086.00	1,116.00	1,176.00	1,271.00	1,478.00	C/F	C/F
8E065LF-02* With 0-10VDC or 4-20 mA positioning **plastic Valbia electric** actuator.											
24V AC/DC	US$	951.00	951.00	951.00	962.00	992.00	1,052.00	1,147.00	1,337.00	C/F	C/F
12V AC/DC, 100-240V AC	US$	1,038.00	1,038.00	1,038.00	1,049.00	1,079.00	1,139.00	1,234.00	1,423.00	C/F	C/F
8E065LF-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning **plastic Valbia electric** actuator.											
24V AC/DC	US$	1,119.00	1,119.00	1,119.00	1,130.00	1,160.00	1,220.00	1,315.00	1,534.00	C/F	C/F
100-240V AC	US$	1,191.00	1,191.00	1,191.00	1,202.00	1,232.00	1,292.00	1,387.00	1,591.00	C/F	C/F
Weight (Lbs.)		4.3	4.3	4.3	4.6	7.8	9.4	11.3	17.7	24.1	27.4

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
M8E065LF-00* With **UL approved** standard on/off **metal Valbia electric** actuator.											
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US$	632.00	632.00	632.00	643.00	673.00	733.00	828.00	1,045.00	C/F	C/F
12V AC/DC, 100-240V AC	US$	674.00	674.00	674.00	685.00	715.00	775.00	870.00	1,088.00	C/F	C/F
M8E065LF-01* With fail-safe battery backup **metal Valbia electric** actuator.											
24V AC/DC	US$	1,347.00	1,347.00	1,347.00	1,358.00	1,388.00	1,448.00	1,543.00	1,741.00	C/F	C/F
100-240V AC	US$	1,425.00	1,425.00	1,425.00	1,436.00	1,466.00	1,526.00	1,621.00	1,819.00	C/F	C/F
ME065LF-02* With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.											
24V AC/DC	US$	1,250.00	1,250.00	1,250.00	1,261.00	1,291.00	1,351.00	1,446.00	1,713.00	C/F	C/F
12V AC/DC, 100-240V AC	US$	1,342.00	1,342.00	1,342.00	1,353.00	1,383.00	1,443.00	1,538.00	1,809.00	C/F	C/F
M8E065LF-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.											
24V AC/DC	US$	1,596.00	1,596.00	1,596.00	1,607.00	1,637.00	1,697.00	1,792.00	1,860.00	C/F	C/F
100-240V AC	US$	1,660.00	1,660.00	1,660.00	1,671.00	1,701.00	1,761.00	1,856.00	2,005.00	C/F	C/F
Weight (Lbs.)		8.6	8.6	8.6	8.8	10.2	11.8	13.6	19.0	26.5	30.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

RB 365N 3-way direct mount brass, 400 WOG 100 WSP, standard L-port ball valve.

8P0130 L-Port

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	DA32	DA32	DA32	DA32	DA52	DA52	DA52	DA63	DA63	DA63
Weight (Lbs)	2.4	2.3	2.4	2.6	5.1	6.6	8.5	12.5	19.7	22.9
US$	212.00	212.00	212.00	223.00	312.00	370.00	462.00	621.00	974.00	969.00

8P0132 L-Port

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	SR52	SR52	SR52	SR52	SR52	SR52	SR63	SR85	SR85	SR85
Weight (Lbs)	4.0	3.9	4.0	4.2	5.4	7.0	10.1	16.8	25.8	29.1
US$	285.00	285.00	285.00	296.00	324.00	382.00	510.00	761.00	1,114.00	1,109.00

8E866-00*

With **standard on/off plastic Valbia electric a**ctuator.

SIZE		1/4"	3/8"	1/2"	3/4"
ACT.		VB010	VB010	VB010	VB010
Weight (Lbs)		3.4	3.4	3.4	3.6
24V AC/DC	US$	292.00	292.00	292.00	303.00
12-240 VAC	US$	304.00	304.00	304.00	315.00

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
8E066-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.					
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US$	359.00	359.00	359.00	370.00	568.00	626.00	718.00	911.00	1,264.00	1,259.00
12V AC/DC, 100-240 VAC	US$	410.00	410.00	410.00	421.00	610.00	668.00	760.00	980.00	1,333.00	1,328.00
8E066-01*						With fail-safe battery back-up **plastic Valbia electric** actuator.					
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US$	1,007.00	1,007.00	1,007.00	1,018.00	1,046.00	1,104.00	1,196.00	1,404.00	1,757.00	1,752.00
100-240 VAC	US$	1,072.00	1,072.00	1,072.00	1,083.00	1,111.00	1,169.00	1,261.00	1,464.00	1,817.00	1,812.00
8E066-02*						With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.					
24V AC/DC	US$	948.00	948.00	948.00	959.00	987.00	1,045.00	1,137.00	1,323.00	1,676.00	1,671.00
12V AC/DC, 100-240 VAC	US$	1,035.00	1,035.00	1,035.00	1,046.00	1,074.00	1,132.00	1,224.00	1,409.00	1,762.00	1,757.00
8E066-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.					
24V AC/DC	US$	1,116.00	1,116.00	1,116.00	1,127.00	1,155.00	1,213.00	1,305.00	1,520.00	1,873.00	1,868.00
100-240 VAC	US$	1,188.00	1,188.00	1,188.00	1,199.00	1,227.00	1,285.00	1,377.00	1,577.00	1,930.00	1,925.00
Weight (Lbs)		4.3	4.3	4.3	4.6	7.8	9.4	11.3	17.7	24.1	27.4

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
M8E066-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.					
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US$	629.00	629.00	629.00	640.00	668.00	726.00	818.00	1,031.00	1,384.00	1,379.00
12V AC/DC, 100-240 VAC	US$	671.00	671.00	671.00	682.00	710.00	768.00	860.00	1,074.00	1,427.00	1,422.00
M8E066-01*						With fail-safe battery back-up **metal Valbia electric** actuator.					
24V AC/DC	US$	1,344.00	1,344.00	1,344.00	1,355.00	1,383.00	1,441.00	1,533.00	1,727.00	2,080.00	2,075.00
100-240 VAC	US$	1,422.00	1,422.00	1,422.00	1,433.00	1,461.00	1,519.00	1,611.00	1,805.00	2,158.00	2,153.00
M8E066-02*						With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,247.00	1,247.00	1,247.00	1,258.00	1,286.00	1,344.00	1,436.00	1,699.00	2,052.00	2,047.00
12V AC/DC, 100-240 VAC	US$	1,339.00	1,339.00	1,339.00	1,350.00	1,378.00	1,436.00	1,528.00	1,795.00	2,148.00	2,143.00
M8E066-04*						With fail-safe battery back-up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,593.00	1,593.00	1,593.00	1,604.00	1,632.00	1,690.00	1,782.00	1,846.00	2,199.00	2,194.00
100-240 VAC	US$	1,657.00	1,657.00	1,657.00	1,668.00	1,696.00	1,754.00	1,846.00	1,991.00	2,344.00	2,339.00
Weight (Lbs)		8.6	8.6	8.6	8.8	10.2	11.8	13.6	19.0	26.5	30.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

LF LEAD FREE NSF/ANSI 61/372

NEW

RB 365NLF 3-way direct mount, lead free brass, 400 WOG 100 WSP, standard L-port ball valve.

8P0130LF L-Port

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
ACT.	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA52V	DA63V	DA63V	DA63V
Weight (Lbs.)	2.4	2.3	2.4	2.6	5.1	6.6	8.5	12.5	19.7	22.9
US$	215.00	215.00	215.00	226.00	317.00	377.00	472.00	635.00	C/F	C/F

8P0132LF L-Port

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
ACT.	SR52V	SR52V	SR52V	SR52V	SR52V	SR52V	SR63V	SR85V	SR85V	SR85V
Weight (Lbs.)	4.0	3.9	4.0	4.2	5.4	7.0	10.1	16.8	25.8	29.1
US$	288.00	288.00	288.00	299.00	329.00	389.00	520.00	775.00	C/F	C/F

8E866LF-00*

With standard on/off **plastic Valbia electric** actuator.

SIZE		1/4"	3/8"	1/2"	3/4"
ACT.		VB010	VB010	VB010	VB010
Weight (Lbs.)		3.4	3.4	3.4	3.6
24V AC/DC	US$	295.00	295.00	295.00	306.00
110V AC	US$	307.00	307.00	307.00	318.00

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
8E066LF-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.					
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US$	362.00	362.00	362.00	373.00	573.00	633.00	728.00	925.00	C/F	C/F
12V AC/DC, 100-240V AC	US$	413.00	413.00	413.00	424.00	615.00	675.00	770.00	994.00	C/F	C/F
8E066LF-01*						With fail-safe battery backup **plastic Valbia electric** actuator.					
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US$	1,010.00	1,010.00	1,010.00	1,021.00	1,051.00	1,111.00	1,206.00	1,418.00	C/F	C/F
100-240V AC	US$	1,075.00	1,075.00	1,075.00	1,086.00	1,116.00	1,176.00	1,271.00	1,478.00	C/F	C/F
8E066LF-02*						With 0-10VDC or 4-20 mA positioning **plastic Valbia electric** actuator.					
24V AC/DC	US$	951.00	951.00	951.00	962.00	992.00	1,052.00	1,147.00	1,337.00	C/F	C/F
12V AC/DC, 100-240V AC	US$	1,038.00	1,038.00	1,038.00	1,049.00	1,079.00	1,139.00	1,234.00	1,423.00	C/F	C/F
8E066LF-04*			With fail-safe battery backup and 0-10VDC or 4-20 mA positioning **plastic Valbia electric** actuator.								
24V AC/DC	US$	1,119.00	1,119.00	1,119.00	1,130.00	1,160.00	1,220.00	1,315.00	1,534.00	C/F	C/F
100-240V AC	US$	1,191.00	1,191.00	1,191.00	1,202.00	1,232.00	1,292.00	1,387.00	1,591.00	C/F	C/F
Weight (Lbs.)		4.3	4.3	4.3	4.6	7.8	9.4	11.3	17.7	24.1	27.4

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
M8E066LF-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.					
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US$	632.00	632.00	632.00	643.00	673.00	733.00	828.00	1,045.00	C/F	C/F
12V AC/DC, 100-240V AC	US$	674.00	674.00	674.00	685.00	715.00	775.00	870.00	1,088.00	C/F	C/F
M8E066LF-01*						With fail-safe battery backup **metal Valbia electric** actuator.					
24V AC/DC	US$	1,347.00	1,347.00	1,347.00	1,358.00	1,388.00	1,448.00	1,543.00	1,741.00	C/F	C/F
100-240V AC	US$	1,425.00	1,425.00	1,425.00	1,436.00	1,466.00	1,526.00	1,621.00	1,819.00	C/F	C/F
ME066LF-02*						With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,250.00	1,250.00	1,250.00	1,261.00	1,291.00	1,351.00	1,446.00	1,713.00	C/F	C/F
12V AC/DC, 100-240V AC	US$	1,342.00	1,342.00	1,342.00	1,353.00	1,383.00	1,443.00	1,538.00	1,809.00	C/F	C/F
M8E066LF-04*			With fail-safe battery backup and 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.								
24V AC/DC	US$	1,596.00	1,596.00	1,596.00	1,607.00	1,637.00	1,697.00	1,792.00	1,860.00	C/F	C/F
100-240V AC	US$	1,660.00	1,660.00	1,660.00	1,671.00	1,701.00	1,761.00	1,856.00	2,005.00	C/F	C/F
Weight (Lbs.)		8.6	8.6	8.6	8.8	10.2	11.8	13.6	19.0	26.5	30.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

NSF/ANSI 372

PVC-BV3T 3-way, direct mount, full T-port ball valve.

8P3TDAPVC

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA52	DA52	DA52	DA52	DA63	DA63
Weight (Lbs)	3.5	3.8	4.1	4.6	5.8	7.8
US$	459.00	512.00	563.00	624.00	689.00	758.00

8P3TSRPVC

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR52	SR52	SR63	SR75	SR75	SR85
Weight (Lbs)	4.0	4.3	5.5	9.0	10.0	15.5
US$	471.00	524.00	611.00	728.00	790.00	898.00

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E3TPVC-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.							
ACT.		VB015	VB015	VB015	VB015	VB030	VB030
24V AC/DC	US$	545.00	598.00	649.00	710.00	948.00	1,017.00
12V AC/DC, 100-240 VAC	US$	596.00	649.00	700.00	761.00	990.00	1,059.00
8E3TPVC-01* With fail-safe battery back-up **plastic Valbia electric** actuator.							
ACT.		VB030	VB030	VB030	VB030	VB030	VB030
24V AC/DC	US$	1,193.00	1,246.00	1,297.00	1,358.00	1,426.00	1,495.00
100-240 VAC	US$	1,258.00	1,311.00	1,362.00	1,423.00	1,491.00	1,560.00
8E3TPVC-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.							
24V AC/DC	US$	1,134.00	1,187.00	1,238.00	1,299.00	1,367.00	1,436.00
12V AC/DC, 100-240 VAC	US$	1,221.00	1,274.00	1,325.00	1,386.00	1,454.00	1,523.00
8E3TPVC-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.							
24V AC/DC	US$	1,302.00	1,355.00	1,406.00	1,467.00	1,535.00	1,604.00
100-240 VAC	US$	1,374.00	1,427.00	1,478.00	1,539.00	1,607.00	1,676.00
Weight (Lbs)		6.5	6.8	7.1	7.6	7.6	9.6

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

NSF/ANSI 372

PVC-BV3L 3-way, direct mount, full L-port ball valve.

8P3LDAPVC

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA52	DA52	DA52	DA52	DA63	DA63
Weight (Lbs)	3.5	3.8	4.1	4.6	5.8	7.8
US$	459.00	512.00	563.00	624.00	689.00	758.00

8P3LSRPVC

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR52	SR52	SR63	SR75	SR75	SR85
Weight (Lbs)	4.0	4.3	5.5	9.0	10.0	15.5
US$	471.00	524.00	611.00	728.00	790.00	898.00

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E3LPVC-00*				With **UL approved** standard on/off **plastic Valbia electric** actuator.			
ACT.		VB015	VB015	VB015	VB015	VB030	VB030
24V AC/DC	US$	545.00	598.00	649.00	710.00	948.00	1,017.00
12V AC/DC, 100-240 VAC	US$	596.00	649.00	700.00	761.00	990.00	1,059.00
8E3LPVC-01*				With fail-safe battery back-up **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB030	VB030	VB030
24V AC/DC	US$	1,193.00	1,246.00	1,297.00	1,358.00	1,426.00	1,495.00
100-240 VAC	US$	1,258.00	1,311.00	1,362.00	1,423.00	1,491.00	1,560.00
8E3LPVC-02*				With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,134.00	1,187.00	1,238.00	1,299.00	1,367.00	1,436.00
12V AC/DC, 100-240 VAC	US$	1,221.00	1,274.00	1,325.00	1,386.00	1,454.00	1,523.00
8E3LPVC-04*				With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,302.00	1,355.00	1,406.00	1,467.00	1,535.00	1,604.00
100-240 VAC	US$	1,374.00	1,427.00	1,478.00	1,539.00	1,607.00	1,676.00
Weight (Lbs)		6.5	6.8	7.1	7.6	7.6	9.6

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

3400 series, 3-way NPT threaded, carbon steel high pressure hydraulic, L-port ball valve.



8P3400

With **double acting Valbia pneumatic** actuator.

SIZE	3/8"	1/2"	3/4"	1"
ACT.	DA52	DA52	DA63	DA63
Weight (Lbs)	4.7	5.0	8.0	9.0
Pressure rating	5880 psi	5145 psi	5145 psi	5145 psi
US$	783.00	801.00	905.00	982.00

8P3402

With **spring return Valbia pneumatic** actuator.

SIZE	3/8"	1/2"	3/4"	1"
ACT.	SR75	SR75	SR85	SR100
Weight (Lbs)	9.6	13.2	15.0	21.0
Pressure rating	5880 psi	5145 psi	5145 psi	5145 psi
US$	905.00	962.00	1,039.00	1,205.00

SIZE		3/8"	1/2"	3/4"	1"
8E3400-00*				With **UL approved** standard on/off **plastic Valbia electric** actuator.	
ACT.		VB030	VB030	VB030	VB060
24V AC/DC	US$	1,039.00	1,057.00	1,195.00	1,272.00
12V AC/DC, 100-240 VAC	US$	1,081.00	1,099.00	1,264.00	1,341.00
8E3400-01*				With fail-safe battery back-up **plastic Valbia electric** actuator.	
24V AC/DC	US$	1,517.00	1,535.00	1,688.00	1,765.00
100-240 VAC	US$	1,582.00	1,600.00	1,748.00	1,825.00
8E3400-02*				With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.	
24V AC/DC	US$	1,458.00	1,476.00	1,607.00	1,684.00
12V AC/DC, 100-240 VAC	US$	1,545.00	1,563.00	1,693.00	1,770.00
8E3400-04*				With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.	
24V AC/DC	US$	1,626.00	1,644.00	1,804.00	1,881.00
100-240 VAC	US$	1,698.00	1,716.00	1,861.00	1,938.00
Weight (Lbs)-Pressure/psi		5.8/7350	6.5/7350	9.8/5880	10.2/5145

SIZE		3/8"	1/2"	3/4"	1"
M8E3400-00*				With **UL approved** standard on/off **metal Valbia electric** actuator.	
ACT.		VB030M	VB030M	VB030M	VB060M
24V AC/DC	US$	1,139.00	1,157.00	1,315.00	1,392.00
12V AC/DC, 100-240 VAC	US$	1,181.00	1,199.00	1,358.00	1,435.00
M8E3400-01*				With fail-safe battery back-up **metal Valbia electric** actuator.	
24V AC/DC	US$	1,854.00	1,872.00	2,011.00	2,088.00
100-240 VAC	US$	1,932.00	1,950.00	2,089.00	2,166.00
M8E3400-02*				With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.	
24V AC/DC	US$	1,757.00	1,775.00	1,983.00	2,060.00
12V AC/DC, 100-240 VAC	US$	1,849.00	1,867.00	2,079.00	2,156.00
M8E3400-04*				With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.	
24V AC/DC	US$	2,103.00	2,121.00	2,130.00	2,207.00
100-240 VAC	US$	2,167.00	2,185.00	2,275.00	2,352.00
Weight (Lbs)-Pressure/psi		8.3/7350	9.0/7350	11.8/5880	12.7/5145

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

3500 series, 3-way, SAE threaded, carbon steel high pressure hydraulic, L-port ball valve.



8P3500

With **double acting Valbia pneumatic** actuator.

SIZE	9/16-18	3/4-16	1-1/16-12	1-5/16-12
ACT.	DA52	DA52	DA63	DA63
Weight (Lbs)	4.7	5.0	8.0	9.0
Pressure rating	5880 psi	5145 psi	5145 psi	5145 psi
US$	786.00	806.00	917.00	997.00

8P3502

With **spring return Valbia pneumatic** actuator.

SIZE	9/16-18	3/4-16	1-1/16-12	1-5/16-12
ACT.	SR75	SR75	SR85	SR100
Weight (Lbs)	9.6	13.2	15.0	21.0
Pressure rating	5880 psi	5145 psi	5145 psi	5145 psi
US$	908.00	967.00	1,051.00	1,220.00

SIZE		9/16-18	3/4-16	1-1/16-12	1-5/16-12
8E3500-00*				With **UL approved** standard on/off **plastic Valbia electric** actuator.	
ACT.		VB030	VB030	VB030	VB060
24V AC/DC	US$	1,042.00	1,062.00	1,207.00	1,287.00
12V AC/DC, 100-240 VAC	US$	1,084.00	1,104.00	1,276.00	1,356.00
8E3500-01*				With fail-safe battery back-up **plastic Valbia electric** actuator.	
24V AC/DC	US$	1,520.00	1,540.00	1,700.00	1,780.00
100-240 VAC	US$	1,585.00	1,605.00	1,760.00	1,840.00
8E3500-02*				With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.	
24V AC/DC	US$	1,461.00	1,481.00	1,619.00	1,699.00
12V AC/DC, 100-240 VAC	US$	1,548.00	1,568.00	1,705.00	1,785.00
8E3500-04*				With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.	
24V AC/DC	US$	1,629.00	1,649.00	1,816.00	1,896.00
100-240 VAC	US$	1,701.00	1,721.00	1,873.00	1,953.00
Weight (Lbs)-Pressure/psi		5.8/7350	6.5/7350	9.8/5880	10.2/5145

SIZE		9/16-18	3/4-16	1-1/16-12	1-5/16-12
M8E3500-00*				With **UL approved** standard on/off **metal Valbia electric** actuator.	
ACT.		VB030M	VB030M	VB030M	VB060M
24V AC/DC	US$	1,142.00	1,162.00	1,327.00	1,407.00
12V AC/DC, 100-240 VAC	US$	1,184.00	1,204.00	1,370.00	1,450.00
M8E3500-01*				With fail-safe battery back-up **metal Valbia electric** actuator.	
24V AC/DC	US$	1,857.00	1,877.00	2,023.00	2,103.00
100-240 VAC	US$	1,935.00	1,955.00	2,101.00	2,181.00
M8E3500-02*				With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.	
24V AC/DC	US$	1,760.00	1,780.00	1,995.00	2,075.00
12V AC/DC, 100-240 VAC	US$	1,852.00	1,872.00	2,091.00	2,171.00
M8E3500-04*				With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.	
24V AC/DC	US$	2,106.00	2,126.00	2,142.00	2,222.00
100-240 VAC	US$	2,170.00	2,190.00	2,287.00	2,367.00
Weight (Lbs)-Pressure/psi		8.3/7350	9.0/7350	11.8/5880	12.7/5145

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

955N 3-way direct mount stainless steel, 1000/800 WOG, standard T-port ball valve.

8P0139 T-port

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"*	3"*
ACT.	DA52	DA52	DA63	DA63	DA75	DA85	DA100	DA115
Weight (Lbs)	4.2	6.5	8.1	12.8	18.9	31.9	35	55
Bracket kit	-	-	-	-	-	-	Bracket	Bracket
US$	319.00	340.00	411.00	471.00	627.00	809.00	1,449.00	1,783.00

* Not direct mount

8P0141 T-port

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"*	3"*
ACT.	SR63-04	SR63-04	SR75	SR75	SR100	SR100	SR140	SR160
Weight (Lbs)	5.8	10.2	11.8	21.7	25.9	50.7	70	100
Bracket kit	-	-	-	-	-	-	Bracket	Bracket
US$	381.00	402.00	506.00	566.00	780.00	933.00	1,997.00	2,625.00

* Not direct mount

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"*	3"*
8E069-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.									
ACT.		VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB190
24V AC/DC	US$	405.00	596.00	634.00	761.00	841.00	1,083.00	1,617.00	1,873.00
12V AC/DC, 100-240 VAC	US$	456.00	638.00	676.00	830.00	910.00	1,161.00	1,708.00	1,964.00
8E069-01* With fail-safe battery back-up **plastic Valbia electric** actuator.									
ACT.		VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB190
24V AC/DC	US$	1,053.00	1,074.00	1,112.00	1,254.00	1,334.00	1,610.00	2,195.00	2,451.00
100-240 VAC	US$	1,118.00	1,139.00	1,177.00	1,314.00	1,394.00	1,659.00	2,261.00	2,517.00
8E069-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.									
24V AC/DC	US$	994.00	1,015.00	1,053.00	1,173.00	1,253.00	1,473.00	2,061.00	2,317.00
12V AC/DC, 100-240 VAC	US$	1,081.00	1,102.00	1,140.00	1,259.00	1,339.00	1,557.00	2,174.00	2,430.00
8E069-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.									
24V AC/DC	US$	1,162.00	1,183.00	1,221.00	1,370.00	1,450.00	1,750.00	2,344.00	2,600.00
100-240 VAC	US$	1,234.00	1,255.00	1,293.00	1,427.00	1,507.00	1,833.00	2,418.00	2,674.00
Bracket kit		-	-	-	-	-	-	Bracket	Bracket
Weight (Lbs)		4.5	6.7	8.4	11.2	15.3	22.0	33.0	46.0

* Not direct mount

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"*	3"*
M8E069-00* With **UL approved** standard on/off **metal Valbia electric** actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB190M
24V AC/DC	US$	675.00	696.00	734.00	881.00	961.00	1,506.00	2,060.00	2,316.00
12V AC/DC, 100-240 VAC	US$	717.00	738.00	776.00	924.00	1,004.00	1,626.00	2,216.00	2,472.00
M8E069-01* With fail-safe battery back-up **metal Valbia electric** actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB190M
24V AC/DC	US$	1,390.00	1,411.00	1,449.00	1,577.00	1,657.00	2,249.00	2,895.00	3,151.00
100-240 VAC	US$	1,468.00	1,489.00	1,527.00	1,655.00	1,735.00	2,312.00	3,005.00	3,261.00
M8E069-02* With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,293.00	1,314.00	1,352.00	1,549.00	1,629.00	2,188.00	2,830.00	3,086.00
12V AC/DC, 100-240 VAC	US$	1,385.00	1,406.00	1,444.00	1,645.00	1,725.00	2,266.00	2,914.00	3,170.00
M8E069-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,639.00	1,660.00	1,698.00	1,696.00	1,776.00	2,271.00	2,912.00	3,241.00
100-240 VAC	US$	1,703.00	1,724.00	1,762.00	1,841.00	1,921.00	2,469.00	3,232.00	3,488.00
Bracket kit		-	-	-	-	-	-	Bracket	Bracket
Weight (Lbs)		8.8	9.2	10.9	14.0	18.0	30.0	41.0	54.0

* Not direct mount

NEW

SIZE		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
EXM8E069-00* With **CSA approved** explosion proof on/off **metal electric** actuator.									
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX080	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US$	1,620.00	1,641.00	1,679.00	1,955.00	3,825.00	4,317.00	4,718.00	5,411.00
EXM8E069-02* With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.									
24V AC/DC, 110V AC, 220V AC	US$	2,430.00	2,451.00	2,489.00	2,766.00	3,825.00	5,128.00	5,529.00	6,222.00
Weight (Lbs)		5.45	5.90	7.35	11.80	44.45	48.60	60.25	91.23

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

956N 3-way direct mount stainless steel, 1000/800 WOG, full T-port ball valve.

8P0143 T-port

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA52	DA52	DA52	DA63	DA63	DA75	DA85	DA100
Weight (Lbs)	3.7	3.7	4.2	6.5	8.1	12.8	18.9	31.9
US$	318.00	319.00	338.00	405.00	468.00	645.00	816.00	1,224.00

8P0145 T-port

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR63-04	SR63-04	SR63-04	SR75	SR75	SR100	SR100	SR125
Weight (Lbs)	5.5	5.4	5.9	10.2	11.8	21.7	25.9	50.7
US$	380.00	381.00	400.00	501.00	564.00	798.00	940.00	1,504.00

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E071-00*	With **UL approved** standard on/off **plastic Valbia electric** actuator.								
ACT.		VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US$	404.00	405.00	594.00	628.00	758.00	859.00	1,090.00	1,452.00
12V AC/DC, 100-240 VAC	US$	455.00	456.00	636.00	670.00	827.00	928.00	1,168.00	1,543.00
8E071-01*	With fail-safe battery back-up **plastic Valbia electric** actuator.								
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US$	1,052.00	1,053.00	1,072.00	1,106.00	1,251.00	1,352.00	1,617.00	2,030.00
100-240 VAC	US$	1,117.00	1,118.00	1,137.00	1,171.00	1,311.00	1,412.00	1,666.00	2,096.00
8E071-02*	With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.								
24V AC/DC	US$	993.00	994.00	1,013.00	1,047.00	1,170.00	1,271.00	1,480.00	1,896.00
12V AC/DC, 100-240 VAC	US$	1,080.00	1,081.00	1,100.00	1,134.00	1,256.00	1,357.00	1,564.00	2,009.00
8E071-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.								
24V AC/DC	US$	1,161.00	1,162.00	1,181.00	1,215.00	1,367.00	1,468.00	1,757.00	2,179.00
100-240 VAC	US$	1,233.00	1,234.00	1,253.00	1,287.00	1,424.00	1,525.00	1,840.00	2,253.00
Weight (Lbs)		4.4	4.4	6.7	8.4	11.2	15.3	22.0	31.8

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E071-00*	With **UL approved** standard on/off **metal Valbia electric** actuator.								
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US$	674.00	675.00	694.00	728.00	878.00	979.00	1,513.00	1,895.00
12V AC/DC, 100-240 VAC	US$	716.00	717.00	736.00	770.00	921.00	1,022.00	1,633.00	2,051.00
M8E071-01*	With fail-safe battery back-up **metal Valbia electric** actuator.								
24V AC/DC	US$	1,389.00	1,390.00	1,409.00	1,443.00	1,574.00	1,675.00	2,256.00	2,730.00
100-240 VAC	US$	1,467.00	1,468.00	1,487.00	1,521.00	1,652.00	1,753.00	2,319.00	2,840.00
M8E071-02*	With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.								
24V AC/DC	US$	1,292.00	1,293.00	1,312.00	1,346.00	1,546.00	1,647.00	2,195.00	2,665.00
12V AC/DC, 100-240 VAC	US$	1,384.00	1,385.00	1,404.00	1,438.00	1,642.00	1,743.00	2,273.00	2,749.00
M8E071-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.								
24V AC/DC	US$	1,638.00	1,639.00	1,658.00	1,692.00	1,693.00	1,794.00	2,278.00	2,820.00
100-240 VAC	US$	1,702.00	1,703.00	1,722.00	1,756.00	1,838.00	1,939.00	2,476.00	3,067.00
Weight (Lbs)		8.7	8.7	9.2	10.9	14.0	18.0	30.0	40.0

NEW

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
EXM8E071-00*	With **CSA approved** explosion proof on/off **metal electric** actuator.								
ACT.		EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130
24V AC/DC, 110V AC, 220V AC	US$	1,619.00	1,620.00	1,639.00	1,673.00	1,952.00	2,053.00	3,991.00	4,659.00
EXM8E071-02*	With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.								
24V AC/DC, 110V AC, 220V AC	US$	2,429.00	2,430.00	2,449.00	2,483.00	2,763.00	2,864.00	5,055.00	5,470.00
Weight (Lbs)		5.45	5.45	5.90	7.25	11.90	14.10	48.80	58.40

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

965N 3-way direct mount stainless steel 1000/800 WOG, standard L-port ball valve.

8P0140 L-port

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"*	3"*
ACT.	DA52	DA52	DA63	DA63	DA75	DA85	DA100	DA115
Weight (Lbs)	4.2	6.5	8.1	12.8	18.9	31.9	35	55
Bracket kit	-	-	-	-	-	-	Bracket	Bracket
US$	319.00	340.00	411.00	471.00	627.00	809.00	1,449.00	1,783.00

* Not direct mount

8P0142 L-port

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"*	3"*
ACT.	SR63-04	SR63-04	SR75	SR75	SR100	SR100	SR140	SR160
Weight (Lbs)	5.9	10.2	11.8	21.7	25.9	50.7	70	100
Bracket kit	-	-	-	-	-	-	Bracket	Bracket
US$	381.00	402.00	506.00	566.00	780.00	933.00	1,997.00	2,625.00

* Not direct mount

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"*	3"*
8E070-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.									
ACT.		VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB190
24V AC/DC	US$	405.00	596.00	634.00	761.00	841.00	1,083.00	1,617.00	1,873.00
12V AC/DC, 100-240 VAC	US$	456.00	638.00	676.00	830.00	910.00	1,161.00	1,708.00	1,964.00
8E070-01* With fail-safe battery back-up **plastic Valbia electric** actuator.									
ACT.		VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB190
24V AC/DC	US$	1,053.00	1,074.00	1,112.00	1,254.00	1,334.00	1,610.00	2,195.00	2,451.00
100-240 VAC	US$	1,118.00	1,139.00	1,177.00	1,314.00	1,394.00	1,659.00	2,261.00	2,517.00
8E070-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.									
24V AC/DC	US$	994.00	1,015.00	1,053.00	1,173.00	1,253.00	1,473.00	2,061.00	2,317.00
12V AC/DC, 100-240 VAC	US$	1,081.00	1,102.00	1,140.00	1,259.00	1,339.00	1,557.00	2,174.00	2,430.00
8E070-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.									
24V AC/DC	US$	1,162.00	1,183.00	1,221.00	1,370.00	1,450.00	1,750.00	2,344.00	2,600.00
100-240 VAC	US$	1,234.00	1,255.00	1,293.00	1,427.00	1,507.00	1,833.00	2,418.00	2,674.00
Bracket kit		-	-	-	-	-	-	Bracket	Bracket
Weight (Lbs)		4.5	6.7	8.4	11.2	15.3	22.0	33.0	46.0

* Not direct mount

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"*	3"*
M8E070-00* With **UL approved** standard on/off **metal Valbia electric** actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB190M
24V AC/DC	US$	675.00	696.00	734.00	881.00	961.00	1,506.00	2,060.00	2,316.00
12V AC/DC, 100-240 VAC	US$	717.00	738.00	776.00	924.00	1,004.00	1,626.00	2,216.00	2,472.00
M8E070-01* With fail-safe battery back-up **metal Valbia electric** actuator.									
24V AC/DC	US$	1,390.00	1,411.00	1,449.00	1,577.00	1,657.00	2,249.00	2,895.00	3,151.00
100-240 VAC	US$	1,468.00	1,489.00	1,527.00	1,655.00	1,735.00	2,312.00	3,005.00	3,261.00
M8E070-02* With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,293.00	1,314.00	1,352.00	1,549.00	1,629.00	2,188.00	2,830.00	3,086.00
12V AC/DC, 100-240 VAC	US$	1,385.00	1,406.00	1,444.00	1,645.00	1,725.00	2,266.00	2,914.00	3,170.00
M8E070-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,639.00	1,660.00	1,698.00	1,696.00	1,776.00	2,271.00	2,912.00	3,241.00
100-240 VAC	US$	1,703.00	1,724.00	1,762.00	1,841.00	1,921.00	2,469.00	3,232.00	3,488.00
Bracket kit		-	-	-	-	-	-	Bracket	Bracket
Weight (Lbs)		8.8	9.2	10.9	14.0	18.0	30.0	41.0	54.0

* Not direct mount

NEW

SIZE		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
EXM8E070-00* With **CSA approved** explosion proof on/off **metal electric** actuator.									
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX080	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US$	1,620.00	1,641.00	1,679.00	1,955.00	3,825.00	4,317.00	4,718.00	5,411.00
EXM8E070-02* With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.									
24V AC/DC, 110V AC, 220V AC	US$	2,430.00	2,451.00	2,489.00	2,766.00	3,825.00	5,128.00	5,529.00	6,222.00
Weight (Lbs)		5.45	5.90	7.35	11.80	44.45	48.60	60.25	91.23

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

966N 3-way direct mount stainless steel 1000/800 WOG, full L-port ball valve.

8P0144 L-port

With **double acting Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA52	DA52	DA52	DA63	DA63	DA75	DA85	DA100
Weight (Lbs)	3.7	3.7	4.1	6.5	8.0	12.7	18.9	31.9
US$	318.00	319.00	338.00	405.00	468.00	645.00	816.00	1,224.00

8P0146 L-port

With **spring return Valbia pneumatic** actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR63-04	SR63-04	SR63-04	SR75	SR75	SR100	SR100	SR125
Weight (Lbs)	5.4	5.4	5.8	10.2	11.7	21.6	25.9	50.7
US$	380.00	381.00	400.00	501.00	564.00	798.00	940.00	1,504.00

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E072-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.			
ACT.		VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US$	404.00	405.00	594.00	628.00	758.00	859.00	1,090.00	1,452.00
12V AC/DC, 100-240 VAC	US$	455.00	456.00	636.00	670.00	827.00	928.00	1,168.00	1,543.00
8E072-01*						With fail-safe battery back-up **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US$	1,052.00	1,053.00	1,072.00	1,106.00	1,251.00	1,352.00	1,617.00	2,030.00
100-240 VAC	US$	1,117.00	1,118.00	1,137.00	1,171.00	1,311.00	1,412.00	1,666.00	2,096.00
8E072-02*						With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	993.00	994.00	1,013.00	1,047.00	1,170.00	1,271.00	1,480.00	1,896.00
12V AC/DC, 100-240 VAC	US$	1,080.00	1,081.00	1,100.00	1,134.00	1,256.00	1,357.00	1,564.00	2,009.00
8E072-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,161.00	1,162.00	1,181.00	1,215.00	1,367.00	1,468.00	1,757.00	2,179.00
100-240 VAC	US$	1,233.00	1,234.00	1,253.00	1,287.00	1,424.00	1,525.00	1,840.00	2,253.00
Weight (Lbs)		4.4	4.4	6.7	8.4	11.2	15.3	22.0	31.8

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E072-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US$	674.00	675.00	694.00	728.00	878.00	979.00	1,513.00	1,895.00
12V AC/DC, 100-240 VAC	US$	716.00	717.00	736.00	770.00	921.00	1,022.00	1,633.00	2,051.00
M8E072-01*						With fail-safe battery back-up **metal Valbia electric** actuator.			
24V AC/DC	US$	1,389.00	1,390.00	1,409.00	1,443.00	1,574.00	1,675.00	2,256.00	2,730.00
100-240 VAC	US$	1,467.00	1,468.00	1,487.00	1,521.00	1,652.00	1,753.00	2,319.00	2,840.00
M8E072-02*						With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,292.00	1,293.00	1,312.00	1,346.00	1,546.00	1,647.00	2,195.00	2,665.00
12V AC/DC, 100-240 VAC	US$	1,384.00	1,385.00	1,404.00	1,438.00	1,642.00	1,743.00	2,273.00	2,749.00
M8E072-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,638.00	1,639.00	1,658.00	1,692.00	1,693.00	1,794.00	2,278.00	2,820.00
100-240 VAC	US$	1,702.00	1,703.00	1,722.00	1,756.00	1,838.00	1,939.00	2,476.00	3,067.00
Weight (Lbs)		8.7	8.7	9.2	10.9	14.0	18.0	30.0	40.0

NEW

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
EXM8E072-00*						With **CSA approved** explosion proof on/off **metal electric** actuator.			
ACT.		EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130
24V AC/DC, 110V AC, 220V AC	US$	1,619.00	1,620.00	1,639.00	1,673.00	1,952.00	2,053.00	3,991.00	4,659.00
EXM8E072-02*						With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.			
24V AC/DC, 110V AC, 220V AC	US$	2,429.00	2,430.00	2,449.00	2,483.00	2,763.00	2,864.00	5,055.00	5,470.00
Weight (Lbs)		5.45	5.45	5.90	7.25	11.90	14.10	48.80	58.40

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

97L 3-way direct mount stainless steel, full L-port ball valve.

DA97L L-port

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52	DA63	DA75	DA75	DA85	DA100	DA115	DA115	DA125
Weight (Lbs)	3.90	6.44	11.14	12.37	19.23	25.92	41.95	48.44	81.50
US$	702.00	825.00	852.00	1,035.00	1,264.00	2,014.00	2,997.00	3,662.00	5,733.00

SR97L L-port

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63	SR85	SR115	SR115	SR125	SR140	SR160	SR180	SR200
Weight (Lbs)	5.77	13.36	30.25	31.48	41.67	61.86	87.48	116.89	178.94
US$	750.00	960.00	1,156.00	1,339.00	1,617.00	2,608.00	3,870.00	4,962.00	7,661.00

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
E97L-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.										
ACT.		VB015	VB030	VB060	VB060	VB110	VB190	VB190	VB270	VB350
24V AC/DC	US$	788.00	1,048.00	1,071.00	1,249.00	1,538.00	2,242.00	3,098.00	3,821.00	5,951.00
12V AC/DC, 100-240 VAC	US$	839.00	1,090.00	1,140.00	1,318.00	1,616.00	2,333.00	3,189.00	3,926.00	6,015.00
E97L-01* With fail-safe battery back-up **plastic Valbia electric** actuator.										
ACT.		VB030	VB030	VB060	VB060	VB110	VB190	VB190	VB270	VB350
24V AC/DC	US$	1,436.00	1,526.00	1,564.00	1,742.00	2,065.00	2,820.00	3,676.00	4,411.00	6,494.00
100-240 VAC	US$	1,501.00	1,591.00	1,624.00	1,802.00	2,114.00	2,886.00	3,742.00	4,478.00	6,568.00
E97L-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.										
24V AC/DC	US$	1,377.00	1,467.00	1,483.00	1,661.00	1,928.00	2,686.00	3,542.00	4,301.00	6,378.00
12V AC/DC, 100-240 VAC	US$	1,464.00	1,554.00	1,569.00	1,747.00	2,012.00	2,799.00	3,655.00	4,391.00	6,450.00
E97L-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.										
24V AC/DC	US$	1,545.00	1,635.00	1,680.00	1,858.00	2,205.00	2,969.00	3,825.00	4,588.00	6,685.00
100-240 VAC	US$	1,617.00	1,707.00	1,737.00	1,915.00	2,288.00	3,043.00	3,899.00	4,664.00	6,747.00
Weight (Lbs)		4.52	7.85	12.3	13.5	21.4	24.6	33.2	42.2	70.9

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ME97L-00* With **UL approved** standard on/off **metal Valbia electric** actuator.										
ACT.		VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB190M	VB270M	VB350M
24V AC/DC	US$	1,338.00	1,428.00	1,191.00	1,369.00	1,961.00	2,685.00	3,541.00	4,423.00	6,507.00
12V AC/DC, 100-240 VAC	US$	1,380.00	1,470.00	1,234.00	1,412.00	2,081.00	2,841.00	3,697.00	4,468.00	6,571.00
ME97L-01* With fail-safe battery back-up **metal Valbia electric** actuator.										
24V AC/DC	US$	2,053.00	2,143.00	1,887.00	2,065.00	2,704.00	3,520.00	4,376.00	5,134.00	7,303.00
100-240 VAC	US$	2,131.00	2,221.00	1,965.00	2,143.00	2,767.00	3,630.00	4,486.00	5,244.00	7,425.00
ME97L-02* With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.										
24V AC/DC	US$	1,956.00	2,046.00	1,859.00	2,037.00	2,643.00	3,455.00	4,311.00	5,106.00	7,202.00
12V AC/DC, 100-240 VAC	US$	2,048.00	2,138.00	1,955.00	2,133.00	2,721.00	3,539.00	4,395.00	5,191.00	7,291.00
ME97L-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.										
24V AC/DC	US$	2,302.00	2,392.00	2,006.00	2,184.00	2,726.00	3,610.00	4,466.00	5,229.00	7,405.00
100-240 VAC	US$	2,366.00	2,456.00	2,151.00	2,329.00	2,924.00	3,857.00	4,713.00	5,420.00	7,673.00
Weight (Lbs)		8.8	10.4	15.0	16.2	30.0	33.0	42.0	51.0	80.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

97T 3-way direct mount stainless steel, full T-port ball valve.

DA97T T-port

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52	DA63	DA75	DA75	DA85	DA100	DA115	DA115	DA125
Weight (Lbs)	3.90	6.44	11.14	12.37	19.23	25.92	41.95	48.44	81.50
US$	702.00	825.00	852.00	1,035.00	1,264.00	2,014.00	2,997.00	3,662.00	5,733.00

SR97T T-port

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63	SR85	SR115	SR115	SR125	SR140	SR160	SR180	SR200
Weight (Lbs)	5.77	13.36	30.25	31.48	41.67	61.86	87.48	116.69	178.94
US$	750.00	960.00	1,156.00	1,339.00	1,617.00	2,608.00	3,870.00	4,962.00	7,661.00

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
E97T-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.				
ACT.		VB015	VB030	VB060	VB060	VB110	VB190	VB190	VB270	VB350
24V AC/DC	US$	788.00	1,048.00	1,071.00	1,249.00	1,538.00	2,242.00	3,098.00	3,821.00	5,951.00
12V AC/DC, 100-240 VAC	US$	839.00	1,090.00	1,140.00	1,318.00	1,616.00	2,333.00	3,189.00	3,926.00	6,015.00
E97T-01*						With fail-safe battery back-up **plastic Valbia electric** actuator.				
ACT.		VB030	VB030	VB060	VB060	VB110	VB190	VB190	VB270	VB350
24V AC/DC	US$	1,436.00	1,526.00	1,564.00	1,742.00	2,065.00	2,820.00	3,676.00	4,411.00	6,494.00
100-240 VAC	US$	1,501.00	1,591.00	1,624.00	1,802.00	2,114.00	2,886.00	3,742.00	4,478.00	6,568.00
E97T-02*						With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,377.00	1,467.00	1,483.00	1,661.00	1,928.00	2,686.00	3,542.00	4,301.00	6,378.00
12V AC/DC, 100-240 VAC	US$	1,464.00	1,554.00	1,569.00	1,747.00	2,012.00	2,799.00	3,655.00	4,391.00	6,450.00
E97T-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,545.00	1,635.00	1,680.00	1,858.00	2,205.00	2,969.00	3,825.00	4,588.00	6,685.00
100-240 VAC	US$	1,617.00	1,707.00	1,737.00	1,915.00	2,288.00	3,043.00	3,899.00	4,664.00	6,747.00
Weight (Lbs)		4.52	7.85	12.3	13.5	21.4	24.6	33.2	42.2	70.9

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ME97T-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.				
ACT.		VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB190M	VB270M	VB350M
24V AC/DC	US$	1,338.00	1,428.00	1,191.00	1,369.00	1,961.00	2,685.00	3,541.00	4,423.00	6,507.00
12V AC/DC, 100-240 VAC	US$	1,380.00	1,470.00	1,234.00	1,412.00	2,081.00	2,841.00	3,697.00	4,468.00	6,571.00
ME97T-01*						With fail-safe battery back-up **metal Valbia electric** actuator.				
24V AC/DC	US$	2,053.00	2,143.00	1,887.00	2,065.00	2,704.00	3,520.00	4,376.00	5,134.00	7,303.00
100-240 VAC	US$	2,131.00	2,221.00	1,965.00	2,143.00	2,767.00	3,630.00	4,486.00	5,244.00	7,425.00
ME97T-02*						With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	1,956.00	2,046.00	1,859.00	2,037.00	2,643.00	3,455.00	4,311.00	5,106.00	7,202.00
12V AC/DC, 100-240 VAC	US$	2,048.00	2,138.00	1,955.00	2,133.00	2,721.00	3,539.00	4,395.00	5,191.00	7,291.00
ME97T-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	2,302.00	2,392.00	2,006.00	2,184.00	2,726.00	3,610.00	4,466.00	5,229.00	7,405.00
100-240 VAC	US$	2,366.00	2,456.00	2,151.00	2,329.00	2,924.00	3,857.00	4,713.00	5,420.00	7,673.00
Weight (Lbs)		8.8	10.4	15.0	16.2	30.0	33.0	42.0	51.0	80.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

97X 4 port direct mount stainless steel, full **double** L-port ball valve.

DA97X double L-port

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52	DA63	DA75	DA75	DA85	DA100	DA115	DA115	DA125
Weight (Lbs)	3.90	6.44	11.14	12.37	19.23	25.92	41.95	48.44	81.50
US$	702.00	825.00	852.00	1,035.00	1,264.00	2,014.00	2,997.00	3,662.00	5,733.00

SR97X double L-port

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63	SR85	SR115	SR115	SR125	SR140	SR160	SR180	SR200
Weight (Lbs)	5.77	13.36	30.25	31.48	41.67	61.86	87.48	116.89	178.94
US$	750.00	960.00	1,156.00	1,339.00	1,617.00	2,608.00	3,870.00	4,962.00	7,661.00

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
E97X-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.										
ACT.		VB015	VB030	VB060	VB060	VB110	VB190	VB190	VB270	VB350
24V AC/DC	US$	788.00	1,048.00	1,071.00	1,249.00	1,538.00	2,242.00	3,098.00	3,821.00	5,951.00
12V AC/DC, 100-240 VAC	US$	839.00	1,090.00	1,140.00	1,318.00	1,616.00	2,333.00	3,189.00	3,926.00	6,015.00
E97X-01* With fail-safe battery back-up **plastic Valbia electric** actuator.										
ACT.		VB030	VB030	VB060	VB060	VB110	VB190	VB190	VB270	VB350
24V AC/DC	US$	1,436.00	1,526.00	1,564.00	1,742.00	2,065.00	2,820.00	3,676.00	4,411.00	6,494.00
100-240 VAC	US$	1,501.00	1,591.00	1,624.00	1,802.00	2,114.00	2,886.00	3,742.00	4,478.00	6,568.00
E97X-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.										
24V AC/DC	US$	1,377.00	1,467.00	1,483.00	1,661.00	1,928.00	2,686.00	3,542.00	4,301.00	6,378.00
12V AC/DC, 100-240 VAC	US$	1,464.00	1,554.00	1,569.00	1,747.00	2,012.00	2,799.00	3,655.00	4,391.00	6,450.00
E97X-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.										
24V AC/DC	US$	1,545.00	1,635.00	1,680.00	1,858.00	2,205.00	2,969.00	3,825.00	4,588.00	6,685.00
100-240 VAC	US$	1,617.00	1,707.00	1,737.00	1,915.00	2,288.00	3,043.00	3,899.00	4,664.00	6,747.00
Weight (Lbs)		4.52	7.85	12.3	13.5	21.4	24.6	33.2	42.2	70.9

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ME97X-00* With **UL approved** standard on/off **metal Valbia electric** actuator.										
ACT.		VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB190M	VB270M	VB350M
24V AC/DC	US$	1,338.00	1,428.00	1,191.00	1,369.00	1,961.00	2,685.00	3,541.00	4,423.00	6,507.00
12V AC/DC, 100-240 VAC	US$	1,380.00	1,470.00	1,234.00	1,412.00	2,081.00	2,841.00	3,697.00	4,468.00	6,571.00
ME97X-01* With fail-safe battery back-up **metal Valbia electric** actuator.										
24V AC/DC	US$	2,053.00	2,143.00	1,887.00	2,065.00	2,704.00	3,520.00	4,376.00	5,134.00	7,303.00
100-240 VAC	US$	2,131.00	2,221.00	1,965.00	2,143.00	2,767.00	3,630.00	4,486.00	5,244.00	7,425.00
ME97X-02* With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.										
24V AC/DC	US$	1,956.00	2,046.00	1,859.00	2,037.00	2,643.00	3,455.00	4,311.00	5,106.00	7,202.00
12V AC/DC, 100-240 VAC	US$	2,048.00	2,138.00	1,955.00	2,133.00	2,721.00	3,539.00	4,395.00	5,191.00	7,291.00
ME97X-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.										
24V AC/DC	US$	2,302.00	2,392.00	2,006.00	2,184.00	2,726.00	3,610.00	4,466.00	5,229.00	7,405.00
100-240 VAC	US$	2,366.00	2,456.00	2,151.00	2,329.00	2,924.00	3,857.00	4,713.00	5,420.00	7,673.00
Weight (Lbs)		8.8	10.4	15.0	16.2	30.0	33.0	42.0	51.0	80.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 724101 2-way direct mount, carbon steel ANSI 150, flanged wafer-style, full port ball valve.

NEW

8P724101

With **double acting Valbia pneumatic** actuator.

SIZE	1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”
ACT.	DA52V	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V
Weight (Lbs.)	7.76	10.19	12.39	18.43	30.16	37.00	54.68
US$	441.00	483.00	536.00	615.00	910.00	1,058.00	1,374.00

8P724103

With **spring return Valbia pneumatic** actuator.

SIZE	1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”
ACT.	SR63V	SR63V	SR75V	SR75V	SR85V	SR100V	SR115V
Weight (Lbs.)	9.63	12.06	17.39	22.24	34.61	46.31	71.33
US$	483.00	525.00	697.00	749.00	974.00	1,211.00	1,640.00

SIZE		1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”
8E724101-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.		
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US$	697.00	739.00	792.00	844.00	1,130.00	1,278.00	1,648.00
12V AC/DC, 100-240V AC	US$	739.00	781.00	834.00	886.00	1,199.00	1,347.00	1,726.00
8E724101-01*						With fail-safe battery backup **plastic Valbia electric** actuator.		
24V AC/DC	US$	1,175.00	1,217.00	1,270.00	1,322.00	1,623.00	1,771.00	2,175.00
100-240V AC	US$	1,240.00	1,282.00	1,335.00	1,387.00	1,683.00	1,831.00	2,224.00
8E724101-02*						With 0-10VDC or 4-20 mA positioning **plastic Valbia electric** actuator.		
24V AC/DC	US$	1,116.00	1,158.00	1,211.00	1,263.00	1,542.00	1,690.00	2,038.00
12V AC/DC, 100-240V AC	US$	1,203.00	1,245.00	1,298.00	1,350.00	1,628.00	1,776.00	2,122.00
8E724101-04*						With fail-safe battery backup and 0-10VDC or 4-20 mA positioning **plastic Valbia electric** actuator.		
24V AC/DC	US$	1,284.00	1,326.00	1,379.00	1,431.00	1,739.00	1,887.00	2,315.00
100-240V AC	US$	1,356.00	1,398.00	1,451.00	1,503.00	1,796.00	1,944.00	2,398.00
Weight (Lbs.)		10.34	12.77	14.97	19.82	31.31	38.15	56.86

SIZE		1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”
M8E724101-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.		
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M
24V AC/DC	US$	797.00	839.00	892.00	944.00	1,250.00	1,398.00	2,071.00
12V AC/DC, 100-240V AC	US$	839.00	881.00	934.00	986.00	1,293.00	1,441.00	2,191.00
M8E724101-01*						With fail-safe battery backup **metal Valbia electric** actuator.		
24V AC/DC	US$	1,512.00	1,554.00	1,607.00	1,659.00	1,946.00	2,094.00	2,814.00
100-240V AC	US$	1,590.00	1,632.00	1,685.00	1,737.00	2,024.00	2,172.00	2,877.00
M8E724101-02*						With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	1,415.00	1,457.00	1,510.00	1,562.00	1,918.00	2,066.00	2,753.00
12V AC/DC, 100-240V AC	US$	1,507.00	1,549.00	1,602.00	1,654.00	2,014.00	2,162.00	2,831.00
M8E724101-04*						With fail-safe battery backup and 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	1,761.00	1,803.00	1,856.00	1,908.00	2,065.00	2,213.00	2,836.00
100-240V AC	US$	1,825.00	1,867.00	1,920.00	1,972.00	2,210.00	2,358.00	3,034.00
Weight (Lbs.)		12.59	15.02	17.22	22.07	33.93	40.77	64.76

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 720017 2-way carbon steel, ANSI 150 flanged wafer-style, full port ball valve.

8P0175

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100	DA115	DA140
Weight (Lbs)	5.9	8.3	10.4	12.5	13.0	19.9	29.0	35.8	59.2	77.1	160.2
Bracket kit	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3005	RI3039
US$	340.00	409.00	436.00	458.00	549.00	656.00	898.00	992.00	1,362.00	2,067.00	3,132.00

8P0176

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125	SR140	SR180
Weight (Lbs)	7.6	10.0	12.1	14.4	19.1	28.7	45.5	78.2	110.0	168.0	273.4
Bracket kit	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI3037	RI3195
US$	411.00	449.00	478.00	514.00	679.00	809.00	1,175.00	1,347.00	1,635.00	2,560.00	4,120.00

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
8E082-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.												
ACT.		VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190	VB350	VB350
24V AC/DC	US$	485.00	495.00	692.00	727.00	839.00	880.00	1,172.00	1,266.00	1,590.00	2,175.00	3,100.00
12V AC/DC, 100-240 VAC	US$	536.00	546.00	734.00	769.00	908.00	949.00	1,250.00	1,344.00	1,681.00	2,266.00	3,164.00
8E082-01* With fail-safe battery back-up **plastic Valbia electric** actuator.												
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190	VB350	VB350
24V AC/DC	US$	1,133.00	1,143.00	1,170.00	1,205.00	1,332.00	1,373.00	1,699.00	1,793.00	2,168.00	2,753.00	3,643.00
100-240 VAC	US$	1,198.00	1,208.00	1,235.00	1,270.00	1,392.00	1,433.00	1,748.00	1,842.00	2,234.00	2,819.00	3,717.00
8E082-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.												
24V AC/DC	US$	1,074.00	1,084.00	1,111.00	1,146.00	1,251.00	1,292.00	1,562.00	1,656.00	2,034.00	2,619.00	3,527.00
12V AC/DC, 100-240 VAC	US$	1,161.00	1,171.00	1,198.00	1,233.00	1,337.00	1,378.00	1,646.00	1,740.00	2,147.00	2,619.00	3,599.00
8E082-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.												
24V AC/DC	US$	1,242.00	1,252.00	1,279.00	1,314.00	1,448.00	1,489.00	1,839.00	1,933.00	2,317.00	2,732.00	3,834.00
100-240 VAC	US$	1,314.00	1,324.00	1,351.00	1,386.00	1,505.00	1,546.00	1,922.00	2,016.00	2,391.00	2,504.00	3,896.00
Weight (Lbs)/Bracket kit		6.0/RI3780	10/RI3013	11.8/RI3001	14.1/RI3008	15.3/RI3002	20.0/RI3002	39.1/RI3003	52.2/RI3003	82.2/RI3004	147.5/RI4031	188.1/RI4031

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
M8E082-00* With **UL approved** standard on/off **metal Valbia electric** actuator.												
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB350M	VB350M
24V AC/DC	US$	755.00	765.00	792.00	827.00	959.00	1,000.00	1,595.00	1,689.00	2,033.00	2,618.00	3,656.00
12V AC/DC, 100-240 VAC	US$	797.00	807.00	834.00	869.00	1,002.00	1,043.00	1,715.00	1,809.00	2,189.00	2,774.00	3,720.00
M8E082-01* With fail-safe battery back-up **metal Valbia electric** actuator.												
24V AC/DC	US$	1,470.00	1,480.00	1,507.00	1,542.00	1,655.00	1,696.00	2,338.00	2,432.00	2,868.00	3,453.00	4,452.00
100-240 VAC	US$	1,548.00	1,558.00	1,585.00	1,620.00	1,733.00	1,774.00	2,401.00	2,495.00	2,978.00	3,563.00	4,574.00
M8E082-02* With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.												
24V AC/DC	US$	1,373.00	1,383.00	1,410.00	1,445.00	1,627.00	1,668.00	2,277.00	2,371.00	2,803.00	3,388.00	4,351.00
12V AC/DC, 100-240 VAC	US$	1,465.00	1,475.00	1,502.00	1,537.00	1,723.00	1,764.00	2,355.00	2,449.00	2,887.00	3,472.00	4,440.00
M8E082-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.												
24V AC/DC	US$	1,719.00	1,729.00	1,756.00	1,791.00	1,774.00	1,815.00	2,360.00	2,454.00	2,958.00	3,543.00	4,554.00
100-240 VAC	US$	1,783.00	1,793.00	1,820.00	1,855.00	1,919.00	1,960.00	2,558.00	2,652.00	3,205.00	3,790.00	4,822.00
Weight (Lbs)		10.3/RI3780	12.0/RI3013	14.3/RI3001	17/RI3008	18/RI3002	23/RI3002	47/RI3003	60/RI3003	92/RI3004	156/RI4031	197/RI4031

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 720569 2-way carbon steel ANSI 150 flanged, full port wafer ball valve for fire safe applications.



8P720569

With **double acting Valbia pneumatic** actuator.

SIZE	1/2”	3/4”	1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”	5”	6”
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100	DA115	DA140
Est.Wgt. (Lbs.)	5.9	8.3	10.4	12.5	13.0	19.9	29.0	35.8	59.2	77.1	160.2
Bracket Kit	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3005	RI3039
US$	354.00	424.00	453.00	492.00	573.00	684.00	943.00	1,047.00	1,442.00	2,206.00	3,338.00

8P720571

With **spring return Valbia pneumatic** actuator.

SIZE	1/2”	3/4”	1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”	5”	6”
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125	SR140	SR180
Est.Wgt. (Lbs.)	7.6	10.0	12.1	14.4	19.1	28.7	45.5	54.8	74.7	136.0	206.3
Bracket Kit	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI3037	RI3195
US$	425.00	464.00	495.00	535.00	703.00	837.00	1,220.00	1,402.00	1,715.00	2,699.00	4,226.00

SIZE		1/2”	3/4”	1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”	5”	6”
M8E720569-00* With **UL approved** standard on/off **metal Valbia electric** actuators.												
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB190M	VB350M
24V AC/DC	US$	769.00	780.00	809.00	848.00	983.00	1,028.00	1,640.00	1,744.00	2,113.00	2,757.00	3,862.00
12V AC/DC, 100-240 VAC	US$	811.00	822.00	851.00	890.00	1,026.00	1,071.00	1,760.00	1,864.00	2,269.00	2,913.00	3,926.00
M8E720569-01* With fail-safe battery back-up **metal Valbia electric** actuators.												
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB190M	VB350M
24V AC/DC	US$	1,484.00	1,495.00	1,524.00	1,563.00	1,679.00	1,724.00	2,383.00	2,487.00	2,948.00	3,592.00	4,658.00
100-240 VAC	US$	1,562.00	1,573.00	1,602.00	1,641.00	1,757.00	1,802.00	2,446.00	2,550.00	3,058.00	3,702.00	4,780.00
M8E720569-02* With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators.												
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB190M	VB350M
24V AC/DC	US$	1,387.00	1,398.00	1,427.00	1,466.00	1,651.00	1,696.00	2,322.00	2,426.00	2,883.00	3,527.00	4,557.00
12V AC/DC, 100-240 VAC	US$	1,479.00	1,490.00	1,519.00	1,558.00	1,747.00	1,792.00	2,400.00	2,504.00	2,967.00	3,611.00	4,646.00
M8E720569-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators.												
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB190M	VB350M
24V AC/DC	US$	1,733.00	1,744.00	1,773.00	1,812.00	1,798.00	1,843.00	2,405.00	2,509.00	3,038.00	3,682.00	4,760.00
100-240 VAC	US$	1,797.00	1,808.00	1,837.00	1,876.00	1,943.00	1,988.00	2,603.00	2,707.00	3,285.00	3,929.00	5,028.00
Weight (Lbs)/Bracket Kit		10.3/RI3780	12/RI3013	14.3/RI3001	17/RI3008	18/RI3002	23/RI3002	47/RI3003	60/RI3003	92/RI3004	156/RI4031	197/RI4031

NEW

SIZE		1/2”	3/4”	1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”	5”	6”
EXM8E720569-00* With **CSA approved** explosion proof on/off **metal electric** actuator.												
ACT.		EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX080	EAX130	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US$	1,714.00	1,725.00	1,754.00	1,793.00	2,051.00	2,096.00	4,112.00	4,216.00	4,877.00	5,521.00	6,823.00
EXM8E720569-02* With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.												
24V AC/DC, 110V AC, 220V AC	US$	2,524.00	2,535.00	2,564.00	2,603.00	2,862.00	2,907.00	4,899.00	4,984.00	5,688.00	6,332.00	7,634.00
Weight (Lbs)/Bracket Kit		9.86/RI3780	10.96/RI3013	12.95/RI3001	16.47/RI3008	21.31/RI3002	29.18/RI3002	74.17/RI3003	85.85/RI3003	115.39/RI3004	155.74/RI4031	206.5/RI4031

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

FOR STEAM

Valpres 720791 2-way carbon steel ANSI 150 flanged, full port wafer ball valve for steam.



8P720791

With **double acting Valbia pneumatic** actuator.

SIZE	1"	1-1/2"	2"	3"	4"
ACT.	DA52	DA63	DA75	DA85	DA100
Est.Wgt. (Lbs.)	10.4	13.0	19.9	35.8	59.2
Bracket Kit	RI3001	RI3002	RI3009	RI3003	RI3004
US$	453.00	573.00	684.00	1,047.00	1,442.00

8P720793

With **spring return Valbia pneumatic** actuator.

SIZE	1"	1-1/2"	2"	3"	4"
ACT.	SR63	SR85	SR100	SR125	SR125
Est.Wgt. (Lbs.)	12.1	19.1	28.7	54.8	74.7
Bracket Kit	RI3007	RI3009	RI3009	RI3010	RI3005
US$	495.00	703.00	837.00	1,402.00	1,715.00

SIZE		1"	1-1/2"	2"	3"	4"
M8E720791-00*				With **UL approved** standard on/off **metal Valbia electric** actuators.		
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US$	809.00	983.00	1,028.00	1,744.00	2,113.00
12V AC/DC, 100-240VAC	US$	851.00	1,026.00	1,071.00	1,864.00	2,269.00
M8E720791-01*				With fail-safe battery back-up **metal Valbia electric** actuators		
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US$	1,524.00	1,679.00	1,724.00	2,487.00	2,948.00
100-240 VAC	US$	1,602.00	1,757.00	1,802.00	2,550.00	3,058.00
M8E720791-02*				With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators.		
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US$	1,427.00	1,651.00	1,696.00	2,426.00	2,883.00
12V AC/DC, 100-240VAC	US$	1,519.00	1,747.00	1,792.00	2,504.00	2,967.00
M8E720791-04*				With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators.		
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US$	1,773.00	1,798.00	1,843.00	2,509.00	3,038.00
100-240 VAC	US$	1,837.00	1,943.00	1,988.00	2,707.00	3,285.00
Weight (Lbs)/Bracket Kit		14.3/RI3001	18/RI3002	23/RI3002	60/RI3003	92/RI3004

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 720289 2-way carbon steel, ANSI 300 wafer-style, full port ball valve.

8P720289

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	DA52	DA63	DA63	DA63	DA75	DA85	DA100	DA100	DA115	DA160
Weight (Lbs)	6.3	9.9	11.0	13.0	21.6	32.0	53.3	68.6	121.2	213.4
Bracket kit	RI3805	RI3806	RI3807	RI3808	RI4244	RI3809	RI3810	RI3810	RI3811	RI3039
US$	493.00	590.00	596.00	670.00	797.00	1,052.00	1,449.00	1,704.00	2,490.00	4,797.00

8P720291

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	SR63	SR85	SR85	SR85	SR100	SR115	SR125	SR125	SR160	SR270
Weight (Lbs)	8.1	16.7	17.8	19.8	30.8	49.6	73.8	88.8	105.6	383.4
Bracket kit	RI3812	RI3813	RI3814	RI3815	RI4244	RI3816	RI3817	RI3817	RI3818	RI3819
US$	563.00	727.00	733.00	807.00	950.00	1,321.00	1,720.00	1,857.00	3,285.00	8,274.00

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
8E720289-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.					
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270	C/F
24V AC/DC	US$	749.00	792.00	810.00	869.00	1,013.00	1,118.00	1,650.00	1,814.00	2,576.00	C/F
12V AC/DC, 100-240 VAC	US$	791.00	834.00	852.00	911.00	1,082.00	1,187.00	1,728.00	1,905.00	2,681.00	
8E720289-01*						With fail-safe battery back-up **plastic Valbia electric** actuator.					
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270	C/F
24V AC/DC	US$	1,227.00	1,270.00	1,288.00	1,347.00	1,506.00	1,611.00	2,177.00	2,392.00	3,166.00	C/F
100-240 VAC	US$	1,292.00	1,335.00	1,353.00	1,412.00	1,566.00	1,671.00	2,226.00	2,458.00	3,233.00	
8E720289-02*						With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.					
24V AC/DC	US$	1,168.00	1,211.00	1,229.00	1,288.00	1,425.00	1,530.00	2,040.00	2,258.00	3,056.00	C/F
12V AC/DC, 100-240 VAC	US$	1,255.00	1,298.00	1,316.00	1,375.00	1,511.00	1,616.00	2,124.00	2,371.00	3,146.00	
8E720289-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.					
24V AC/DC	US$	1,336.00	1,379.00	1,397.00	1,456.00	1,622.00	1,727.00	2,317.00	2,541.00	3,343.00	C/F
100-240 VAC	US$	1,408.00	1,451.00	1,469.00	1,528.00	1,679.00	1,784.00	2,400.00	2,615.00	3,419.00	
Weight (Lbs)/Bracket kit		7.8/RI3805	9.1/RI4041	14.2/RI4042	23.7/RI4043	31.2/RI4245	60.0/RI4044	80.2/RI3810	195.3/RI3810	285.5/RI3811	C/F

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
M8E720289-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.					
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	C/F
24V AC/DC	US$	873.00	892.00	910.00	969.00	1,133.00	1,238.00	2,073.00	2,257.00	3,178.00	C/F
12V AC/DC, 100-240 VAC	US$	915.00	934.00	952.00	1,011.00	1,176.00	1,281.00	2,193.00	2,413.00	3,223.00	
M8E720289-01*						With fail-safe battery back-up **metal Valbia electric** actuator.					
24V AC/DC	US$	1,588.00	1,607.00	1,625.00	1,684.00	1,829.00	1,934.00	2,816.00	3,092.00	3,889.00	C/F
100-240 VAC	US$	1,666.00	1,685.00	1,703.00	1,762.00	1,907.00	2,012.00	2,879.00	3,202.00	3,999.00	
M8E720289-02*						With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,491.00	1,510.00	1,528.00	1,587.00	1,801.00	1,906.00	2,755.00	3,027.00	3,861.00	C/F
12V AC/DC, 100-240 VAC	US$	1,583.00	1,602.00	1,620.00	1,679.00	1,897.00	2,002.00	2,833.00	3,111.00	3,946.00	
M8E720289-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,837.00	1,856.00	1,874.00	1,933.00	1,948.00	2,053.00	2,838.00	3,182.00	3,984.00	C/F
100-240 VAC	US$	1,901.00	1,920.00	1,938.00	1,997.00	2,093.00	2,198.00	3,036.00	3,429.00	4,175.00	
Weight (Lbs)		10.3/RI3805	11.8/RI4041	17/RI4042	26.2/RI4043	33/RI4245	63/RI4044	88/RI3810	203/RI3810	305/RI3811	C/F

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 720744 2-way carbon steel ANSI 300 flanged, full port wafer ball valve for Fire Safe applications.



8P720744

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"
ACT.	DA52	DA63	DA63	DA63	DA75	DA85	DA100	DA100	DA115	DA160
Est.Wgt. (Lbs.)	6.3	9.9	11.0	13.4	21.6	25.4	40.8	52.5	88.2	204.6
Bracket Kit	RI3805	RI3806	RI3807	RI3808	RI4244	RI3809	RI3810	RI3810	RI3811	RI3039
US$	477.00	571.00	577.00	646.00	771.00	1,017.00	1,396.00	1,524.00	2,304.00	4,607.00

8P720746

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"
ACT.	SR63	SR85	SR85	SR85	SR100	SR115	SR125	SR125	SR160	SR270
Est.Wgt. (Lbs.)	8.2	16.7	17.8	20.3	31.1	43.0	61.0	72.5	132.3	374.3
Bracket Kit	RI3812	RI3813	RI3814	RI3815	RI4244	RI3816	RI3817	RI3817	RI3818	RI3819
US$	547.00	708.00	714.00	783.00	924.00	1,286.00	1,667.00	1,795.00	3,172.00	8,275.00

SIZE		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"
M8E720744-00*											
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	-
24V AC/DC	US$	857.00	873.00	891.00	945.00	1,107.00	1,203.00	2,020.00	2,195.00	3,065.00	-
12V AC/DC, 100-240 VAC	US$	899.00	915.00	933.00	987.00	1,150.00	1,246.00	2,140.00	2,351.00	3,110.00	-
M8E720744-01*											
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	-
24V AC/DC	US$	1,572.00	1,588.00	1,606.00	1,660.00	1,803.00	1,899.00	2,763.00	3,030.00	3,776.00	-
100-240 VAC	US$	1,650.00	1,666.00	1,684.00	1,738.00	1,881.00	1,977.00	2,826.00	3,140.00	3,886.00	-
M8E720744-02*											
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	-
24V AC/DC	US$	1,475.00	1,491.00	1,522.00	1,563.00	1,775.00	1,871.00	2,702.00	2,965.00	3,748.00	-
12V AC/DC, 100-240 VAC	US$	1,567.00	1,583.00	1,614.00	1,655.00	1,871.00	1,967.00	2,780.00	3,049.00	3,833.00	-
M8E720744-04*											
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	-
24V AC/DC	US$	1,821.00	1,837.00	1,868.00	1,909.00	1,922.00	2,018.00	2,785.00	3,120.00	3,871.00	-
100-240 VAC	US$	1,885.00	1,901.00	1,932.00	1,973.00	2,067.00	2,163.00	2,983.00	3,367.00	4,062.00	-
Weight (Lbs)/Bracket Kit		10.3/RI3805	11.8/RI4041	17/RI4042	26.2/RI4043	33/RI4245	63/RI4044	88/RI3810	203/3810	305/RI3811	-

With **UL approved** standard on/off **metal Valbia electric** actuators.

Wwith fail-safe battery back-up **metal Valbia electric** actuators.

With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators.

With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators.

NEW

SIZE		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"
EXM8E720744-00*											
ACT.		EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,802.00	1,818.00	1,849.00	1,890.00	2,181.00	2,277.00	4,498.00	4,959.00	6,112.00	C/F
EXM8E720744-02*											
24V AC/DC, 110V AC, 220V AC	US$	2,612.00	2,628.00	2,659.00	2,700.00	2,992.00	3,088.00	5,289.00	5,770.00	6,923.00	C/F
Weight (Lbs)/Bracket Kit		10.1/RI3805	12.5/RI4041	13.8/RI4042	16.3/RI4043	25/RI4245	33/RI4044	79/RI3810	95/RI3810	171/RI3811	-

With **CSA approved** explosion proof on/off **metal electric** actuator.

With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 725002 2-way stainless steel, ANSI 150 true wafer-style, full port ball valve.

FOR STEAM



8P725002

With **double acting Valbia pneumatic** actuator.

SIZE	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52	DA52	DA63	DA75	DA85	DA85	DA100
Weight (Lbs)	7.4	8.1	10.4	16.4	28.8	33.3	49.5
Bracket kit	RI4230	RI4230	RI4231	RI4232	RI4233	RI4233	RI4233
US$	499.00	531.00	623.00	790.00	1,045.00	1,216.00	1,647.00

8P725003

With **spring return Valbia pneumatic** actuator.

SIZE	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63	SR63	SR85	SR100	SR115	SR125	SR125
Weight (Lbs)	9.3	10	17.4	25.8	43.5	55.8	68.4
Bracket kit	RI4234	RI4234	RI4232	RI4232	RI4235	RI4235	RI4235
US$	544.00	576.00	760.00	943.00	1,315.00	1,564.00	1,922.00

SIZE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E725002-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.								
ACT.		VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	755.00	787.00	913.00	1,007.00	1,319.00	1,490.00	1,875.00
12V AC/DC, 100-240 VAC	US$	797.00	829.00	982.00	1,076.00	1,397.00	1,568.00	1,966.00
8E725002-01* With fail-safe battery back-up **plastic Valbia electric** actuator.								
ACT.		VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	1,233.00	1,265.00	1,406.00	1,500.00	1,846.00	2,017.00	2,453.00
100-240 VAC	US$	1,298.00	1,330.00	1,466.00	1,560.00	1,895.00	2,066.00	2,519.00
8E725002-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.								
24V AC/DC	US$	1,174.00	1,206.00	1,325.00	1,419.00	1,709.00	1,880.00	2,319.00
12V AC/DC, 100-240 VAC	US$	1,261.00	1,293.00	1,411.00	1,505.00	1,793.00	1,964.00	2,432.00
8E725002-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.								
24V AC/DC	US$	1,342.00	1,374.00	1,522.00	1,616.00	1,986.00	2,157.00	2,602.00
100-240 VAC	US$	1,414.00	1,446.00	1,579.00	1,673.00	2,069.00	2,240.00	2,676.00
Weight (Lbs)/Bracket kit		10.0/RI4230	10.7/RI4230	14.1/RI4231	17.6/RI4231	29.0/RI4233	38.5/RI4233	48.1/RI4233

SIZE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E725002-00* With **UL approved** standard on/off **metal Valbia electric** actuator.								
ACT.		VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	855.00	887.00	1,033.00	1,127.00	1,742.00	1,913.00	2,318.00
12V AC/DC, 100-240 VAC	US$	897.00	929.00	1,076.00	1,170.00	1,862.00	2,033.00	2,474.00
M8E725002-01* With fail-safe battery back-up **metal Valbia electric** actuator.								
24V AC/DC	US$	1,570.00	1,602.00	1,729.00	1,823.00	2,485.00	2,656.00	3,153.00
100-240 VAC	US$	1,648.00	1,680.00	1,807.00	1,901.00	2,548.00	2,719.00	3,263.00
M8E725002-02* With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.								
24V AC/DC	US$	1,473.00	1,505.00	1,701.00	1,795.00	2,424.00	2,595.00	3,088.00
12V AC/DC, 100-240 VAC	US$	1,565.00	1,597.00	1,797.00	1,891.00	2,502.00	2,673.00	3,172.00
M8E725002-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.								
24V AC/DC	US$	1,819.00	1,851.00	1,848.00	1,942.00	2,507.00	2,678.00	3,243.00
100-240 VAC	US$	1,883.00	1,915.00	1,993.00	2,087.00	2,705.00	2,876.00	3,490.00
Weight (Lbs)/Bracket kit		12.5/RI4230	13.2/RI4230	16.8/RI4231	20.3/RI4231	37/RI4233	47/RI4233	57/RI4233

NEW

SIZE		1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
EXM8E725002-00* With **CSA approved** explosion proof on/off **metal electric** actuator.								
ACT.		EAX035	EAX035	EAX045	EAX045	EAX080	EAX080	EAX130
24V AC/DC, 110V AC, 220V AC	US$	1,800.00	1,832.00	2,107.00	2,201.00	4,220.00	4,391.00	5,082.00
EXM8E725002-02* With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.								
24V AC/DC, 110V AC, 220V AC	US$	2,610.00	2,642.00	2,918.00	3,012.00	5,030.00	5,201.00	5,893.00
Weight (Lbs)/Bracket Kit		9.86/RI4230	10.64/RI4230	14.74/RI4231	18.27/RI4231	56.2/RI4233	62.71/RI4233	75.28/RI4233

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 723101 2-way direct mount, 316 stainless steel ANSI 150, flanged wafer-style, full port ball valve.

NEW

8P723101

With **double acting Valbia pneumatic** actuator.

SIZE	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
ACT.	DA52V	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V
Weight (Lbs.)	7.76	10.19	12.39	18.43	30.16	37.00	54.68
US$	518.00	587.00	664.00	795.00	1,187.00	1,428.00	1,907.00

8P723103

With **spring return Valbia pneumatic** actuator.

SIZE	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
ACT.	SR63V	SR63V	SR75V	SR75V	SR85V	SR100V	SR115V
Weight (Lbs.)	9.63	12.06	17.39	22.24	34.61	46.31	71.33
US$	560.00	629.00	825.00	929.00	1,251.00	1,581.00	2,173.00

SIZE		1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
8E723101-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.		
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US$	774.00	843.00	920.00	1,024.00	1,407.00	1,648.00	2,181.00
12V AC/DC, 100-240V AC	US$	816.00	885.00	962.00	1,066.00	1,476.00	1,717.00	2,259.00
8E723101-01*						With fail-safe battery backup **plastic Valbia electric** actuator.		
24V AC/DC	US$	1,252.00	1,321.00	1,398.00	1,502.00	1,900.00	2,141.00	2,708.00
100-240V AC	US$	1,317.00	1,386.00	1,463.00	1,567.00	1,960.00	2,201.00	2,757.00
8E723101-02*						With 0-10VDC or 4-20 mA positioning **plastic Valbia electric** actuator.		
24V AC/DC	US$	1,193.00	1,262.00	1,339.00	1,443.00	1,819.00	2,060.00	2,571.00
12V AC/DC, 100-240V AC	US$	1,280.00	1,349.00	1,426.00	1,530.00	1,905.00	2,146.00	2,655.00
8E723101-04*						With fail-safe battery backup and 0-10VDC or 4-20 mA positioning **plastic Valbia electric** actuator.		
24V AC/DC	US$	1,361.00	1,430.00	1,507.00	1,611.00	2,016.00	2,257.00	2,848.00
100-240V AC	US$	1,433.00	1,502.00	1,579.00	1,683.00	2,073.00	2,314.00	2,931.00
Weight (Lbs.)		10.34	12.77	14.97	19.82	31.31	38.15	56.88

SIZE		1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
M8E723101-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.		
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M
24V AC/DC	US$	874.00	943.00	1,020.00	1,124.00	1,527.00	1,768.00	2,604.00
12V AC/DC, 100-240V AC	US$	916.00	985.00	1,062.00	1,166.00	1,570.00	1,811.00	2,724.00
M8E723101-01*						With fail-safe battery backup **metal Valbia electric** actuator.		
24V AC/DC	US$	1,589.00	1,658.00	1,735.00	1,839.00	2,223.00	2,464.00	3,347.00
100-240V AC	US$	1,667.00	1,736.00	1,813.00	1,917.00	2,301.00	2,542.00	3,410.00
M8E723101-02*						With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	1,492.00	1,561.00	1,638.00	1,742.00	2,195.00	2,436.00	3,286.00
12V AC/DC, 100-240V AC	US$	1,584.00	1,653.00	1,730.00	1,834.00	2,291.00	2,532.00	3,364.00
M8E723101-04*						With fail-safe battery backup and 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	1,838.00	1,907.00	1,984.00	2,088.00	2,342.00	2,583.00	3,369.00
100-240V AC	US$	1,902.00	1,971.00	2,048.00	2,152.00	2,487.00	2,728.00	3,567.00
Weight (Lbs.)		12.59	15.02	17.22	22.07	33.93	40.77	64.78

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 720016 2-way 316 stainless steel ANSI 150, flanged wafer-style, full port ball valve.

8P0173

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100	DA115	DA140
Weight (Lbs)	5.9	8.3	10.4	12.5	13.0	19.9	29.0	35.8	59.2	77.1	160.2
Bracket kit	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3005	RI3039
US$	420.00	513.00	542.00	621.00	719.00	906.00	1,235.00	1,468.00	2,007.00	3,499.00	5,090.00

8P0174

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125	SR140	SR180
Weight (Lbs)	7.6	10.0	12.1	14.4	19.1	28.7	45.5	54.8	74.7	136.0	206.3
Bracket kit	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI3037	RI3195
US$	491.00	553.00	584.00	664.00	849.00	1,059.00	1,512.00	1,823.00	2,280.00	3,992.00	6,078.00

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
8E076-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.												
ACT.		VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190	VB190	VB350
24V AC/DC	US$	565.00	599.00	798.00	877.00	1,009.00	1,130.00	1,509.00	1,742.00	2,235.00	3,607.00	5,058.00
12V AC/DC, 100-240 VAC	US$	616.00	650.00	840.00	919.00	1,078.00	1,199.00	1,587.00	1,820.00	2,326.00	3,698.00	5,122.00
8E076-01* With fail-safe battery back-up **plastic Valbia electric** actuator.												
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190	VB190	VB350
24V AC/DC	US$	1,213.00	1,247.00	1,276.00	1,355.00	1,502.00	1,623.00	2,036.00	2,269.00	2,813.00	4,331.00	5,601.00
100-240 VAC	US$	1,278.00	1,312.00	1,341.00	1,420.00	1,562.00	1,683.00	2,085.00	2,318.00	2,879.00	4,405.00	5,675.00
8E076-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.												
24V AC/DC	US$	1,154.00	1,188.00	1,217.00	1,296.00	1,421.00	1,542.00	1,899.00	2,132.00	2,679.00	4,215.00	5,485.00
12V AC/DC, 100-240 VAC	US$	1,241.00	1,275.00	1,304.00	1,383.00	1,507.00	1,628.00	1,983.00	2,216.00	2,792.00	4,287.00	5,557.00
8E076-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.												
24V AC/DC	US$	1,322.00	1,356.00	1,385.00	1,464.00	1,618.00	1,739.00	2,176.00	2,409.00	2,962.00	4,522.00	5,792.00
100-240 VAC	US$	1,394.00	1,428.00	1,457.00	1,536.00	1,675.00	1,796.00	2,259.00	2,492.00	3,036.00	4,584.00	5,854.00
Weight (Lbs)		6.0/RI3780	7.5/RI3013	11.8/RI3001	14.1/RI3008	15.3/RI3002	20.0/RI3002	39.1/RI3003	52.2/RI3003	82.2/RI3004	147.6/RI4031	188.1/RI4031

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
M8E076-00* With **UL approved** standard on/off **metal Valbia electric** actuator.												
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB190M	VB350M
24V AC/DC	US$	835.00	869.00	898.00	977.00	1,129.00	1,250.00	1,932.00	2,165.00	2,678.00	4,050.00	5,614.00
12V AC/DC, 100-240 VAC	US$	877.00	911.00	940.00	1,019.00	1,172.00	1,293.00	2,052.00	2,285.00	2,834.00	4,206.00	5,678.00
M8E076-01* With fail-safe battery back-up **metal Valbia electric** actuator.												
24V AC/DC	US$	1,550.00	1,584.00	1,613.00	1,692.00	1,825.00	1,946.00	2,675.00	2,908.00	3,513.00	4,885.00	6,410.00
100-240 VAC	US$	1,628.00	1,662.00	1,691.00	1,770.00	1,903.00	2,024.00	2,738.00	2,971.00	3,623.00	4,995.00	6,532.00
M8E076-02* With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.												
24V AC/DC	US$	1,453.00	1,487.00	1,516.00	1,595.00	1,797.00	1,918.00	2,614.00	2,847.00	3,448.00	4,820.00	6,309.00
12V AC/DC, 100-240 VAC	US$	1,545.00	1,579.00	1,608.00	1,687.00	1,893.00	2,014.00	2,692.00	2,925.00	3,532.00	4,904.00	6,398.00
M8E076-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.												
24V AC/DC	US$	1,799.00	1,833.00	1,862.00	1,941.00	1,944.00	2,065.00	2,697.00	2,930.00	3,603.00	4,975.00	6,512.00
100-240 VAC	US$	1,863.00	1,897.00	1,926.00	2,005.00	2,089.00	2,210.00	2,895.00	3,128.00	3,850.00	5,222.00	6,780.00
Weight (Lbs)/Bracket kit		10.3/RI3780	12/RI3013	14.3/RI3001	17/RI3008	18/RI3002	23/RI3002	47/RI3003	60/RI3003	92/RI3004	156/RI4031	197/RI4031

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 720370 2-way stainless steel ANSI 150 flanged, full port wafer ball valve for Fire Safe applications.

8P720370

With **double acting Valbia pneumatic** actuator

SIZE	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100	DA115	DA140
Est.Wgt. (Lbs.)	5.9	8.3	10.4	12.5	13.0	19.9	29.0	35.8	59.2	77.1	160.2
Bracket Kit	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3005	RI3039
US$	442.00	538.00	570.00	656.00	760.00	959.00	1,314.00	1,571.00	2,152.00	3,781.00	5,243.00

8P720372

With **spring return Valbia pneumatic** actuator

SIZE	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125	SR140	SR180
Est.Wgt. (Lbs.)	7.6	10.0	12.1	14.4	19.1	28.7	45.5	54.8	74.7	136.0	206.3
Bracket Kit	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI3037	RI3195
US$	513.00	578.00	612.00	699.00	890.00	1,112.00	1,591.00	1,926.00	2,425.00	4,274.00	6,481.00

SIZE		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
M8E720370-00* With **UL approved** standard on/off **metal Valbia electric** actuators												
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB190M	VB350M
24V AC/DC	US$	857.00	894.00	926.00	1,012.00	1,170.00	1,303.00	2,011.00	2,268.00	2,823.00	4,332.00	6,017.00
12V AC/DC, 100-240 VAC	US$	899.00	936.00	968.00	1,054.00	1,213.00	1,346.00	2,131.00	2,388.00	2,979.00	4,488.00	6,081.00
M8E720370-01* With fail-safe battery back-up **metal Valbia electric** actuators												
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB190M	VB350M
24V AC/DC	US$	1,572.00	1,609.00	1,641.00	1,727.00	1,866.00	1,999.00	2,754.00	3,011.00	3,658.00	5,167.00	6,813.00
100-240 VAC	US$	1,650.00	1,687.00	1,719.00	1,805.00	1,944.00	2,077.00	2,817.00	3,074.00	3,768.00	5,277.00	6,935.00
M8E720370-02* With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators												
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB190M	VB350M
24V AC/DC	US$	1,475.00	1,512.00	1,544.00	1,630.00	1,838.00	1,971.00	2,693.00	2,950.00	3,593.00	5,102.00	6,712.00
12V AC/DC, 100-240 VAC	US$	1,567.00	1,604.00	1,636.00	1,722.00	1,934.00	2,067.00	2,771.00	3,028.00	3,677.00	5,186.00	6,801.00
M8E720370-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators												
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB190M	VB350M
24V AC/DC	US$	1,821.00	1,858.00	1,890.00	1,976.00	1,985.00	2,118.00	2,776.00	3,033.00	3,748.00	5,257.00	6,915.00
100-240 VAC	US$	1,885.00	1,922.00	1,954.00	2,040.00	2,130.00	2,263.00	2,974.00	3,231.00	3,995.00	5,504.00	7,183.00
Weight (Lbs)/Bracket Kit		10.3/RI3780	12/RI3013	14.3/RI3001	17/RI3008	18/RI3002	23/RI3002	47/RI3003	60/RI3003	92/RI3004	156/RI4031	197/RI4031

NEW

SIZE		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
EXM8E720370-00* With **CSA approved** explosion proof on/off **metal electric** actuator.												
ACT.		EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360	EAX360	EAX360
24V AC/DC, 110V AC, 220V DC	US$	1,802.00	1,839.00	1,871.00	1,957.00	2,238.00	2,371.00	4,483.00	5,073.00	6,078.00	7,587.00	8,978.00
EXM8E720370-02* With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.												
24V AC/DC, 110V AC, 220V DC	US$	2,612.00	2,649.00	2,681.00	2,767.00	3,049.00	3,182.00	5,254.00	5,884.00	6,889.00	8,398.00	9,789.00
Weight (Lbs)/Bracket Kit		9.86/RI3780	10.96/RI3013	12.95/RI3001	16.47/RI3006	17.27/RI3002	22.12/RI3002	61.16/RI3003	68.21/RI3003	117.07/RI3004	153.67/RI4031	172.63/RI4031

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 720288 2-way stainless steel ANSI 300, flanged wafer, full port ball valve.



8P720288

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	DA52	DA63	DA63	DA63	DA75	DA85	DA100	DA100	DA115	DA160
Weight (Lbs)	6.3	9.9	11.0	13.4	21.6	25.4	40.8	52.5	88.2	204.6
Bracket kit	RI3805	RI3806	RI3807	RI3808	RI4244	RI3809	RI3810	RI3810	RI3811	RI3039
US$	535.00	660.00	698.00	820.00	1,053.00	1,458.00	2,274.00	2,616.00	4,222.00	8,740.00

8P720290

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	SR63	SR85	SR85	SR85	SR100	SR115	SR125	SR125	SR160	SR270
Weight (Lbs)	8.2	16.7	17.8	20.3	31.1	43.0	61.0	72.5	132.3	374.3
Bracket kit	RI3812	RI3813	RI3814	RI315	RI4244	RI3816	RI3817	RI3817	RI3818	RI3819
US$	605.00	797.00	835.00	957.00	1,206.00	1,727.00	2,545.00	2,769.00	5,017.00	11,660.00

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
8E720288-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.											
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270	-
24V AC/DC	US$	791.00	862.00	912.00	1,019.00	1,269.00	1,524.00	2,475.00	2,726.00	4,308.00	-
12V AC/DC, 100-240 VAC	US$	833.00	904.00	954.00	1,061.00	1,338.00	1,593.00	2,553.00	2,817.00	4,413.00	-
8E720288-01* With fail-safe battery back-up **plastic Valbia electric** actuator.											
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270	-
24V AC/DC	US$	1,269.00	1,340.00	1,390.00	1,497.00	1,762.00	2,017.00	3,002.00	3,304.00	4,898.00	-
100-240 VAC	US$	1,334.00	1,405.00	1,455.00	1,562.00	1,822.00	2,077.00	3,051.00	3,370.00	4,965.00	-
8E720288-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.											
24V AC/DC	US$	1,210.00	1,281.00	1,331.00	1,438.00	1,681.00	1,936.00	2,865.00	3,170.00	4,788.00	-
12V AC/DC, 100-240 VAC	US$	1,297.00	1,368.00	1,418.00	1,525.00	1,767.00	2,022.00	2,949.00	3,283.00	4,878.00	-
8E720288-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.											
24V AC/DC	US$	1,378.00	1,449.00	1,499.00	1,606.00	1,878.00	2,133.00	3,142.00	3,453.00	5,075.00	-
100-240 VAC	US$	1,450.00	1,521.00	1,571.00	1,678.00	1,935.00	2,190.00	3,225.00	3,527.00	5,151.00	-
Weight (Lbs)/Bracket kit		7.8/RI3805	9.1/RI4041	14.2/RI4042	23.7/RI4043	31.2/RI4245	60.0/TI4044	80.2/RI3810	195.3/RI3810	285.5/RI3811	-

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
M8E720288-00* With **UL approved** standard on/off **metal Valbia electric** actuator.											
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	-
24V AC/DC	US$	915.00	962.00	1,025.00	1,119.00	1,389.00	1,644.00	2,898.00	3,169.00	4,910.00	-
12V AC/DC, 100-240 VAC	US$	957.00	1,004.00	1,067.00	1,161.00	1,432.00	1,687.00	3,018.00	3,325.00	4,955.00	-
M8E720288-01* With fail-safe battery back-up **metal Valbia electric** actuator.											
24V AC/DC	US$	1,630.00	1,677.00	1,740.00	1,834.00	2,085.00	2,340.00	3,641.00	4,004.00	5,621.00	-
100-240 VAC	US$	1,708.00	1,755.00	1,818.00	1,912.00	2,163.00	2,418.00	3,704.00	4,114.00	5,731.00	-
M8E720288-02* With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.											
24V AC/DC	US$	1,533.00	1,580.00	1,643.00	1,737.00	2,057.00	2,312.00	3,580.00	3,939.00	5,593.00	-
12V AC/DC, 100-240 VAC	US$	1,625.00	1,672.00	1,735.00	1,829.00	2,153.00	2,408.00	3,658.00	4,023.00	5,678.00	-
M8E720288-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.											
24V AC/DC	US$	1,879.00	1,926.00	1,989.00	2,083.00	2,204.00	2,459.00	3,663.00	4,094.00	5,716.00	-
100-240 VAC	US$	1,943.00	1,990.00	2,053.00	2,147.00	2,349.00	2,604.00	3,861.00	4,341.00	5,907.00	-
Weight (Lbs)/Bracket kit		10.3/RI3805	11.8/RI4041	17/RI4042	26.2/RI4043	33/RI4245	63/TI4044	88/RI3810	203/RI3810	305/RI3811	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 720741 2-way stainless steel ANSI 300 flanged, full port wafer ball valve for Fire Safe applications.



8P720741

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"
ACT.	DA52	DA63	DA63	DA63	DA75	DA85	DA100	DA100	DA115	DA160
Est.Wgt. (Lbs.)	6.3	9.9	11.0	13.4	21.6	25.4	40.8	52.5	88.2	204.6
Bracket Kit	RI3805	RI3806	RI3807	RI3808	RI4244	RI3809	RI3810	RI3810	RI3811	RI3039
US$	564.00	696.00	737.00	872.00	1,119.00	1,552.00	2,438.00	2,802.00	4,568.00	9,626.00

8P720743

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"
ACT.	SR63	SR85	SR85	SR85	SR100	SR115	SR125	SR125	SR160	SR270
Est.Wgt. (Lbs.)	8.2	16.7	17.8	20.3	31.1	43.0	61.0	72.5	132.3	374.3
Bracket Kit	RI3812	RI3813	RI3814	RI3815	RI4244	RI3816	RI3817	RI3817	RI3818	RI3819
US$	634.00	833.00	874.00	1,009.00	1,272.00	1,821.00	2,709.00	2,955.00	5,363.00	12,390.00

SIZE		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"
M8E720741-00*						With **UL approved** standard on/off **metal Valbia electric** actuators.					
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	-
24V AC/DC	US$	944.00	998.00	1,064.00	1,171.00	1,455.00	1,738.00	3,062.00	3,355.00	5,256.00	C/F
12V AC/DC, 100-240 VAC	US$	986.00	1,040.00	1,106.00	1,213.00	1,498.00	1,781.00	3,182.00	3,511.00	5,301.00	C/F
M8E720741-01*						With fail-safe battery back-up **metal Valbia electric** actuators.					
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	-
24V AC/DC	US$	1,659.00	1,713.00	1,779.00	1,886.00	2,151.00	2,434.00	3,805.00	4,190.00	5,967.00	C/F
100-240 VAC	US$	1,737.00	1,791.00	1,857.00	1,964.00	2,229.00	2,512.00	3,868.00	4,300.00	6,077.00	C/F
M8E720741-02*						With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators.					
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	-
24V AC/DC	US$	1,562.00	1,616.00	1,682.00	1,789.00	2,123.00	2,406.00	3,744.00	4,125.00	5,939.00	C/F
12V AC/DC, 100-240 VAC	US$	1,654.00	1,708.00	1,774.00	1,881.00	2,219.00	2,502.00	3,822.00	4,209.00	6,024.00	C/F
M8E720741-04*						With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators.					
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	-
24V AC/DC	US$	1,908.00	1,962.00	2,028.00	2,135.00	2,270.00	2,553.00	3,827.00	4,280.00	6,062.00	C/F
100-240 VAC	US$	1,972.00	2,026.00	2,092.00	2,199.00	2,415.00	2,698.00	4,025.00	4,527.00	6,253.00	C/F
Weight (Lbs)/Bracket Kit		10.3/RI3805	11.8/RI4041	17/RI4042	26.2/RI4043	33/RI4245	63/RI4044	88/RI3810	203/3810	305/RI3811	-

NEW

SIZE		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"
EXM8E720741-00*						With **CSA approved** explosion proof on/off **metal electric** actuator.					
ACT.		EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360	C/F
24V AC/DC, 110V AC, 220V DC	US$	1,889.00	1,943.00	2,009.00	2,326.00	2,529.00	2,812.00	5,540.00	6,119.00	8,303.00	C/F
EXM8E720741-02*						With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.					
24V AC/DC, 110V AC, 220V DC	US$	2,699.00	2,753.00	2,819.00	3,137.00	3,340.00	3,623.00	6,215.00	6,930.00	9,114.00	C/F
Weight (Lbs)/Bracket Kit		10.1/RI3805	12.5/RI4041	13.8/RI4042	16.3/RI4043	25/RI4245	33/RI4044	79/RI3810	95/RI3810	171/RI3811	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 766001 2-way direct mount carbon steel ANSI 150, flanged, Fire Safe design, full port ball valve.



8P766001

With **double acting Valbia pneumatic** actuator.

SIZE	1"	1 1/2"	2"	3"	4"
ACT.	DA52	DA63	DA75	DA85	DA100
Weight (Lbs)	10.9	19.1	27.4	48.1	65.8
US$	469.00	607.00	783.00	1,226.00	1,632.00

8P766003

With **spring return Valbia pneumatic** actuator.

SIZE	1"	1 1/2"	2"	3"	4"
ACT.	SR63	SR85	SR100	SR125	SR125
Weight (Lbs)	12.8	26.2	36.7	70.6	84.7
US$	517.00	703.00	847.00	1,502.00	1,912.00

SIZE		1"	1 1/2"	2"	3"	4"
8E766001-00*		With **UL approved** standard on/off **plastic Valbia electric** actuator.				
ACT.		VB030	VB060	VB060	VB110	VB190
24V AC/DC	US$	725.00	897.00	1,002.00	1,500.00	1,860.00
12V AC/DC, 100-240 VAC	US$	767.00	966.00	1,071.00	1,578.00	1,951.00
8E766001-01*		With fail-safe battery back-up **plastic Valbia electric** actuator.				
ACT.		VB030	VB060	VB060	VB110	VB190
24V AC/DC	US$	1,203.00	1,390.00	1,495.00	2,027.00	2,438.00
100-240 VAC	US$	1,268.00	1,450.00	1,555.00	2,076.00	2,504.00
8E766001-02*		With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,144.00	1,309.00	1,414.00	1,890.00	2,304.00
12V AC/DC, 100-240 VAC	US$	1,231.00	1,395.00	1,500.00	1,974.00	2,417.00
8E766001-04*		With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,312.00	1,506.00	1,611.00	2,167.00	2,587.00
100-240 VAC	US$	1,384.00	1,563.00	1,668.00	2,250.00	2,661.00
Weight (Lbs)/Bracket kit		11.8	15.3	20.0	52.2	82.2

SIZE		1"	1 1/2"	2"	3"	4"
M8E766001-00*		With **UL approved** standard on/off **metal Valbia electric** actuator.				
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US$	825.00	1,017.00	1,122.00	1,923.00	2,303.00
12V AC/DC, 100-240 VAC	US$	867.00	1,060.00	1,165.00	2,043.00	2,459.00
M8E766001-01*		With fail-safe battery back-up **metal Valbia electric** actuator.				
24V AC/DC	US$	1,540.00	1,713.00	1,818.00	2,666.00	3,138.00
100-240 VAC	US$	1,618.00	1,791.00	1,896.00	2,729.00	3,248.00
M8E766001-02*		With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,443.00	1,685.00	1,790.00	2,605.00	3,073.00
12V AC/DC, 100-240 VAC	US$	1,535.00	1,781.00	1,886.00	2,683.00	3,157.00
M8E766001-04*		With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,789.00	1,832.00	1,937.00	2,688.00	3,228.00
100-240 VAC	US$	1,853.00	1,977.00	2,082.00	2,886.00	3,475.00
Weight (Lbs)/Bracket kit		14.3	18.0	22.0	61.0	91.0

NEW

SIZE		1"	1-1/2"	2"	3"	4"
EXM8E766001-00*		With **CSA approved** explosion proof on/off **metal electric** actuator.				
ACT.		EAX035	EAX045	EAX045	EAX080	EAX130
24V AC/DC, 110V AC, 220V AC	US$	1,770.00	2,091.00	2,196.00	4,401.00	5,067.00
EXM8E766001-02*		With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.				
24V AC/DC, 110V AC, 220V AC	US$	2,580.00	2,902.00	3,007.00	5,211.00	5,878.00
Weight (Lbs)		12.38	22.43	28.16	76.45	90.56

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 762000 2-way carbon steel ANSI 150, flanged, Fire Safe design, full port ball valve.



8P0179

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
ACT.	DA32	DA52	DA52	DA63	DA75	DA85	DA100	DA140	DA160
Weight (Lbs)	7.8	10.2	11.0	21.3	31.5	58.5	80.0	136.5	258.2
Bracket kit	RI3518	RI3519	RI3520	RI3521	RI3522	RI3523	RI3552	RI3554	RI3554
US$	447.00	520.00	566.00	724.00	936.00	1,380.00	1,781.00	4,122.00	7,013.00

8P0180

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
ACT.	SR52	SR63	SR63	SR85	SR100	SR125	SR125	SR180	SR200
Weight (Lbs)	9.3	11.8	14.7	27.4	39.4	77.2	96.5	243.2	323.2
Bracket kit	RI3519	RI3829	RI3525	RI3526	RI3522	RI3528	RI3528	RI3555	RI3554
US$	517.00	561.00	612.00	861.00	1,089.00	1,733.00	2,058.00	5,075.00	8,003.00

SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
8E085-00*							With **UL approved** standard on/off **plastic Valbia electric** actuator.			
ACT.		VB015	VB015	VB030	VB060	VB060	VB110	VB190	VB350	VB350
24V AC/DC	US$	591.00	606.00	822.00	1,014.00	1,158.00	1,654.00	1,997.00	4,097.00	6,643.00
12V AC/DC, 100-240 VAC	US$	642.00	657.00	864.00	1,083.00	1,227.00	1,732.00	2,088.00	4,161.00	6,707.00
8E085-01*							With fail-safe battery back-up **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB350	VB350
24V AC/DC	US$	1,239.00	1,254.00	1,300.00	1,507.00	1,651.00	2,181.00	2,575.00	4,640.00	7,186.00
100-240 VAC	US$	1,304.00	1,319.00	1,365.00	1,567.00	1,711.00	2,230.00	2,641.00	4,714.00	7,260.00
8E085-02*							With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,180.00	1,195.00	1,241.00	1,426.00	1,570.00	2,044.00	2,441.00	4,524.00	7,070.00
12V AC/DC, 100-240 VAC	US$	1,267.00	1,282.00	1,328.00	1,512.00	1,656.00	2,128.00	2,554.00	4,596.00	7,142.00
8E085-04*							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,348.00	1,363.00	1,409.00	1,623.00	1,767.00	2,321.00	2,724.00	4,831.00	7,377.00
100-240 VAC	US$	1,420.00	1,435.00	1,481.00	1,680.00	1,824.00	2,404.00	2,798.00	4,893.00	7,439.00
Weight (Lbs)/Bracket kit		7.8/RI3519	9.1/RI3519	14.2/RI3520	23.7/RI3521	31.2/RI4039	60.0/RI3523	80.2/RI3522	195.3/RI3553	285.5/RI3554

SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
M8E085-00*							With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	EA575
24V AC/DC	US$	861.00	876.00	922.00	1,134.00	1,278.00	2,077.00	2,440.00	4,653.00	7,199.00
12V AC/DC, 100-240 VAC	US$	903.00	918.00	964.00	1,177.00	1,321.00	2,197.00	2,596.00	4,717.00	7,263.00
M8E085-01*							With fail-safe battery back-up **metal Valbia electric** actuator.			
24V AC/DC	US$	1,576.00	1,591.00	1,637.00	1,830.00	1,974.00	2,820.00	3,275.00	5,449.00	7,995.00
100-240 VAC	US$	1,654.00	1,669.00	1,715.00	1,908.00	2,052.00	2,883.00	3,385.00	5,571.00	8,117.00
M8E085-02*							With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,479.00	1,494.00	1,540.00	1,802.00	1,946.00	2,759.00	3,210.00	5,348.00	7,894.00
12V AC/DC, 100-240 VAC	US$	1,571.00	1,586.00	1,632.00	1,898.00	2,042.00	2,837.00	3,294.00	5,437.00	7,983.00
M8E085-04*							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,825.00	1,840.00	1,886.00	1,949.00	2,093.00	2,842.00	3,365.00	5,551.00	8,097.00
100-240 VAC	US$	1,889.00	1,904.00	1,950.00	2,094.00	2,238.00	3,040.00	3,612.00	5,819.00	8,365.00
Weight (Lbs)/Bracket kit		12.3/RI3519	14.4/RI3519	16.7/RI3520	26.5/RI3521	34/RI4039	68/RI3523	88/RI3522	203/RI3553	317/RI3554

* - EA575 available in 24VDC and 100-240VAC only

NEW

SIZE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"	8"
EXM8E085-00*							With **CSA approved** explosion proof on/off **metal electric** actuator.			
ACT.		EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360	EAX450
24V AC/DC, 110V AC, 220V AC	US$	1,806.00	1,821.00	1,867.00	2,208.00	2,352.00	4,555.00	5,191.00	7,608.00	10,529.00
EXM8E085-02*							With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.			
24V AC/DC, 110V AC, 220V AC	US$	2,616.00	2,631.00	2,677.00	3,019.00	3,163.00	5,365.00	6,002.00	8,419.00	11,339.00
Weight (Lbs)/Bracket Kit		11.21/RI3519	12.36/RI3519	15.15/RI3520	25.65/RI3521	33.8/RI4039	87.61/RI3523	107/RI3522	242.91/RI4040	345.62/RI4040

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 760137 2-way carbon steel ANSI 150 flanged, full port ball valve for steam.



8P760137

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"	8"
ACT.	DA32	DA52	DA52	DA63	DA75	DA85	DA100	DA140	DA160
Est.Wgt. (Lbs.)	7.8	10.2	11.0	21.3	31.5	58.5	80.0	136.5	355.8
Bracket Kit	RI3518	RI3519	RI3520	RI3521	RI3522	RI3523	RI3552	RI3554	RI3554
US$	469.00	544.00	594.00	765.00	988.00	1,470.00	1,902.00	4,428.00	7,571.00

8P760139

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"	8"
ACT.	SR52	SR63	SR63	SR85	SR100	SR125	SR125	SR180	SR200
Est.Wgt. (Lbs.)	9.3	11.8	14.7	27.4	39.7	77.2	96.5	243.2	323.3
Bracket Kit	RI3519	RI3829	RI3525	RI3526	RI3522	RI3528	RI3528	RI3555	RI3554
US$	539.00	585.00	640.00	902.00	1,141.00	1,823.00	2,179.00	5,381.00	8,561.00

SIZE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"	8"
M8E760137-00*						With **UL approved** standard on/off **metal Valbia electric** actuators.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	EA575
24V AC/DC	US$	883.00	900.00	950.00	1,175.00	1,330.00	2,167.00	2,561.00	4,959.00	7,757.00
12V AC/DC, 100-240 VAC	US$	925.00	942.00	992.00	1,218.00	1,373.00	2,287.00	2,717.00	5,023.00	7,821.00
M8E760137-01*						With fail-safe battery back-up **metal Valbia electric** actuators.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	EA575
24V AC/DC	US$	1,598.00	1,615.00	1,665.00	1,871.00	2,026.00	2,910.00	3,396.00	5,755.00	8,553.00
100-240 VAC	US$	1,676.00	1,693.00	1,743.00	1,949.00	2,104.00	2,973.00	3,506.00	5,877.00	8,675.00
M8E7600137-02*						With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	EA575
24V AC/DC	US$	1,501.00	1,518.00	1,568.00	1,843.00	1,998.00	2,849.00	3,331.00	5,654.00	8,452.00
12V AC/DC, 100-240 VAC	US$	1,593.00	1,610.00	1,660.00	1,939.00	2,094.00	2,927.00	3,415.00	5,743.00	8,541.00
M8E760137-04*						With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	EA575
24V AC/DC	US$	1,847.00	1,864.00	1,914.00	1,990.00	2,145.00	2,932.00	3,486.00	5,857.00	8,655.00
100-240 VAC	US$	1,911.00	1,928.00	1,978.00	2,135.00	2,290.00	3,130.00	3,733.00	6,125.00	8,923.00
Weight (Lbs)/Bracket Kit		12.3/RI3519	14.4/RI3519	16.7/RI3520	26.5/RI3521	34.0/RI4039	68/RI3523	88.0/RI3522	203/RI3553	317/RI3554

* - EA575 available in 24VDC and 100-240VAC only

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 68F000 2-way API 608 carbon steel ANSI 150 flanged, full port split body ball valve for fire safe applications.

NEW

8P68F000

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
ACT.	DA32V	DA52V	DA63V	DA75V	DA75V	DA100V	DA115V	DA160V
Est.Wgt. (Lbs.)	7.37	10.75	14.08	23.84	36.84	67.27	111.70	228.13
Bracket Kit	RI5191	RI5192	RI5193	RI5194	RI5195	RI5196	RI3565	RI3554
US$	624.00	737.00	859.00	1,124.00	1,318.00	2,149.00	2,999.00	6,787.00

8P68F002

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
ACT.	SR52V	SR63V	SR63V	SR85V	SR85V	SR115V	SR140V	SR180V
Est.Wgt. (Lbs.)	9.16	12.62	15.95	30.76	35.25	80.39	135.95	280.18
Bracket Kit	RI5192	RI5197	RI3521	RI5195	RI5195	RI4442	RI3997	RI3555
US$	693.00	779.00	878.00	1,166.00	1,417.00	2,351.00	3,179.00	7,955.00

SIZE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
M8E68F000-00*					With **UL approved** standard on/off **metal Valbia electric** actuator.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	C/F
24V AC/DC	US$	1,037.00	1,093.00	1,188.00	1,464.00	2,044.00	2,820.00	3,760.00	C/F
12V AC/DC, 100-240VAC	US$	1,079.00	1,135.00	1,230.00	1,507.00	2,164.00	2,976.00	3,805.00	C/F
M8E68F000-01*					With fail-safe battery back-up **metal Valbia electric** actuator.				
24V AC/DC	US$	1,752.00	1,808.00	1,903.00	2,160.00	2,787.00	3,655.00	4,471.00	C/F
100-240 VAC	US$	1,830.00	1,886.00	1,981.00	2,238.00	2,850.00	3,765.00	4,581.00	C/F
M8E68F000-02*					With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	1,655.00	1,711.00	1,806.00	2,132.00	2,726.00	3,590.00	4,443.00	C/F
12V AC/DC, 100-240VAC	US$	1,747.00	1,803.00	1,898.00	2,228.00	2,804.00	3,674.00	4,528.00	C/F
M8E68F000-04*					With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	2,001.00	2,057.00	2,152.00	2,279.00	2,809.00	3,745.00	4,566.00	C/F
100-240 VAC	US$	2,065.00	2,121.00	2,216.00	2,424.00	3,007.00	3,992.00	4,757.00	C/F
Weight (Lbs)/Bracket Kit		13.59/RI5192	15.58/RI5192	18.91/RI5193	30.08/RI5194	46.94/RI5195	73.84/RI5196	108.79/RI3565	C/F

SIZE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
EXM8E68F000-00*					With 0-10VDC or 4-20 mA **explosion proof** positioning **metal electric** actuator.				
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX360	C/F
24V AC/DC, 110 VAC, 220VAC	US$	1,982.00	2,038.00	2,133.00	2,538.00	4,522.00	5,584.00	6,807.00	C/F
EXM8E68F000-02*					With fail-safe battery backup and with 0-10VDC or 4-20 mA **explosion proof** positioning **metal electric** actuator.				
24V AC/DC, 110 VAC, 220VAC	US$	2,792.00	2,848.00	2,943.00	3,349.00	5,332.00	6,395.00	7,618.00	C/F
Weight (Lbs)/Bracket Kit		10.29/RI5192	12.28/RI5192	15.61/RI5193	27.18/RI5194	65.24/RI5195	92.14/RI5196	155.90/RI3565	C/F

* VOLTAGE SUFFIX			
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC or 110V AC	4 = 220V AC

Valpres 761031 2-way carbon steel, ANSI 300 flanged, Fire Safe design, full port ball valve.



8P761031

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	DA52	DA63	DA63	DA75	DA85	DA100	DA115	DA180
Weight (Lbs)	7.5	11.4	16.5	28.2	34.2	71.6	109.9	253.0
Bracket kit	RI3519	RI3829	RI3563	RI3521	RI3522	RI3552	RI3565	RI3555
US$	533.00	595.00	685.00	902.00	1,051.00	1,670.00	2,198.00	5,438.00

8P761033

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	SR63	SR85	SR85	SR100	SR115	SR125	SR160	SR270
Weight (Lbs)	10.4	18.3	23.4	37.5	51.6	92.8	155.4	388.0
Bracket kit	RI3829	RI3571	RI3573	RI4117	RI3527	RI3528	RI3997	RI3753
US$	574.00	732.00	822.00	1,058.00	1,309.00	1,947.00	3,082.00	9,100.00

SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"
8E761031-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.		
ACT.		VB030	VB030	VB030	VB060	VB060	VB190	VB270
24V AC/DC	US$	789.00	825.00	907.00	1,122.00	1,244.00	1,898.00	2,357.00
12V AC/DC, 100-240 VAC	US$	831.00	867.00	949.00	1,191.00	1,313.00	1,989.00	2,462.00
8E761031-01*						With fail-safe battery back-up **plastic Valbia electric** actuator.		
ACT.		VB030	VB030	VB030	VB060	VB060	VB190	VB270
24V AC/DC	US$	1,267.00	1,303.00	1,385.00	1,615.00	1,737.00	2,476.00	2,947.00
100-240 VAC	US$	1,332.00	1,368.00	1,450.00	1,675.00	1,797.00	2,542.00	3,014.00
8E761031-02*						With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.		
24V AC/DC	US$	1,208.00	1,244.00	1,326.00	1,534.00	1,656.00	2,342.00	2,837.00
12V AC/DC, 100-240 VAC	US$	1,295.00	1,331.00	1,413.00	1,620.00	1,742.00	2,455.00	2,927.00
8E761031-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.		
24V AC/DC	US$	1,376.00	1,412.00	1,494.00	1,731.00	1,853.00	2,625.00	3,124.00
100-240 VAC	US$	1,448.00	1,484.00	1,566.00	1,788.00	1,910.00	2,699.00	3,200.00
Weight (Lbs)/Bracket kit		6.0/RI3519	7.5/RI3519	11.8/RI4116	15.3/RI3521	20.0/RI4039	52.2/RI3552	82.2/RI3565

SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"
M8E761031-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.		
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB190M	VB270M
24V AC/DC	US$	889.00	925.00	1,007.00	1,242.00	1,364.00	2,341.00	2,959.00
12V AC/DC, 100-240 VAC	US$	931.00	967.00	1,049.00	1,285.00	1,407.00	2,497.00	3,004.00
M8E761031-01*						With fail-safe battery back-up **metal Valbia electric** actuator.		
24V AC/DC	US$	1,604.00	1,640.00	1,722.00	1,938.00	2,060.00	3,176.00	3,670.00
100-240 VAC	US$	1,682.00	1,718.00	1,800.00	2,016.00	2,138.00	3,286.00	3,780.00
M8E761031-02*						With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	1,507.00	1,543.00	1,625.00	1,910.00	2,032.00	3,111.00	3,642.00
12V AC/DC, 100-240 VAC	US$	1,599.00	1,635.00	1,717.00	2,006.00	2,128.00	3,195.00	3,727.00
M8E761031-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	1,853.00	1,889.00	1,971.00	2,057.00	2,179.00	3,266.00	3,765.00
100-240 VAC	US$	1,917.00	1,953.00	2,035.00	2,202.00	2,324.00	3,513.00	3,956.00
Weight (Lbs)/Bracket kit		8.5/RI3519	10.0/RI3519	14.8/RI4116	18.0/RI3521	23.0/RI4039	61.0/RI3552	91.0/RI3565

NEW

SIZE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
EXM8E761031-00*						With **CSA approved** explosion proof on/off **metal electric** actuator.			
ACT.		EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,834.00	1,870.00	1,952.00	2,316.00	2,438.00	4,772.00	6,006.00	C/F
EXM8E761031-02*						With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.			
24V AC/DC, 110V AC, 220V AC	US$	2,644.00	2,680.00	2,762.00	3,127.00	3,249.00	5,582.00	6,817.00	C/F
Weight (Lbs)/Bracket Kit		12.07/RI3519	14.71/RI3519	18.46/RI4116	32.04/RI3521	36.45/RI4039	99.51/RI3552	161.36/RI3565	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

NEW

Valpres 68F100 2-way API 608 carbon steel ANSI 300 flanged, full port split body ball valve for fire safe applications.

8P68F100

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
ACT.	DA52V	DA63V	DA63V	DA75V	DA85V	DA115V	DA140V	DA200V
Est.Wgt. (Lbs.)	10.31	14.58	18.77	32.71	42.35	92.07	154.48	324.94
Bracket Kit	RI5192	RI5192	RI3521	RI5195	RI5195	RI5198	RI3565	RI3555
US$	777.00	861.00	903.00	1,347.00	1,534.00	2,696.00	3,803.00	8,864.00

8P68F102

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
ACT.	SR63V	SR63V	SR75V	SR85V	SR100V	SR125V	SR180V	SR230V
Est.Wgt. (Lbs.)	12.18	15.26	22.58	37.16	49.19	103.61	206.52	399.91
Bracket Kit	RI5192	RI5197	RI5131	RI5195	RI5195	RI4331	RI3997	RI3753
US$	819.00	876.00	1,081.00	1,411.00	1,658.00	2,848.00	4,778.00	11,401.00

SIZE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
M8E68F100-00*							With **UL approved** standard on/off **metal Valbia electric** actuator.		
ACT.		VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	C/F	C/F
24V AC/DC	US$	1,133.00	1,190.00	1,371.00	1,663.00	2,231.00	3,249.00	C/F	C/F
12V AC/DC, 100-240VAC	US$	1,175.00	1,232.00	1,414.00	1,706.00	2,351.00	3,405.00	C/F	C/F
M8E68F100-01*							With fail-safe battery back-up **metal Valbia electric** actuator.		
24V AC/DC	US$	1,848.00	1,905.00	2,067.00	2,359.00	2,974.00	4,084.00	C/F	C/F
100-240 VAC	US$	1,926.00	1,983.00	2,145.00	2,437.00	3,037.00	4,194.00	C/F	C/F
M8E68F100-02*							With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	1,751.00	1,808.00	2,039.00	2,331.00	2,913.00	4,019.00	C/F	C/F
12V AC/DC, 100-240VAC	US$	1,843.00	1,900.00	2,135.00	2,427.00	2,991.00	4,103.00	C/F	C/F
M8E68F100-04*							With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	2,097.00	2,154.00	2,186.00	2,478.00	2,996.00	4,174.00	C/F	C/F
100-240 VAC	US$	2,161.00	2,218.00	2,331.00	2,623.00	3,194.00	4,421.00	C/F	C/F
Weight (Lbs)/Bracket Kit		15.14/RI5192	18.22/RI5192	25.01/RI5193	36.48/RI5194	52.45/RI5195	91.26/RI5198	C/F	C/F

SIZE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
EXM8E68F100-00*							With 0-10VDC or 4-20 mA **explosion proof** positioning **metal electric** actuator		
ACT.		EAX035	EAX035	EAX035	EAX080	EAX080	EAX360	C/F	C/F
24V AC/DC, 110 VAC, 220VAC	US$	2,078.00	2,135.00	2,235.00	4,527.00	4,709.00	6,504.00	C/F	C/F
EXM8E68F100-02*							With fail-safe battery backup and with 0-10VDC or 4-20 mA **explosion proof** positioning **metal electric** actuator.		
24V AC/DC, 110 VAC, 220VAC	US$	2,888.00	2,945.00	3,045.00	5,337.00	5,519.00	7,315.00	C/F	C/F
Weight (Lbs)/Bracket Kit		11.84/RI5192	14.92/RI5192	19.11/RI5193	63.58/RI5194	70.75/RI5195	140.56/RI5198	C/F	C/F

* VOLTAGE SUFFIX			
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC or 110V AC	4 = 220V AC

Valpres 760150 2-way carbon steel, ANSI 600 flanged, Fire Safe design, full port ball valve.



8P760150

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"
ACT.	DA52	DA52	DA63	DA85	DA85	DA125	DA160
Weight (Lbs)	13.6	17.8	25.3	55.7	67.9	141.5	266.9
Bracket kit	RI3519	RI3519	RI3563	RI3526	RI3522	RI3565	RI3997
US$	1,140.00	1,286.00	1,397.00	1,935.00	2,188.00	4,033.00	6,253.00

8P760151

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"
ACT.	SR63	SR75	SR85	SR115	SR115	SR160	SR180
Weight (Lbs)	15.5	23	32.5	72.4	84.5	182.7	306.9
Bracket kit	RI3829	RI3571	RI3573	RI4754	RI3227	RI3997	RI4755
US$	1,181.00	1,410.00	1,534.00	2,247.00	2,446.00	4,844.00	7,266.00

Valpres 68F400 2-way API 608 carbon steel ANSI 600 flanged, full port split body ball valve for fire safe applications.

NEW



8P68F400

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1-1/2"	2"
ACT.	DA52V	DA63V	DA75V	DA85V	DA100V
Est.Wgt. (Lbs.)	11.41	15.91	23.01	38.71	52.50
Bracket Kit	RI5192	RI5197	RI3521	RI5195	RI5195
US$	929.00	1,015.00	1,196.00	1,667.00	1,902.00

8P68F402

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1-1/2"	2"
ACT.	SR63V	SR75V	SR85V	SR100V	SR115V
Est.Wgt. (Lbs.)	13.28	19.72	27.46	45.55	65.62
Bracket Kit	RI5197	RI5199	RI5131	RI5195	RI5172
US$	971.00	1,112.00	1,343.00	1,791.00	2,095.00

SIZE		1/2"	3/4"	1"	1-1/2"	2"
M8E68F400-00*				With **UL approved** standard on/off **metal Valbia electric** actuator.		
ACT.		VB030M	VB030M	VB060M	VB110M	VB190M
24V AC/DC	US$	1,285.00	1,344.00	1,536.00	2,364.00	2,573.00
12V AC/DC, 100-240VAC	US$	1,327.00	1,386.00	1,579.00	2,484.00	2,729.00
M8E68F400-01*				With fail-safe battery back-up **metal Valbia electric** actuator.		
24V AC/DC	US$	2,000.00	2,059.00	2,232.00	3,107.00	3,408.00
100-240 VAC	US$	2,078.00	2,137.00	2,310.00	3,170.00	3,518.00
M8E68F400-02*				With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	1,903.00	1,962.00	2,204.00	3,046.00	3,343.00
12V AC/DC, 100-240VAC	US$	1,995.00	2,054.00	2,300.00	3,124.00	3,427.00
M8E68F400-04*				With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	2,249.00	2,308.00	2,351.00	3,129.00	2,045.00
100-240 VAC	US$	2,313.00	2,372.00	2,496.00	3,327.00	3,745.00
Weight (Lbs)/Bracket Kit		16.24/RI5192	19.55/RI5192	26.78/RI3521	48.81/RI5195	59.07/RI5195

SIZE		1/2"	3/4"	1"	1-1/2"	2"
EXM8E68F400-00*				With 0-10VDC or 4-20 mA **explosion proof** positioning **metal electric** actuator.		
ACT.		EAX035	EAX035	EAX045	EAX080	EAX130
24V AC/DC, 110 VAC, 220VAC	US$	2,230.00	2,289.00	2,610.00	4,842.00	5,337.00
EXM8E68F400-02*				With fail-safe battery backup and with 0-10VDC or 4-20 mA **explosion proof** positioning **metal electric** actuator.		
24V AC/DC, 110 VAC, 220VAC	US$	3,040.00	3,099.00	3,421.00	5,652.00	6,148.00
Weight (Lbs)/Bracket Kit		12.94/RI5192	16.25/RI5192	23.88/RI3521	67.11/RI5195	77.37/RI5195

* VOLTAGE SUFFIX			
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC or 110V AC	4 = 220V AC

Valpres 766000 2-way stainless steel direct mount ANSI 150 flanged, Fire Safe design, full port ball valve.

8P766000

With **double acting Valbia pneumatic** actuator.

SIZE	1"	1 1/2"	2"	3"	4"
ACT.	DA52	DA63	DA75	DA85	DA100
Weight (Lbs)	10.9	19.1	27.4	48.1	65.8
US$	547.00	735.00	964.00	1,578.00	2,145.00

8P766002

With **spring return Valbia pneumatic** actuator.

SIZE	1"	1 1/2"	2"	3"	4"
ACT.	SR63	SR85	SR100	SR125	SR125
Weight (Lbs)	12.8	26.2	36.7	70.6	84.7
US$	595.00	831.00	1,028.00	1,852.00	2,425.00

SIZE		1"	1 1/2"	2"	3"	4"
8E766000-00*				With **UL approved** standard on/off **plastic Valbia electric** actuator.		
ACT.		VB030	VB060	VB060	VB110	VB190
24V AC/DC	US$	803.00	1,025.00	1,183.00	1,851.00	2,373.00
12V AC/DC, 100-240 VAC	US$	845.00	1,094.00	1,252.00	1,929.00	2,464.00
8E766000-01*				With fail-safe battery back-up **plastic Valbia electric** actuator.		
ACT.		VB030	VB060	VB060	VB110	VB190
24V AC/DC	US$	1,281.00	1,518.00	1,676.00	2,378.00	2,951.00
100-240 VAC	US$	1,346.00	1,578.00	1,736.00	2,427.00	3,017.00
8E766000-02*				With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.		
24V AC/DC	US$	1,222.00	1,437.00	1,595.00	2,241.00	2,817.00
12V AC/DC, 100-240 VAC	US$	1,309.00	1,523.00	1,681.00	2,325.00	2,930.00
8E766000-04*				With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.		
24V AC/DC	US$	1,390.00	1,634.00	1,792.00	2,518.00	3,100.00
100-240 VAC	US$	1,462.00	1,691.00	1,849.00	2,601.00	3,174.00
Weight (Lbs)		11.8	15.3	20.0	52.2	82.2

SIZE		1"	1 1/2"	2"	3"	4"
M8E766000-00*				With **UL approved** standard on/off **metal Valbia electric** actuator.		
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US$	903.00	1,145.00	1,303.00	2,274.00	2,816.00
12V AC/DC, 100-240 VAC	US$	945.00	1,188.00	1,346.00	2,394.00	2,972.00
M8E766000-01*				With fail-safe battery back-up **metal Valbia electric** actuator.		
24V AC/DC	US$	1,618.00	1,841.00	1,999.00	3,017.00	3,651.00
100-240 VAC	US$	1,696.00	1,919.00	2,077.00	3,080.00	3,761.00
M8E766000-02*				With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	1,521.00	1,813.00	1,971.00	2,956.00	3,586.00
12V AC/DC, 100-240 VAC	US$	1,613.00	1,909.00	2,067.00	3,034.00	3,670.00
M8E766000-04*				With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	1,867.00	1,960.00	2,118.00	3,039.00	3,741.00
100-240 VAC	US$	1,931.00	2,105.00	2,263.00	3,237.00	3,988.00
Weight (Lbs)		14.3	18.0	22.7	61.0	91.0

NEW

SIZE		1"	1-1/2"	2"	3"	4"
EXM8E766000-00*				With **CSA approved** explosion proof on/off **metal electric** actuato.		
ACT.		EAX035	EAX045	EAX045	EAX080	EAX130
24V AC/DC, 110V AC, 220V AC	US$	1,848.00	2,219.00	2,377.00	4,752.00	5,580.00
EXM8E766000-02*				With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.		
24V AC/DC, 110V AC, 220V AC	US$	2,658.00	3,030.00	3,188.00	5,562.00	6,391.00
Weight (Lbs)		12.38	22.43	28.16	76.45	90.56

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 760005 2-way stainless steel ANSI 150 flanged, Fire Safe design, full port ball valve.



8P0177

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
ACT.	DA32	DA52	DA52	DA63	DA75	DA85	DA100	DA140	DA160
Weight (Lbs)	7.8	10.2	11.0	21.3	31.5	58.5	80.0	136.5	355.8
Bracket kit	RI3518	RI3519	RI3520	RI3521	RI3522	RI3523	RI3552	RI3554	RI3554
US$	512.00	603.00	670.00	915.00	1,252.00	2,012.00	2,638.00	5,794.00	10,448.00

8P0178

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
ACT.	SR52	SR63	SR63	SR85	SR100	SR125	SR125	SR180	SR200
Weight (Lbs)	9.3	11.8	14.7	27.4	39.7	77.2	96.5	243.2	323.3
Bracket kit	RI3519	RI3829	RI3525	RI3526	RI3522	RI3528	RI3528	RI3555	RI3555
US$	582.00	644.00	716.00	1,052.00	1,405.00	2,365.00	2,915.00	6,756.00	11,447.00

SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
8E079-00*							With **UL approved** standard on/off **plastic Valbia electric** actuator.			
ACT.		VB015	VB015	VB030	VB060	VB060	VB110	VB190	VB350	VB350
24V AC/DC	US$	656.00	689.00	926.00	1,205.00	1,474.00	2,286.00	2,854.00	5,770.00	10,078.00
12V AC/DC, 100-240 VAC	US$	707.00	740.00	968.00	1,274.00	1,543.00	2,364.00	2,945.00	5,834.00	10,142.00
8E079-01*							With fail-safe battery back-up **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB350	VB350
24V AC/DC	US$	1,304.00	1,337.00	1,404.00	1,698.00	1,967.00	2,813.00	3,432.00	6,313.00	10,621.00
100-240 VAC	US$	1,369.00	1,402.00	1,469.00	1,758.00	2,027.00	2,862.00	3,498.00	6,387.00	10,695.00
8E079-02*							With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,245.00	1,278.00	1,345.00	1,617.00	1,886.00	2,676.00	3,298.00	6,197.00	10,505.00
12V AC/DC, 100-240 VAC	US$	1,332.00	1,365.00	1,432.00	1,703.00	1,972.00	2,760.00	3,411.00	6,269.00	10,577.00
8E079-04*							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,413.00	1,446.00	1,513.00	1,814.00	2,083.00	2,953.00	3,581.00	6,504.00	10,812.00
100-240 VAC	US$	1,485.00	1,518.00	1,585.00	1,871.00	2,140.00	3,036.00	3,655.00	6,566.00	10,874.00
Weight (Lbs)/Bracket kit		7.8/RI3519	9.1/RI3519	14.2/RI3520	23.7/RI3521	31.2/RI4039	60.0/RI3523	80.2/RI3522	195.3/RI3553	285.5/RI3554

SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
M8E079-00*							With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	EA575 *
24V AC/DC	US$	926.00	959.00	1,026.00	1,325.00	1,594.00	2,709.00	3,297.00	6,320.00	10,634.00
12V AC/DC, 100-240 VAC	US$	968.00	1,001.00	1,068.00	1,368.00	1,637.00	2,829.00	3,453.00	6,384.00	10,698.00
M8E079-01*							With fail-safe battery back-up **metal Valbia electric** actuator.			
24V AC/DC	US$	1,641.00	1,674.00	1,741.00	2,021.00	2,290.00	3,452.00	4,132.00	7,116.00	11,430.00
100-240 VAC	US$	1,719.00	1,752.00	1,819.00	2,099.00	2,368.00	3,515.00	4,242.00	7,238.00	11,552.00
M8E079-02*							With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,544.00	1,577.00	1,644.00	1,993.00	2,262.00	3,391.00	4,067.00	7,015.00	11,329.00
12V AC/DC, 100-240 VAC	US$	1,636.00	1,669.00	1,736.00	2,089.00	2,358.00	3,469.00	4,151.00	7,104.00	11,418.00
M8E079-04*							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,890.00	1,923.00	1,990.00	2,140.00	2,409.00	3,474.00	4,222.00	7,218.00	11,532.00
100-240 VAC	US$	1,954.00	1,987.00	2,054.00	2,285.00	2,554.00	3,672.00	4,469.00	7,486.00	11,800.00
Weight (Lbs)/Bracket kit		12.3/RI3519	14.4/RI3519	16.7/RI3520	26.5/RI3521	34.0/RI4039	68/RI3523	88.0/RI3522	203/RI3553	317/RI3554

* - EA575 available in 24VDC and 100-240VAC only

NEW

SIZE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"	8"
EXME079-00*							With **CSA approved** explosion proof on/off **metal electric** actuator.			
ACT.		EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360	EAX450
24V AC/DC, 110V AC, 220V AC	US$	1,871.00	1,904.00	1,971.00	2,399.00	2,668.00	5,187.00	6,048.00	9,281.00	13,964.00
EXME079-02*							With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.			
24V AC/DC, 110V AC, 220V AC	US$	2,681.00	2,714.00	2,781.00	3,210.00	3,479.00	5,997.00	6,859.00	10,092.00	14,774.00
Weight (Lbs)/Bracket Kit		11.21/RI3519	12.36/RI3519	15.15/RI3520	25.65/RI3521	33.8/RI4039	87.61/RI3523	107/RI3522	242.91/RI4040	345.62/RI4040

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 760021 2-way stainless steel ANSI 150 flanged, full port ball valve for steam.



8P760021

With **double acting Valbia pneumatic** actuator.

SIZE	1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”	8”
ACT.	DA32	DA52	DA52	DA63	DA75	DA85	DA100	DA140	DA160
Est.Wgt. (Lbs.)	7.8	10.2	11.0	21.3	31.5	58.5	80.0	136.5	355.8
Bracket Kit	RI3518	RI3519	RI3520	RI3521	RI3522	RI3523	RI3552	RI3554	RI3554
US$	541.00	635.00	708.00	976.00	1,336.00	2,166.00	2,845.00	6,267.00	10,933.00

8P760023

With **spring return Valbia pneumatic** actuator.

SIZE	1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”	8”
ACT.	SR52	SR63	SR63	SR85	SR100	SR125	SR125	SR180	SR200
Est.Wgt. (Lbs.)	9.3	11.8	14.7	27.4	39.7	77.2	96.5	243.2	323.3
Bracket Kit	RI3519	RI3829	RI3525	RI3526	RI3522	RI3528	RI3528	RI3555	RI3555
US$	611.00	676.00	754.00	1,113.00	1,489.00	2,519.00	3,122.00	7,229.00	11,932.00

SIZE		1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”	8”
M8E760021-00*						With **UL approved** standard on/off **metal Valbia electric** actuators.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	EA575 *
24V AC/DC	US$	955.00	991.00	1,064.00	1,386.00	1,678.00	2,863.00	3,504.00	6,793.00	11,119.00
12V AC/DC, 100-240 VAC	US$	997.00	1,033.00	1,106.00	1,429.00	1,721.00	2,983.00	3,660.00	6,857.00	11,183.00
M8E760021-01*						With fail-safe battery back-up **metal Valbia electric** actuators.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	EA575 *
24V AC/DC	US$	1,670.00	1,706.00	1,779.00	2,082.00	2,374.00	3,606.00	4,339.00	7,589.00	11,915.00
100-240 VAC	US$	1,748.00	1,784.00	1,857.00	2,160.00	2,452.00	3,669.00	4,449.00	7,711.00	12,037.00
M8E760021-02*						With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	EA575 *
24V AC/DC	US$	1,573.00	1,609.00	1,682.00	2,054.00	2,346.00	3,545.00	4,274.00	7,488.00	11,814.00
12V AC/DC, 100-240 VAC	US$	1,665.00	1,701.00	1,774.00	2,150.00	2,442.00	3,623.00	4,358.00	7,577.00	11,903.00
M8E760021-04*						With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	EA575 *
24V AC/DC	US$	1,919.00	1,955.00	2,028.00	2,201.00	2,493.00	3,628.00	4,429.00	7,691.00	12,017.00
100-240 VAC	US$	1,983.00	2,019.00	2,092.00	2,346.00	2,638.00	3,826.00	4,676.00	7,959.00	12,285.00
Weight (Lbs)/Bracket Kit		12.3/RI3519	14.4/RI3519	16.7/RI3520	26.5/RI3521	34.0/RI4039	68/RI3523	88.0/RI3522	203/RI3553	317/RI3554

* - EA575 available in 24VDC and 100-240VAC only

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 68J000 2-way API 608 stainless steel ANSI 150 flanged, full port split body ball valve for fire safe applications.

NEW

8P68J000

With **double acting Valbia pneumatic** actuator.

SIZE	1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”
ACT.	DA32V	DA52V	DA63V	DA75V	DA75V	DA100V	DA115V	DA160V
Est.Wgt. (Lbs.)	7.37	10.75	14.08	23.84	36.84	67.27	111.70	228.13
Bracket Kit	RI5191	RI5192	RI5193	RI5194	RI5195	RI5196	RI3565	RI3554
US$	746.00	890.00	1,036.00	1,372.00	1,629.00	2,691.00	3,776.00	8,789.00

8P68J002

With **spring return Valbia pneumatic** actuator.

SIZE	1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”
ACT.	SR52V	SR63V	SR63V	SR85V	SR85V	SR115V	SR140V	SR180V
Est.Wgt. (Lbs.)	9.16	12.62	15.95	30.76	35.25	80.39	135.95	280.18
Bracket Kit	RI5192	RI5197	RI3521	RI5195	RI5195	RI4442	RI3997	RI3555
US$	815.00	932.00	1,055.00	1,414.00	1,782.00	2,893.00	3,956.00	9,784.00

SIZE		1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”
M8E68J000-00*					With **UL approved** standard on/off **metal Valbia electric** actuator.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	C/F
24V AC/DC	US$	1,159.00	1,246.00	1,365.00	1,712.00	2,355.00	3,362.00	4,537.00	C/F
12V AC/DC, 100-240VAC	US$	1,201.00	1,288.00	1,407.00	1,755.00	2,475.00	3,518.00	4,582.00	C/F
M8E68J000-01*					With fail-safe battery back-up **metal Valbia electric** actuator.				
24V AC/DC	US$	1,874.00	1,961.00	2,080.00	2,408.00	3,098.00	4,197.00	5,248.00	C/F
100-240 VAC	US$	1,952.00	2,039.00	2,158.00	2,486.00	3,161.00	4,307.00	5,358.00	C/F
M8E68J000-02*					With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	1,777.00	1,864.00	1,983.00	2,380.00	3,037.00	4,132.00	5,220.00	C/F
12V AC/DC, 100-240VAC	US$	1,869.00	1,956.00	2,075.00	2,476.00	3,115.00	4,216.00	5,305.00	C/F
M8E68J000-04*					With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	2,123.00	2,210.00	2,329.00	2,527.00	3,120.00	4,287.00	5,343.00	C/F
100-240 VAC	US$	2,187.00	2,274.00	2,393.00	2,672.00	3,318.00	4,534.00	5,534.00	C/F
Weight (Lbs)/Bracket Kit		13.59/RI5192	15.58/RI5192	18.91/RI5193	30.08/RI5194	46.94/RI5195	73.84/RI5196	108.79/RI3565	C/F

SIZE		1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”
EXM8E68J000-00*					With 0-10VDC or 4-20 mA explosion proof positioning **metal electric** actuator.				
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX360	C/F
24V AC/DC, 110 VAC, 220VAC	US$	2,104.00	2,191.00	2,310.00	2,786.00	4,833.00	6,126.00	7,584.00	C/F
EXM8E68J000-02*					With fail-safe battery backup and with 0-10VDC or 4-20 mA explosion proof positioning **metal electric** actuator.				
24V AC/DC, 110 VAC, 220VAC	US$	2,914.00	3,001.00	3,120.00	3,597.00	5,643.00	6,937.00	8,395.00	C/F
Weight (Lbs)/Bracket Kit		10.29/RI5192	12.28/RI5192	15.61/RI5193	27.18/RI5194	65.24/RI5195	92.14/RI5196	155.90/RI3565	C/F

* VOLTAGE SUFFIX			
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC or 110V AC	4 = 220V AC

Valpres 761030 2-way stainless steel ANSI 300 flanged, Fire Safe design, full port ball valve.



8P761030

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	DA52	DA63	DA63	DA75	DA85	DA100	DA115	DA180
Weight (Lbs)	7.5	11.4	16.5	28.2	34.2	71.6	109.9	253.0
Bracket kit	RI3519	RI3829	RI3563	RI3526	RI3522	RI3552	RI3565	RI3555
US$	618.00	695.00	865.00	1,179.00	1,354.00	2,378.00	3,279.00	8,245.00

8P761032

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	SR63	SR85	SR85	SR100	SR115	SR125	SR160	SR270
Weight (Lbs)	10.4	18.3	23.4	37.5	51.6	92.8	155.4	388.0
Bracket kit	RI3829	RI3571	RI3573	RI4117	RI3527	RI3528	RI3997	RI3753
US$	659.00	832.00	1,002.00	1,332.00	1,612.00	2,655.00	4,163.00	11,898.00

SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"
8E761030-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.								
ACT.		VB030	VB030	VB030	VB060	VB060	VB190	VB270
24V AC/DC	US$	874.00	925.00	1,087.00	1,396.00	1,547.00	2,606.00	3,438.00
12V AC/DC, 100-240 VAC	US$	916.00	967.00	1,129.00	1,465.00	1,616.00	2,697.00	3,543.00
8E761030-01* With fail-safe battery back-up **plastic Valbia electric** actuator.								
ACT.		VB030	VB030	VB030	VB060	VB060	VB190	VB270
24V AC/DC	US$	1,352.00	1,403.00	1,565.00	1,889.00	2,040.00	3,184.00	4,028.00
100-240 VAC	US$	1,417.00	1,468.00	1,630.00	1,949.00	2,100.00	3,250.00	4,095.00
8E761030-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.								
24V AC/DC	US$	1,293.00	1,344.00	1,506.00	1,808.00	1,959.00	3,050.00	3,918.00
12V AC/DC, 100-240 VAC	US$	1,380.00	1,431.00	1,593.00	1,894.00	2,045.00	3,163.00	4,008.00
8E761030-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.								
24V AC/DC	US$	1,461.00	1,512.00	1,674.00	2,005.00	2,156.00	3,333.00	4,205.00
100-240 VAC	US$	1,533.00	1,584.00	1,746.00	2,062.00	2,213.00	3,407.00	4,281.00
Weight (Lbs)/Bracket kit		6.0/RI3519	7.5/RI3519	11.8/RI4116	15.3/RI3521	20.0/RI4039	52.2/RI3552	82.2/RI3565

SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"
M8E761030-00* With **UL approved** standard on/off **metal Valbia electric** actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB190M	VB270M
24V AC/DC	US$	974.00	1,025.00	1,187.00	1,516.00	1,667.00	3,049.00	4,040.00
12V AC/DC, 100-240 VAC	US$	1,016.00	1,067.00	1,229.00	1,559.00	1,710.00	3,205.00	4,085.00
M8E761030-01* With fail-safe battery back-up **metal Valbia electric** actuator.								
24V AC/DC	US$	1,689.00	1,740.00	1,902.00	2,212.00	2,363.00	3,884.00	4,751.00
100-240 VAC	US$	1,767.00	1,818.00	1,980.00	2,290.00	2,441.00	3,994.00	4,861.00
M8E761030-02* With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.								
24V AC/DC	US$	1,592.00	1,643.00	1,805.00	2,184.00	2,335.00	3,819.00	4,723.00
12V AC/DC, 100-240 VAC	US$	1,684.00	1,735.00	1,897.00	2,280.00	2,431.00	3,903.00	4,808.00
M8E761030-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.								
24V AC/DC	US$	1,938.00	1,989.00	2,151.00	2,331.00	2,482.00	4,221.00	4,846.00
100-240 VAC	US$	2,002.00	2,053.00	2,215.00	2,476.00	2,627.00	4,221.00	5,037.00
Weight (Lbs)/Bracket kit		8.5/RI3519	10.0/RI3519	14.3/RI4116	18.0/RI3521	23.0/RI4039	61.0/RI3552	91.0/RI3565

NEW

SIZE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
EXM8E761030-00* With **CSA approved** explosion proof on/off **metal electric** actuator.									
ACT.		EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,919.00	1,970.00	2,132.00	2,590.00	2,741.00	5,480.00	7,087.00	C/F
EXM8E761030-02* With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.									
24V AC/DC, 110V AC, 220V AC	US$	2,729.00	2,780.00	2,942.00	3,401.00	3,552.00	6,290.00	7,898.00	C/F
Weight (Lbs)/Bracket Kit		12.07/RI3519	14.71/RI3519	18.46/RI4116	32.04/RI3521	36.45/RI4039	99.51/RI3552	161.36/RI3565	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 68J100 2-way API 608 stainless steel ANSI 300 flanged, full port split body ball valve for fire safe applications.

NEW

8P68J100

With **double acting Valbia pneumatic** actuator.

SIZE	1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”
ACT.	DA52V	DA63V	DA63V	DA75V	DA85V	DA115V	DA140V	DA200V
Est.Wgt. (Lbs.)	10.31	14.58	18.77	32.71	42.35	92.07	154.48	324.94
Bracket Kit	RI5192	RI5192	RI3521	RI5195	RI5195	RI5198	RI3565	RI3555
US$	921.00	1,030.00	1,130.00	1,654.00	1,949.00	3,438.00	4,952.00	11,296.00

8P68J102

With **spring return Valbia pneumatic** actuator.

SIZE	1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”
ACT.	SR63V	SR63V	SR75V	SR85V	SR100V	SR125V	SR180V	SR230V
Est.Wgt. (Lbs.)	12.18	15.26	22.58	37.16	49.19	103.61	206.52	399.91
Bracket Kit	RI5192	RI5197	RI5131	RI5195	RI5195	RI4331	RI3997	RI3753
US$	963.00	1,045.00	1,308.00	1,718.00	2,073.00	3,590.00	5,927.00	13,833.00

SIZE		1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”
M8E68J100-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	C/F	C/F
24V AC/DC	US$	1,277.00	1,359.00	1,598.00	1,970.00	2,646.00	3,991.00	C/F	C/F
12V AC/DC, 100-240VAC	US$	1,319.00	1,401.00	1,641.00	2,013.00	2,766.00	4,147.00	C/F	C/F
M8E68J100-01*						With fail-safe battery back-up **metal Valbia electric** actuator.			
24V AC/DC	US$	1,992.00	2,074.00	2,294.00	2,666.00	3,389.00	4,826.00	C/F	C/F
100-240 VAC	US$	2,070.00	2,152.00	2,372.00	2,744.00	3,452.00	4,936.00	C/F	C/F
M8E68J100-02*						With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,895.00	1,977.00	2,266.00	2,638.00	3,328.00	4,761.00	C/F	C/F
12V AC/DC, 100-240VAC	US$	1,987.00	2,069.00	2,362.00	2,734.00	3,406.00	4,845.00	C/F	C/F
M8E68J100-04*						With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	2,241.00	2,323.00	2,413.00	2,785.00	3,411.00	4,916.00	C/F	C/F
100-240 VAC	US$	2,305.00	2,387.00	2,558.00	2,930.00	3,609.00	5,163.00	C/F	C/F
Weight (Lbs)/Bracket Kit		15.14/RI5192	18.22/RI5192	25.01/RI5193	36.48/RI5194	52.45/RI5195	91.26/RI5198	C/F	C/F



SIZE		1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”
EXM8E68J100-00*						With 0-10VDC or 4-20 mA explosion proof positioning **metal electric** actuator.			
ACT.		EAX035	EAX035	EAX035	EAX080	EAX080	EAX360	EAX360	C/F
24V AC/DC, 110 VAC, 220VAC	US$	2,222.00	2,304.00	2,462.00	4,834.00	5,124.00	7,246.00	C/F	C/F
EXM8E68J100-02*						With fail-safe battery backup and with 0-10VDC or 4-20 mA explosion proof positioning **metal electric** actuator.			
24V AC/DC, 110 VAC, 220VAC	US$	3,032.00	3,114.00	3,272.00	5,644.00	5,934.00	8,057.00	C/F	C/F
Weight (Lbs)/Bracket Kit		11.84/RI5192	14.92/RI5192	19.11/RI5193	63.58/RI5194	70.75/RI5195	140.56/RI5198	C/F	C/F

* VOLTAGE SUFFIX			
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC or 110V AC	4 = 220V AC

Valpres 760200 2-way stainless steel ANSI 600 flanged, Fire Safe design full port ball valve.

8P760200

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"
ACT.	DA52	DA52	DA63	DA85	DA85	DA125	DA160
Weight (Lbs)	13.6	17.8	25.3	55.7	67.9	141.5	266.9
Bracket kit	RI3519	RI3519	RI3563	RI3526	RI3522	RI3565	RI3997
US$	1,462.00	1,943.00	2,275.00	3,544.00	4,175.00	7,474.00	15,712.00

8P760201

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"
ACT.	SR63	SR75	SR85	SR115	SR115	SR160	SR180
Weight (Lbs)	15.5	23	32.5	72.4	84.5	182.7	306.9
Bracket kit	RI3829	RI3571	RI3573	RI4754	RI3527	RI3997	RI4755
US$	1,503.00	2,067.00	2,412.00	3,856.00	4,433.00	8,285.00	16,725.00

Valpres 68J401 2-way API 608 stainless steel ANSI 600 flanged, full port split body ball valve for fire safe applications.

NEW



8P68J401

With **double acting Valbia pneumatic** actuator

SIZE	1/2”	3/4”	1”	1-1/2”	2”
ACT.	DA52V	DA63V	DA75V	DA85V	DA100V
Est.Wgt. (Lbs.)	11.41	15.91	23.01	38.71	52.50
Bracket Kit	RI5192	RI5197	RI3521	RI5195	RI5195
US$	1,067.00	1,195.00	1,397.00	2,012.00	2,351.00

8P68J403

With **spring return Valbia pneumatic** actuator

SIZE	1/2”	3/4”	1”	1-1/2”	2”
ACT.	SR63V	SR75V	SR85V	SR100V	SR115V
Est.Wgt. (Lbs.)	13.28	19.72	27.46	45.55	65.62
Bracket Kit	RI5197	RI5199	RI5131	RI5195	RI5172
US$	1,109.00	1,292.00	1,544.00	2,136.00	2,544.00

SIZE		1/2”	3/4”	1”	1-1/2”	2”
M8E68J401-00*				With **UL approved** standard on/off **metal Valbia electric** actuator.		
ACT.		VB030M	VB030M	VB060M	VB110M	VB190M
24V AC/DC	US$	1,423.00	1,524.00	1,737.00	2,709.00	3,022.00
12V AC/DC, 100-240VAC	US$	1,465.00	1,566.00	1,780.00	2,829.00	3,178.00
M8E68J401-01*				With fail-safe battery back-up **metal Valbia electric** actuator.		
24V AC/DC	US$	2,138.00	2,239.00	2,433.00	3,452.00	3,857.00
100-240 VAC	US$	2,216.00	2,317.00	2,511.00	3,515.00	3,967.00
M8E68J401-02*				With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	2,041.00	2,142.00	2,405.00	3,391.00	3,792.00
12V AC/DC, 100-240VAC	US$	2,133.00	2,234.00	2,501.00	3,469.00	3,876.00
M8E68J401-04*				With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.		
24V AC/DC	US$	2,387.00	2,488.00	2,552.00	3,474.00	3,947.00
100-240 VAC	US$	2,451.00	2,552.00	2,697.00	3,672.00	4,194.00
Weight (Lbs)/Bracket Kit		16.24/RI5192	19.55/RI5192	26.78/RI3521	48.81/RI5195	59.07/RI5195

SIZE		1/2”	3/4”	1”	1-1/2”	2”
EXM8E68J401-00*				With 0-10VDC or 4-20 mA explosion proof positioning **metal electric** actuator.		
ACT.		EAX035	EAX035	EAX045	EAX080	EAX130
24V AC/DC, 110 VAC, 220VAC	US$	2,368.00	2,469.00	2,811.00	5,187.00	5,786.00
EXM8E68J401-02*				With fail-safe battery backup and with 0-10VDC or 4-20 mA explosion proof positioning **metal electric** actuator.		
24V AC/DC, 110 VAC, 220VAC	US$	3,178.00	3,279.00	3,622.00	5,997.00	6,597.00
Weight (Lbs)/Bracket Kit		12.94/RI5192	16.25/RI5192	23.88/RI3521	67.11/RI5195	77.37/RI5195

* VOLTAGE SUFFIX			
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC or 110V AC	4 = 220V AC

Valpres 776032 3-way carbon steel, ANSI 150 flanged, L-port diverter, ball valve.

8P0183 L port

With **double acting Valbia pneumatic** actuator.

SIZE	1/2”	3/4”	1"	1 1/4”	1 1/2”	2"	2 1/2”	3”	4”	6”
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100	DA125
Weight (Lbs)	8.0	10.2	12.7	17.7	23.3	34.6	53.4	63.2	99.5	236.4
Bracket kit	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3042
US$	564.00	632.00	648.00	736.00	860.00	1,047.00	1,425.00	1,757.00	2,396.00	6,467.00

8P0184 L port

With **spring return Valbia pneumatic** actuator.

SIZE	1/2”	3/4”	1"	1 1/4”	1 1/2”	2"	2 1/2”	3”	4”	6”
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125	SR140
Weight (Lbs)	9.6	12.5	14.5	19.5	29.6	43.4	69.5	83.0	116.0	260.5
Bracket kit	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI4562
US$	635.00	672.00	690.00	779.00	990.00	1,200.00	1,702.00	2,112.00	2,669.00	6,866.00

SIZE		1/2”	3/4”	1"	1 1/4”	1 1/2”	2”	2 1/2”	3”	4”
8E086-00*							With **UL approved** standard on/off **plastic Valbia electric** actuator.			
ACT.		VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	709.00	718.00	904.00	992.00	1,150.00	1,271.00	1,699.00	2,031.00	2,624.00
12V AC/DC, 100-240 VAC	US$	760.00	769.00	946.00	1,034.00	1,219.00	1,340.00	1,777.00	2,109.00	2,715.00
8E086-01*							With fail-safe battery back-up **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	1,357.00	1,366.00	1,382.00	1,470.00	1,643.00	1,764.00	2,226.00	2,558.00	3,202.00
100-240 VAC	US$	1,422.00	1,431.00	1,447.00	1,535.00	1,703.00	1,824.00	2,275.00	2,607.00	3,268.00
8E086-02*							With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,298.00	1,307.00	1,323.00	1,411.00	1,562.00	1,683.00	2,089.00	2,421.00	3,068.00
12V AC/DC, 100-240 VAC	US$	1,385.00	1,394.00	1,410.00	1,498.00	1,648.00	1,769.00	2,173.00	2,505.00	3,181.00
8E086-04*							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,466.00	1,475.00	1,491.00	1,579.00	1,759.00	1,880.00	2,366.00	2,698.00	3,351.00
100-240 VAC	US$	1,538.00	1,547.00	1,563.00	1,651.00	1,816.00	1,937.00	2,449.00	2,781.00	3,425.00
Weight (Lbs)/Bracket kit		10.2/RI3780	11.4/RI3013	19.5/RI3001	21.7/RI3008	27.5/RI3002	35.4/RI3002	57.3/RI3003	67.2/RI3003	100.5/RI3004

SIZE		1/2”	3/4”	1"	1 1/4”	1 1/2”	2”	2 1/2”	3”	4”
M8E086-00*							With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US$	979.00	988.00	1,004.00	1,092.00	1,264.00	1,385.00	2,122.00	2,454.00	3,067.00
12V AC/DC, 100-240 VAC	US$	1,021.00	1,030.00	1,046.00	1,134.00	1,307.00	1,428.00	2,242.00	2,574.00	3,223.00
M8E086-01*							With fail-safe battery back-up **metal Valbia electric** actuator.			
24V AC/DC	US$	1,694.00	1,703.00	1,719.00	1,807.00	1,960.00	2,081.00	2,865.00	3,197.00	3,902.00
100-240 VAC	US$	1,772.00	1,781.00	1,797.00	1,885.00	2,038.00	2,159.00	2,922.00	3,254.00	4,012.00
M8E086-02*							With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,597.00	1,606.00	1,622.00	1,710.00	1,932.00	2,053.00	2,798.00	3,130.00	3,837.00
12V AC/DC, 100-240 VAC	US$	1,689.00	1,698.00	1,714.00	1,802.00	2,028.00	2,149.00	2,876.00	3,208.00	3,921.00
M8E086-04*							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,943.00	1,952.00	1,968.00	2,056.00	2,079.00	2,200.00	2,881.00	3,213.00	3,992.00
100-240 VAC	US$	2,007.00	2,016.00	2,032.00	2,120.00	2,224.00	2,345.00	3,079.00	3,411.00	4,239.00
Weight (Lbs)/Bracket kit		14.5/RI3780	15.6/RI3013	22.0/RI3001	24.3/RI3008	30.2/RI3002	38.2/RI3002	66/RI3003	75/RI3003	109/RI3004

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

Valpres 776018 3-way stainless steel , ANSI 150 flanged, L-port diverter ball valve.

8P0181 L port

With **double acting Valbia pneumatic** actuator.

SIZE	1/2”	3/4”	1"	1 1/4”	1 1/2”	2"	2 1/2”	3”	4”
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100
Weight (Lbs)	8.0	10.2	12.7	17.7	23.3	34.6	53.4	63.2	99.5
Bracket kit	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004
US$	780.00	890.00	912.00	1,171.00	1,396.00	1,568.00	2,868.00	3,590.00	5,062.00

8P0182 L port

With **spring return Valbia pneumatic** actuator.

SIZE	1/2”	3/4”	1"	1 1/4”	1 1/2”	2"	2 1/2”	3”	4”
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125
Weight (Lbs)	9.6	12.5	14.5	19.5	29.6	43.4	69.5	83.0	116.0
Bracket kit	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005
US$	851.00	930.00	954.00	1,214.00	1,526.00	1,721.00	3,145.00	3,945.00	5,335.00

SIZE		1/2”	3/4”	1"	1 1/4”	1 1/2”	2”	2 1/2”	3”	4”
8E077-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.				
ACT.		VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	925.00	976.00	1,168.00	1,427.00	1,686.00	1,792.00	3,142.00	3,864.00	5,290.00
12V AC/DC, 100-240 VAC	US$	976.00	1,027.00	1,210.00	1,469.00	1,755.00	1,861.00	3,220.00	3,942.00	5,381.00
8E077-01*						With fail-safe battery back-up **plastic Valbia electric** actuator.				
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	1,573.00	1,624.00	1,646.00	1,905.00	2,179.00	2,285.00	3,669.00	4,391.00	5,868.00
100-240 VAC	US$	1,638.00	1,689.00	1,711.00	1,970.00	2,239.00	2,345.00	3,718.00	4,440.00	5,934.00
8E077-02*						With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,514.00	1,565.00	1,587.00	1,846.00	2,098.00	2,204.00	3,532.00	4,254.00	5,734.00
12V AC/DC, 100-240 VAC	US$	1,601.00	1,652.00	1,674.00	1,933.00	2,184.00	2,290.00	3,616.00	4,338.00	5,847.00
8E077-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,682.00	1,733.00	1,755.00	2,014.00	2,295.00	2,401.00	3,809.00	4,531.00	6,017.00
100-240 VAC	US$	1,754.00	1,805.00	1,827.00	2,086.00	2,352.00	2,458.00	3,892.00	4,614.00	6,091.00
Weight (Lbs)/Bracket kit		10.2/RI3780	11.4/RI3013	19.5/RI3001	21.7/RI3008	27.5/RI3002	35.4/RI3002	57.3/RI3003	67.2/RI3003	100.5/RI3004

SIZE		1/2”	3/4”	1"	1 1/4”	1 1/2”	2”	2 1/2”	3”	4”
M8E077-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.				
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US$	1,195.00	1,246.00	1,268.00	1,527.00	1,800.00	1,906.00	3,559.00	4,281.00	5,733.00
12V AC/DC, 100-240 VAC	US$	1,237.00	1,288.00	1,310.00	1,569.00	1,843.00	1,949.00	3,679.00	4,401.00	5,889.00
M8E077-01*						With fail-safe battery back-up **metal Valbia electric** actuator.				
24V AC/DC	US$	1,910.00	1,961.00	1,983.00	2,242.00	2,496.00	2,602.00	4,302.00	5,024.00	6,568.00
100-240 VAC	US$	1,988.00	2,039.00	2,061.00	2,320.00	2,574.00	2,680.00	4,365.00	5,087.00	6,678.00
M8E077-02*						With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	1,813.00	1,864.00	1,886.00	2,145.00	2,468.00	2,574.00	4,241.00	4,963.00	6,503.00
12V AC/DC, 100-240 VAC	US$	1,905.00	1,956.00	1,978.00	2,237.00	2,564.00	2,670.00	4,319.00	5,041.00	6,587.00
M8E077-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	2,159.00	2,210.00	2,232.00	2,491.00	2,615.00	2,721.00	4,324.00	5,046.00	6,658.00
100-240 VAC	US$	2,223.00	2,274.00	2,296.00	2,555.00	2,760.00	2,866.00	4,522.00	5,244.00	6,905.00
Weight (Lbs)/Bracket kit		14.5/RI3780	15.6/RI3013	22.0/RI3001	24.3/RI3008	30.2/RI3002	38.2/RI3002	66/RI3003	75/RI3003	109/RI3004

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

97L150 3-way stainless steel, ANSI 150 flanged, full L-port ball valve.

DA97L150 L port

With **double acting Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	DA52	DA63	DA75	DA85	DA100	DA115	DA115	DA140	DA160
Weight (Lbs)	8.0	12.00	18.5	41.0	53.0	75.5	91.0	155.0	318.0
US$	646.00	725.00	1,062.00	1,807.00	2,357.00	3,465.00	4,732.00	6,650.00	13,857.00

SR97L150 L port

With **spring return Valbia pneumatic** actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	SR63	SR75	SR85	SR115	SR140	SR160	SR160	SR200	SR230
Weight (Lbs)	10.0	16.3	24.0	60.0	88.0	122.0	138.0	242.0	410.0
US$	694.00	821.00	1,126.00	2,082.00	2,951.00	4,341.00	5,608.00	8,005.00	16,472.00

SIZE		1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"
M8E97L150-00*					With **UL approved** standard on/off **metal Valbia electric** actuator.					
ACT.		VB030M	VB030M	VB060M	VB110M	VB110M	VB270M	VB270M	VB350M	C/F
24V AC/DC	US$	1,002.00	1,048.00	1,401.00	2,504.00	2,981.00	4,226.00	5,493.00	7,167.00	C/F
12V AC/DC, 100-240 VAC	US$	1,044.00	1,090.00	1,444.00	2,624.00	3,101.00	4,271.00	5,538.00	7,231.00	C/F
M8E97L150-01*					With fail-safe battery back-up **metal Valbia electric** actuator.					
24V AC/DC	US$	1,717.00	1,763.00	2,097.00	3,247.00	3,724.00	4,937.00	6,204.00	7,963.00	C/F
100-240 VAC	US$	1,795.00	1,841.00	2,175.00	3,310.00	3,787.00	5,047.00	6,314.00	8,085.00	C/F
M8E97L150-02*					With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,620.00	1,666.00	2,069.00	3,186.00	3,663.00	4,909.00	6,176.00	7,862.00	C/F
12V AC/DC, 100-240 VAC	US$	1,712.00	1,758.00	2,165.00	3,264.00	3,741.00	4,994.00	6,261.00	7,951.00	C/F
M8E97L150-04*					With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,966.00	2,012.00	2,216.00	3,269.00	3,746.00	5,032.00	6,299.00	8,065.00	C/F
100-240 VAC	US$	2,030.00	2,076.00	2,361.00	3,467.00	3,944.00	5,223.00	6,490.00	8,333.00	C/F
Weight (Lbs)		15.5	20.5	28.0	53.0	60.0	77.0	92.0	142.0	296.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

97T150 3-way stainless steel, ANSI 150 flanged, full T-port ball valve.

DA97T150 T port

With **double acting Valbia pneumatic** actuator.

SIZE	1/2”	3/4”	1"	1 1/2”	2"	2 1/2”	3”	4”	6”
ACT.	DA52	DA63	DA75	DA85	DA100	DA115	DA115	DA140	DA160
Weight (Lbs)	8.0	12.00	18.5	41.0	53.0	75.5	91.0	155.0	318.0
US$	646.00	725.00	1,062.00	1,807.00	2,357.00	3,465.00	4,732.00	6,650.00	13,857.00

SR97T150 T port

With **spring return Valbia pneumatic** actuator.

SIZE	1/2”	3/4”	1"	1 1/2”	2"	2 1/2”	3”	4”	6”
ACT.	SR63	SR75	SR85	SR115	SR140	SR160	SR160	SR200	SR230
Weight (Lbs)	10.0	16.3	24.0	60.0	88.0	122.0	138.0	242.0	410.0
US$	694.00	821.00	1,126.00	2,082.00	2,951.00	4,341.00	5,608.00	8,005.00	16,472.00

SIZE		1/2”	3/4”	1"	1 1/2”	2”	2 1/2”	3”	4”	6”
M8E97T150-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.				
ACT.		VB030M	VB030M	VB060M	VB110M	VB110M	VB270M	VB270M	VB350M	C/F
24V AC/DC	US$	1,002.00	1,048.00	1,401.00	2,504.00	2,981.00	4,226.00	5,493.00	7,167.00	C/F
12V AC/DC, 100-240 VAC	US$	1,044.00	1,090.00	1,444.00	2,624.00	3,101.00	4,271.00	5,538.00	7,231.00	C/F
M8E97T150-01*						With fail-safe battery back-up **metal Valbia electric** actuator.				
24V AC/DC	US$	1,717.00	1,763.00	2,097.00	3,247.00	3,724.00	4,937.00	6,204.00	7,963.00	C/F
100-240 VAC	US$	1,795.00	1,841.00	2,175.00	3,310.00	3,787.00	5,047.00	6,314.00	8,085.00	C/F
M8E97T150-02*					With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,620.00	1,666.00	2,069.00	3,186.00	3,663.00	4,909.00	6,176.00	7,862.00	C/F
12V AC/DC, 100-240 VAC	US$	1,712.00	1,758.00	2,165.00	3,264.00	3,741.00	4,994.00	6,261.00	7,951.00	C/F
M8E97T150-04*					With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.					
24V AC/DC	US$	1,966.00	2,012.00	2,216.00	3,269.00	3,746.00	5,032.00	6,299.00	8,065.00	C/F
100-240 VAC	US$	2,030.00	2,076.00	2,361.00	3,467.00	3,944.00	5,223.00	6,490.00	8,333.00	C/F
Weight (Lbs)		15.5	20.5	28.0	53.0	60.0	77.0	92.0	142.0	296.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

NSF/ANSI 61, 372

N500N direct mount, Wafer style, EPDM seats, nylon coated ductile iron disc butterfly valve.

DAN500N

With **double acting Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	DA52	DA52	DA63	DA75	DA75	DA85	DA100	DA125	DA140
Weight (Lbs)	7.7	9.3	11.7	16.3	22.8	28.2	46.9	76.1	114.7
US$	273.00	309.00	351.00	467.00	499.00	559.00	769.00	1,063.00	1,551.00

SRN500N

With **spring return Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	SR75	SR75	SR85	SR100	SR115	SR125	SR160	SR180	C/F
SR200	12.4	14.0	17.7	25.2	39.3	62.5	94.1	153.0	C/F
US$	402.00	438.00	486.00	620.00	803.00	912.00	1,769.00	2,290.00	C/F

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
EN500N-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.										
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350	-
24V AC/DC	US$	529.00	565.00	574.00	686.00	802.00	860.00	1,055.00	1,281.00	C/F
12V AC/DC, 100-240 VAC	US$	571.00	607.00	616.00	755.00	880.00	951.00	1,160.00	1,345.00	C/F
EN500N-01* With fail-safe battery back-up **plastic Valbia electric** actuator.										
24V AC/DC	US$	1,007.00	1,043.00	1,052.00	1,179.00	1,329.00	1,438.00	1,645.00	1,824.00	C/F
100-240 VAC	US$	1,072.00	1,108.00	1,117.00	1,239.00	1,378.00	1,504.00	1,712.00	1,898.00	C/F
EN500N-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.										
24V AC/DC	US$	948.00	984.00	993.00	1,098.00	1,192.00	1,304.00	1,535.00	1,708.00	C/F
12V AC/DC, 100-240 VAC	US$	1,035.00	1,071.00	1,080.00	1,184.00	1,276.00	1,304.00	1,625.00	1,780.00	C/F
EN500N-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.										
24V AC/DC	US$	1,116.00	1,152.00	1,161.00	1,295.00	1,469.00	1,587.00	1,822.00	2,015.00	C/F
100-240 VAC	US$	1,188.00	1,224.00	1,233.00	1,352.00	1,552.00	1,661.00	1,898.00	2,077.00	C/F
Weight (Lbs)		10.6	12.2	13.5	18.1	22.7	28.0	39.9	55.5	-

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
MEN500N-00* With **UL approved** standard on/off **metal Valbia electric** actuator.										
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	EA450M
24V AC/DC	US$	629.00	665.00	674.00	806.00	1,225.00	1,303.00	1,657.00	1,837.00	C/F
12V AC/DC, 100-240 VAC	US$	671.00	707.00	716.00	849.00	1,345.00	1,459.00	1,702.00	1,901.00	C/F
MEN500N-01* With fail-safe battery back-up **metal Valbia electric** actuator.										
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	-
24V AC/DC	US$	1,344.00	1,380.00	1,389.00	1,502.00	1,968.00	2,138.00	2,368.00	2,633.00	C/F
100-240 VAC	US$	1,422.00	1,458.00	1,467.00	1,580.00	2,031.00	2,248.00	2,478.00	2,755.00	C/F
MEN500N-02* With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.										
24V AC/DC	US$	1,247.00	1,283.00	1,292.00	1,474.00	1,907.00	2,073.00	2,340.00	2,532.00	C/F
12V AC/DC, 100-240 VAC	US$	1,339.00	1,375.00	1,384.00	1,570.00	1,985.00	2,157.00	2,425.00	2,621.00	C/F
MEN500N-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.										
24V AC/DC	US$	1,593.00	1,629.00	1,638.00	1,621.00	1,990.00	2,228.00	2,463.00	2,735.00	C/F
100-240 VAC	US$	1,657.00	1,693.00	1,702.00	1,766.00	2,188.00	2,475.00	2,654.00	3,003.00	C/F
Weight (Lbs)		14.8	16.4	17.7	22.0	31.0	36.0	50.0	65.0	-

NEW

SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXMEN500N-00* With **CSA approved** explosion proof on/off **metal electric** actuator.										
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,574.00	1,610.00	1,619.00	1,880.00	3,703.00	4,067.00	4,213.00	4,798.00	C/F
EXMEN500N-02* With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.										
24V AC/DC, 110V AC, 220V AC	US$	2,384.00	2,420.00	2,429.00	2,691.00	4,513.00	4,878.00	5,024.00	5,609.00	C/F
Weight (Lbs)		11.91	13.51	14.81	19.41	41.65	43.45	57.65	92.19	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

NSF/ANSI
61, 372

N500S direct mount, Wafer style, EPDM seats, stainless steel disc butterfly valve.

DAN500S

With **double acting Valbia pneumatic** actuator.

SIZE	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	DA52	DA52	DA52	DA63	DA75	DA75	DA85	DA100	DA125	DA140
Weight (Lbs)	7.0	7.7	9.3	11.7	16.3	22.8	28.2	46.9	76.1	114.7
US$	276.00	278.00	316.00	359.00	486.00	526.00	603.00	866.00	1,248.00	1,869.00

SRN500S

With **spring return Valbia pneumatic** actuator.

SIZE	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	SR75	SR75	SR75	SR85	SR100	SR115	SR125	SR160	SR180	C/F
SR200	11.7	12.4	14.0	17.7	25.2	39.3	62.5	94.1	153.0	C/F
US$	405.00	407.00	445.00	494.00	639.00	830.00	956.00	1,866.00	2,475.00	C/F

SIZE		1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
EN500S-00*								With **UL approved** standard on/off **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350	-
24V AC/DC	US$	532.00	534.00	572.00	582.00	705.00	829.00	904.00	1,152.00	1,466.00	C/F
12V AC/DC, 100-240 VAC	US$	574.00	576.00	614.00	624.00	774.00	907.00	995.00	1,257.00	1,530.00	C/F
EN500S-01*								With fail-safe battery back-up **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,010.00	1,012.00	1,050.00	1,060.00	1,198.00	1,356.00	1,482.00	1,742.00	2,009.00	C/F
100-240 VAC	US$	1,075.00	1,077.00	1,115.00	1,125.00	1,258.00	1,405.00	1,548.00	1,809.00	2,083.00	C/F
EN500S-02*								With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	951.00	953.00	991.00	1,001.00	1,117.00	1,219.00	1,348.00	1,632.00	1,893.00	C/F
12V AC/DC, 100-240 VAC	US$	1,038.00	1,040.00	1,078.00	1,088.00	1,203.00	1,303.00	1,348.00	1,722.00	1,965.00	C/F
EN500S-04*								With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,119.00	1,121.00	1,159.00	1,169.00	1,314.00	1,496.00	1,631.00	1,919.00	2,200.00	C/F
100-240 VAC	US$	1,191.00	1,193.00	1,231.00	1,241.00	1,371.00	1,579.00	1,705.00	1,995.00	2,262.00	C/F
Weight (Lbs)		9.9	10.6	12.2	13.5	18.1	22.7	28.0	39.9	55.5	-

SIZE		1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
MEN500S-00*								With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	EA450M
24V AC/DC	US$	632.00	634.00	672.00	682.00	825.00	1,252.00	1,347.00	1,754.00	2,022.00	C/F
12V AC/DC, 100-240 VAC	US$	674.00	676.00	714.00	724.00	868.00	1,372.00	1,503.00	1,799.00	2,086.00	C/F
MEN500S-01*								With fail-safe battery back-up **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	-
24V AC/DC	US$	1,347.00	1,349.00	1,387.00	1,397.00	1,521.00	1,995.00	2,182.00	2,465.00	2,818.00	C/F
100-240 VAC	US$	1,425.00	1,427.00	1,465.00	1,475.00	1,599.00	2,058.00	2,292.00	2,575.00	2,940.00	C/F
MEN500S-02*								With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,250.00	1,252.00	1,290.00	1,300.00	1,493.00	1,934.00	2,117.00	2,437.00	2,717.00	C/F
12V AC/DC, 100-240 VAC	US$	1,342.00	1,344.00	1,382.00	1,392.00	1,589.00	2,012.00	2,201.00	2,522.00	2,806.00	C/F
MEN500S-04*								With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,596.00	1,598.00	1,636.00	1,646.00	1,640.00	2,017.00	2,272.00	2,560.00	2,920.00	C/F
100-240 VAC	US$	1,660.00	1,662.00	1,700.00	1,710.00	1,785.00	2,215.00	2,519.00	2,751.00	3,188.00	C/F
Weight (Lbs)		14.2	14.9	16.5	17.8	22.0	31.0	36.0	48.0	64.0	-



NEW

SIZE		1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
EXMEN500S-00*								With **CSA approved** explosion proof on/off **metal electric** actuator.			
ACT.		EAX035	EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,577.00	1,579.00	1,617.00	1,627.00	1,899.00	3,730.00	4,111.00	4,310.00	4,983.00	C/F
EXMEN500S-02*								With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.			
24V AC/DC, 110V AC, 220V AC	US$	2,387.00	2,389.00	2,427.00	2,437.00	2,710.00	4,540.00	4,922.00	5,121.00	5,794.00	C/F
Weight (Lbs)		11.21	11.91	13.51	14.81	19.41	41.65	43.45	57.65	92.19	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

530S direct mount, Wafer style, VITON seats, stainless steel disc butterfly valve.

DA530S

With **double acting Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	DA52	DA52	DA63	DA75	DA75	DA85	DA100	DA125	DA140
Weight (Lbs)	7.7	9.3	11.7	16.3	22.8	28.2	46.9	76.1	114.7
US$	381.00	451.00	501.00	698.00	831.00	966.00	1,318.00	1,943.00	2,683.00

SR530S

With **spring return Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	SR75	SR75	SR85	SR100	SR115	SR125	SR160	SR180	-
SR200	12.4	14.0	17.7	25.2	39.3	62.5	94.1	153.0	-
US$	510.00	580.00	636.00	851.00	1,135.00	1,319.00	2,318.00	3,170.00	C/F

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
E530S-00* With **UL approved** standard on/off **plastic Valbia electric** actuator.										
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350	-
24V AC/DC	US$	637.00	707.00	724.00	917.00	1,134.00	1,267.00	1,604.00	2,161.00	C/F
12V AC/DC, 100-240 VAC	US$	679.00	749.00	766.00	986.00	1,212.00	1,358.00	1,709.00	2,225.00	C/F
E530S-01* With fail-safe battery back-up **plastic Valbia electric** actuator.										
24V AC/DC	US$	1,115.00	1,185.00	1,202.00	1,410.00	1,661.00	1,845.00	2,194.00	2,704.00	C/F
100-240 VAC	US$	1,180.00	1,250.00	1,267.00	1,470.00	1,710.00	1,911.00	2,261.00	2,778.00	C/F
E530S-02* With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.										
24V AC/DC	US$	1,056.00	1,126.00	1,143.00	1,329.00	1,524.00	1,711.00	2,084.00	2,588.00	C/F
12V AC/DC, 100-240 VAC	US$	1,143.00	1,213.00	1,230.00	1,415.00	1,608.00	1,711.00	2,174.00	2,660.00	C/F
E530S-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.										
24V AC/DC	US$	1,224.00	1,294.00	1,311.00	1,526.00	1,801.00	1,994.00	2,371.00	2,895.00	C/F
100-240 VAC	US$	1,296.00	1,366.00	1,383.00	1,583.00	1,884.00	2,068.00	2,447.00	2,957.00	C/F
Weight (Lbs)		10.6	12.2	13.5	18.1	22.7	28.0	39.9	55.5	-

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ME530S-00* With **UL approved** standard on/off **metal Valbia electric** actuator.										
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	EA450M
24V AC/DC	US$	737.00	807.00	824.00	1,037.00	1,557.00	1,710.00	2,206.00	2,717.00	C/F
12V AC/DC, 100-240 VAC	US$	779.00	849.00	866.00	1,080.00	1,677.00	1,866.00	2,251.00	2,781.00	C/F
ME530S-01* With fail-safe battery back-up **metal Valbia electric** actuator.										
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	-
24V AC/DC	US$	1,452.00	1,522.00	1,539.00	1,733.00	2,300.00	2,545.00	2,917.00	3,513.00	C/F
100-240 VAC	US$	1,530.00	1,600.00	1,617.00	1,811.00	2,363.00	2,655.00	3,027.00	3,635.00	C/F
ME530S-02* With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.										
24V AC/DC	US$	1,355.00	1,425.00	1,442.00	1,705.00	2,239.00	2,480.00	2,889.00	3,412.00	C/F
12V AC/DC, 100-240 VAC	US$	1,447.00	1,517.00	1,534.00	1,801.00	2,317.00	2,564.00	2,974.00	3,501.00	C/F
ME530S-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.										
24V AC/DC	US$	1,701.00	1,771.00	1,788.00	1,852.00	2,322.00	2,635.00	3,012.00	3,615.00	C/F
100-240 VAC	US$	1,765.00	1,835.00	1,852.00	1,997.00	2,520.00	2,882.00	3,203.00	3,883.00	C/F
Weight (Lbs)		14.9	16.5	17.8	22.0	31.0	36.0	48.0	64.0	-



NEW

SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXME530S-00* With **CSA approved** explosion proof on/off **metal electric** actuator.										
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,682.00	1,752.00	1,769.00	2,111.00	4,035.00	4,474.00	4,762.00	5,678.00	C/F
EXME530S-02* With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.										
24V AC/DC, 110V AC, 220V AC	US$	2,492.00	2,562.00	2,579.00	2,922.00	4,845.00	5,285.00	5,573.00	6,489.00	C/F
Weight (Lbs)		11.91	13.51	14.81	19.41	41.65	43.45	57.65	92.19	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

540N direct mount, Wafer style, BUNA-N seats, nylon coated ductile iron disc butterfly valve.

DA540N

With **double acting Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	DA52	DA52	DA63	DA75	DA75	DA85	DA100	DA125	DA140
Weight (Lbs)	7.7	9.3	11.7	16.3	22.8	28.2	46.9	76.1	114.7
US$	270.00	304.00	344.00	458.00	487.00	542.00	744.00	1,028.00	1,482.00

SR540N

With **spring return Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	SR75	SR75	SR85	SR100	SR115	SR125	SR160	SR180	C/F
SR200	12.4	14.0	17.7	25.2	39.3	62.5	94.1	153.0	C/F
US$	399.00	433.00	479.00	611.00	791.00	895.00	1,744.00	2,255.00	C/F

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
E540N-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.				
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350	-
24V AC/DC	US$	526.00	560.00	567.00	677.00	790.00	843.00	1,030.00	1,246.00	C/F
12V AC/DC, 100-240 VAC	US$	568.00	602.00	609.00	746.00	868.00	934.00	1,135.00	1,310.00	C/F
E540N-01*						With fail-safe battery back-up **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,004.00	1,038.00	1,045.00	1,170.00	1,317.00	1,421.00	1,620.00	1,789.00	C/F
100-240 VAC	US$	1,069.00	1,103.00	1,110.00	1,230.00	1,366.00	1,487.00	1,687.00	1,863.00	C/F
E540N-02*						With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	945.00	979.00	986.00	1,089.00	1,180.00	1,287.00	1,510.00	1,673.00	C/F
12V AC/DC, 100-240 VAC	US$	1,032.00	1,066.00	1,073.00	1,175.00	1,264.00	1,287.00	1,600.00	1,745.00	C/F
E540N-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,113.00	1,147.00	1,154.00	1,286.00	1,457.00	1,570.00	1,797.00	1,980.00	C/F
100-240 VAC	US$	1,185.00	1,219.00	1,226.00	1,343.00	1,540.00	1,644.00	1,873.00	2,042.00	C/F
Weight (Lbs)		10.6	12.2	13.5	18.1	22.7	28.0	39.9	55.5	-

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ME540N-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	EA450M
24V AC/DC	US$	626.00	660.00	667.00	797.00	1,213.00	1,286.00	1,632.00	1,802.00	C/F
12V AC/DC, 100-240 VAC	US$	668.00	702.00	709.00	840.00	1,333.00	1,442.00	1,677.00	1,866.00	C/F
ME540N-01*						With fail-safe battery back-up **metal Valbia electric** actuator.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	-
24V AC/DC	US$	1,341.00	1,375.00	1,382.00	1,493.00	1,956.00	2,121.00	2,343.00	2,598.00	C/F
100-240 VAC	US$	1,419.00	1,453.00	1,460.00	1,571.00	2,019.00	2,231.00	2,453.00	2,720.00	C/F
ME540N-02*						With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	1,244.00	1,278.00	1,285.00	1,465.00	1,895.00	2,056.00	2,315.00	2,497.00	C/F
12V AC/DC, 100-240 VAC	US$	1,336.00	1,370.00	1,377.00	1,561.00	1,973.00	2,140.00	2,400.00	2,586.00	C/F
ME540N-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	1,590.00	1,624.00	1,631.00	1,612.00	1,978.00	2,211.00	2,438.00	2,700.00	C/F
100-240 VAC	US$	1,654.00	1,688.00	1,695.00	1,757.00	2,176.00	2,458.00	2,629.00	2,968.00	C/F
Weight (Lbs)		14.8	16.4	17.7	22.0	31.0	36.0	50.0	65.0	-

NEW

SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXME540N-00*						With **CSA approved explosion** proof on/off **metal electric** actuator.				
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,571.00	1,605.00	1,612.00	1,871.00	3,691.00	4,050.00	4,188.00	4,763.00	C/F
EXME540N-02*						With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.				
24V AC/DC, 110V AC, 220V AC	US$	2,381.00	2,415.00	2,422.00	2,682.00	4,501.00	4,861.00	4,999.00	5,574.00	C/F
Weight (Lbs)		11.91	13.51	14.81	19.41	41.65	43.45	57.65	92.19	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

540S direct mount, Wafer style, BUNA-N seats, stainless steel disc butterfly valve.

DA540S

With **double acting Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	DA52	DA52	DA63	DA75	DA75	DA85	DA100	DA125	DA140
Weight (Lbs)	7.7	9.3	11.7	16.3	22.8	28.2	46.9	76.1	114.7
US$	273.00	310.00	353.00	475.00	513.00	582.00	834.00	1,194.00	1,783.00

SR540S

With **spring return Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	SR75	SR75	SR85	SR100	SR115	SR125	SR160	SR180	C/F
SR200	12.4	14.0	17.7	25.2	39.3	62.5	94.1	153.0	C/F
US$	402.00	439.00	488.00	628.00	817.00	935.00	1,834.00	2,421.00	C/F

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
E540S-00*										
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350	-
24V AC/DC	US$	529.00	566.00	576.00	694.00	816.00	883.00	1,120.00	1,412.00	C/F
12V AC/DC, 100-240 VAC	US$	571.00	608.00	618.00	763.00	894.00	974.00	1,225.00	1,476.00	C/F
E540S-01*										
24V AC/DC	US$	1,007.00	1,044.00	1,054.00	1,187.00	1,343.00	1,461.00	1,710.00	1,955.00	C/F
100-240 VAC	US$	1,072.00	1,109.00	1,119.00	1,247.00	1,392.00	1,527.00	1,777.00	2,029.00	C/F
E540S-02*										
24V AC/DC	US$	948.00	985.00	995.00	1,106.00	1,206.00	1,327.00	1,600.00	1,839.00	C/F
12V AC/DC, 100-240 VAC	US$	1,035.00	1,072.00	1,082.00	1,192.00	1,290.00	1,327.00	1,690.00	1,911.00	C/F
E540S-04*										
24V AC/DC	US$	1,116.00	1,153.00	1,163.00	1,303.00	1,483.00	1,610.00	1,887.00	2,146.00	C/F
100-240 VAC	US$	1,188.00	1,225.00	1,235.00	1,360.00	1,566.00	1,684.00	1,963.00	2,208.00	C/F
Weight (Lbs)		10.6	12.2	13.5	18.1	22.7	28.0	39.9	55.5	-

With **UL approved** standard on/off **plastic Valbia electric** actuator.

With fail-safe battery back-up **plastic Valbia electric** actuator.

With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ME540S-00*										
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	EA450M
24V AC/DC	US$	629.00	666.00	676.00	814.00	1,239.00	1,326.00	1,722.00	1,968.00	C/F
12V AC/DC, 100-240 VAC	US$	671.00	708.00	718.00	857.00	1,359.00	1,482.00	1,767.00	2,032.00	C/F
ME540S-01*										
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	-
24V AC/DC	US$	1,344.00	1,381.00	1,391.00	1,510.00	1,982.00	2,161.00	2,433.00	2,764.00	C/F
100-240 VAC	US$	1,422.00	1,459.00	1,469.00	1,588.00	2,045.00	2,271.00	2,543.00	2,886.00	C/F
ME540S-02*										
24V AC/DC	US$	1,247.00	1,284.00	1,294.00	1,482.00	1,921.00	2,096.00	2,405.00	2,663.00	C/F
12V AC/DC, 100-240 VAC	US$	1,339.00	1,376.00	1,386.00	1,578.00	1,999.00	2,180.00	2,490.00	2,752.00	C/F
ME540S-04*										
24V AC/DC	US$	1,593.00	1,630.00	1,640.00	1,629.00	2,004.00	2,251.00	2,528.00	2,866.00	C/F
100-240 VAC	US$	1,657.00	1,694.00	1,704.00	1,774.00	2,202.00	2,498.00	2,719.00	3,134.00	C/F
Weight (Lbs)		14.9	16.5	17.8	22.0	31.0	36.0	48.0	64.0	-

With **UL approved** standard on/off **metal Valbia electric** actuator.

With fail-safe battery back-up **metal Valbia electric** actuator.

With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.

NEW



SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXME540S-00*										
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,574.00	1,611.00	1,621.00	1,888.00	3,717.00	4,090.00	4,278.00	4,929.00	C/F
EXME540S-02*										
24V AC/DC, 110V AC, 220V AC	US$	2,384.00	2,421.00	2,431.00	2,699.00	4,527.00	4,901.00	5,089.00	5,740.00	C/F
Weight (Lbs)		11.91	13.51	14.81	19.41	41.65	43.45	57.65	92.19	-

With **CSA approved** explosion proof on/off **metal electric** actuator.

With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

NSF/ANSI 372

N501N direct mount, Lug style, EPDM seats, nylon coated ductile iron disc butterfly valve.

DAN501N

With **double acting Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	DA52	DA52	DA63	DA75	DA75	DA85	DA100	DA125	DA140
Weight (Lbs)	10.6	11.5	13.7	25.3	31.4	42.3	57.9	93.0	131.4
US$	283.00	321.00	364.00	492.00	527.00	597.00	809.00	1,136.00	1,636.00

SRN501N

With **spring return Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	SR75	SR75	SR85	SR100	SR115	SR125	SR160	SR180	-
SR200	15.3	16.2	17.3	34.2	47.9	76.6	105.0	170.0	-
US$	412.00	450.00	499.00	645.00	831.00	950.00	1,809.00	2,363.00	C/F

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
EN501N-00*							With **UL approved** standard on/off **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350	-
24V AC/DC	US$	539.00	577.00	587.00	711.00	830.00	898.00	1,095.00	1,354.00	C/F
12V AC/DC, 100-240 VAC	US$	581.00	619.00	629.00	780.00	908.00	989.00	1,200.00	1,418.00	C/F
EN501N-01*							With fail-safe battery back-up **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,017.00	1,055.00	1,065.00	1,204.00	1,357.00	1,476.00	1,685.00	1,897.00	C/F
100-240 VAC	US$	1,082.00	1,120.00	1,130.00	1,264.00	1,406.00	1,542.00	1,752.00	1,971.00	C/F
EN501N-02*							With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	958.00	996.00	1,006.00	1,123.00	1,220.00	1,342.00	1,575.00	1,781.00	C/F
12V AC/DC, 100-240 VAC	US$	1,045.00	1,083.00	1,093.00	1,209.00	1,304.00	1,342.00	1,665.00	1,853.00	C/F
EN501N-04*							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,126.00	1,164.00	1,174.00	1,320.00	1,497.00	1,625.00	1,862.00	2,088.00	C/F
100-240 VAC	US$	1,198.00	1,236.00	1,246.00	1,377.00	1,580.00	1,699.00	1,938.00	2,150.00	C/F
Weight (Lbs)		13.5	14.4	15.5	27.1	31.3	42.1	50.9	72.4	-

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
MEN501N-00*							With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	EA450M
24V AC/DC	US$	639.00	677.00	687.00	831.00	1,253.00	1,341.00	1,697.00	1,910.00	C/F
12V AC/DC, 100-240 VAC	US$	681.00	719.00	729.00	874.00	1,373.00	1,497.00	1,742.00	1,974.00	C/F
MEN501N-01*							With fail-safe battery back-up **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	-
24V AC/DC	US$	1,354.00	1,392.00	1,402.00	1,527.00	1,996.00	2,176.00	2,408.00	2,706.00	C/F
100-240 VAC	US$	1,432.00	1,470.00	1,480.00	1,605.00	2,059.00	2,286.00	2,518.00	2,828.00	C/F
MEN501N-02*							With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,257.00	1,295.00	1,305.00	1,499.00	1,935.00	2,111.00	2,380.00	2,605.00	C/F
12V AC/DC, 100-240 VAC	US$	1,349.00	1,387.00	1,397.00	1,595.00	2,013.00	2,195.00	2,465.00	2,694.00	C/F
MEN501N-04*							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,603.00	1,641.00	1,651.00	1,646.00	2,018.00	2,266.00	2,503.00	2,808.00	C/F
100-240 VAC	US$	1,667.00	1,705.00	1,715.00	1,791.00	2,216.00	2,513.00	2,694.00	3,076.00	C/F
Weight (Lbs)		17.7	18.6	19.8	30.2	40.0	51.0	59.0	81.0	-

NEW



SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXMEN501N-00*							With **CSA approved** explosion proof on/off **metal electric** actuator.			
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,584.00	1,622.00	1,632.00	1,905.00	3,731.00	4,105.00	4,253.00	4,871.00	C/F
EXMEN501N-02*							With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.			
24V AC/DC, 110V AC, 220V AC	US$	2,394.00	2,432.00	2,442.00	2,716.00	4,541.00	4,916.00	5,064.00	5,682.00	C/F
Weight (Lbs)		12.81	13.71	14.81	26.41	48.25	55.55	64.35	103.19	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

NSF/ANSI 372

N501S direct mount, Lug style, EPDM seats, stainless steel disc butterfly valve.

DAN501S

With **double acting Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	DA52	DA52	DA63	DA75	DA75	DA85	DA100	DA125	DA140
Weight (Lbs)	10.6	11.5	13.7	25.3	31.4	42.3	57.9	93.0	131.4
US$	288.00	327.00	372.00	510.00	551.00	638.00	906.00	1,315.00	1,973.00

SRN501S

With **spring return Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	SR75	SR75	SR85	SR100	SR115	SR125	SR160	SR180	-
SR200	15.3	16.2	17.3	34.12	47.9	76.6	104.0	170.0	-
US$	417.00	456.00	507.00	663.00	855.00	991.00	1,906.00	2,542.00	C/F

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
EN501S-00*										
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350	-
24V AC/DC	US$	544.00	583.00	595.00	729.00	854.00	939.00	1,192.00	1,533.00	C/F
12V AC/DC, 100-240 VAC	US$	586.00	625.00	637.00	798.00	932.00	1,030.00	1,297.00	1,597.00	C/F
EN501S-01*										
24V AC/DC	US$	1,022.00	1,061.00	1,073.00	1,222.00	1,381.00	1,517.00	1,782.00	2,076.00	C/F
100-240 VAC	US$	1,087.00	1,126.00	1,138.00	1,282.00	1,430.00	1,583.00	1,849.00	2,150.00	C/F
EN501S-02*										
24V AC/DC	US$	963.00	1,002.00	1,014.00	1,141.00	1,244.00	1,383.00	1,672.00	1,960.00	C/F
12V AC/DC, 100-240 VAC	US$	1,050.00	1,089.00	1,101.00	1,227.00	1,328.00	1,383.00	1,762.00	2,032.00	C/F
EN501S-04*										
24V AC/DC	US$	1,131.00	1,170.00	1,182.00	1,338.00	1,521.00	1,666.00	1,959.00	2,267.00	C/F
100-240 VAC	US$	1,203.00	1,242.00	1,254.00	1,395.00	1,604.00	1,740.00	2,035.00	2,329.00	C/F
Weight (Lbs)		13.1	14.4	15.5	27.1	31.3	42.1	50.9	78.2	-

EN501S-00*: With **UL approved** standard on/off **plastic Valbia electric** actuator.

EN501S-01*: With fail-safe battery back-up **plastic Valbia electric** actuator.

EN501S-02*: With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.

EN501S-04*: With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
MEN501S-00*										
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	EA450M
24V AC/DC	US$	644.00	683.00	695.00	849.00	1,277.00	1,382.00	1,794.00	2,089.00	C/F
12V AC/DC, 100-240 VAC	US$	686.00	725.00	737.00	892.00	1,397.00	1,538.00	1,839.00	2,153.00	C/F
MEN501S-01*										
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	-
24V AC/DC	US$	1,359.00	1,398.00	1,410.00	1,545.00	2,020.00	2,217.00	2,505.00	2,885.00	C/F
100-240 VAC	US$	1,437.00	1,476.00	1,488.00	1,623.00	2,083.00	2,327.00	2,615.00	3,007.00	C/F
MEN501S-02*										
24V AC/DC	US$	1,262.00	1,301.00	1,313.00	1,517.00	1,959.00	2,152.00	2,477.00	2,784.00	C/F
12V AC/DC, 100-240 VAC	US$	1,354.00	1,393.00	1,405.00	1,613.00	2,037.00	2,236.00	2,562.00	2,873.00	C/F
MEN501S-04*										
24V AC/DC	US$	1,608.00	1,647.00	1,659.00	1,664.00	2,042.00	2,307.00	2,600.00	2,987.00	C/F
100-240 VAC	US$	1,672.00	1,711.00	1,723.00	1,809.00	2,240.00	2,554.00	2,791.00	3,255.00	C/F
Weight (Lbs)		17.3	18.6	19.8	30.2	40.0	51.0	59.0	81.0	-

MEN501S-00*: With **UL approved** standard on/off **metal Valbia electric** actuator.

MEN501S-01*: With fail-safe battery back-up **metal Valbia electric** actuator.

MEN501S-02*: With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.

MEN501S-04*: With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.



NEW

SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXMEN501S-00*										
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,589.00	1,628.00	1,640.00	1,923.00	3,755.00	4,146.00	4,350.00	5,050.00	C/F
EXMEN501S-02*										
24V AC/DC, 110V AC, 220V AC	US$	2,399.00	2,438.00	2,450.00	2,734.00	4,565.00	4,957.00	5,161.00	5,861.00	C/F
Weight (Lbs)		12.81	13.71	14.81	26.41	48.25	55.55	64.35	103.19	-

EXMEN501S-00*: With **CSA approved** explosion proof on/off **metal electric** actuator.

EXMEN501S-02*: With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

531S direct mount, Lug style, VITON seats, stainless steel, disc butterfly valve.

DA531S

With **double acting Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	DA52	DA52	DA63	DA75	DA75	DA85	DA100	DA125	DA140
Weight (Lbs)	10.6	11.5	13.7	25.3	31.4	42.3	57.9	93.0	131.4
US$	391.00	462.00	514.00	723.00	858.00	1,001.00	1,357.00	2,010.00	2,788.00

SR531S

With **spring return Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	SR75	SR75	SR85	SR100	SR115	SR125	SR160	SR180	C/F
SR200	15.3	16.2	17.3	34.12	47.9	76.6	104.0	170.0	C/F
US$	520.00	591.00	649.00	876.00	1,162.00	1,354.00	2,357.00	3,237.00	C/F

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
E531S-00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.				
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350	-
24V AC/DC	US$	647.00	718.00	737.00	942.00	1,161.00	1,302.00	1,643.00	2,228.00	C/F
12V AC/DC, 100-240 VAC	US$	689.00	760.00	779.00	1,011.00	1,239.00	1,393.00	1,748.00	2,292.00	C/F
E531S-01*						With fail-safe battery back-up **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,125.00	1,196.00	1,215.00	1,435.00	1,688.00	1,880.00	2,233.00	2,771.00	C/F
100-240 VAC	US$	1,190.00	1,261.00	1,280.00	1,495.00	1,737.00	1,946.00	2,300.00	2,845.00	C/F
E531S-02*						With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,066.00	1,137.00	1,156.00	1,354.00	1,551.00	1,746.00	2,123.00	2,655.00	C/F
12V AC/DC, 100-240 VAC	US$	1,153.00	1,224.00	1,243.00	1,440.00	1,635.00	1,746.00	2,213.00	2,727.00	C/F
E531S-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,234.00	1,305.00	1,324.00	1,551.00	1,828.00	2,029.00	2,410.00	2,962.00	C/F
100-240 VAC	US$	1,306.00	1,377.00	1,396.00	1,608.00	1,911.00	2,103.00	2,486.00	3,024.00	C/F
Weight (Lbs)		13.1	14.4	15.5	27.1	31.3	42.1	50.9	72.4	-

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ME531S-00*						With **UL approved** standard on/off **metal Valbia electric** actuator.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	EA450M
24V AC/DC	US$	747.00	818.00	837.00	1,062.00	1,584.00	1,745.00	2,245.00	2,784.00	C/F
12V AC/DC, 100-240 VAC	US$	789.00	860.00	879.00	1,105.00	1,704.00	1,901.00	2,290.00	2,848.00	C/F
ME531S-01*						With fail-safe battery back-up **metal Valbia electric** actuator.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	-
24V AC/DC	US$	1,462.00	1,533.00	1,552.00	1,758.00	2,327.00	2,580.00	2,956.00	3,580.00	C/F
100-240 VAC	US$	1,540.00	1,611.00	1,630.00	1,836.00	2,390.00	2,690.00	3,066.00	3,702.00	C/F
ME531S-02*						With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	1,365.00	1,436.00	1,455.00	1,730.00	2,266.00	2,515.00	2,928.00	3,479.00	C/F
12V AC/DC, 100-240 VAC	US$	1,457.00	1,528.00	1,547.00	1,826.00	2,344.00	2,599.00	3,013.00	3,568.00	C/F
ME531S-04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	1,711.00	1,782.00	1,801.00	1,877.00	2,349.00	2,670.00	3,051.00	3,682.00	C/F
100-240 VAC	US$	1,775.00	1,846.00	1,865.00	2,022.00	2,547.00	2,917.00	3,242.00	3,950.00	C/F
Weight (Lbs)		17.3	18.6	19.8	30.2	40.0	51.0	59.0	81.0	-

NEW

SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXME531S-00*						With **CSA approved** explosion proof on/off **metal electric** actuator				
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,692.00	1,763.00	1,782.00	2,136.00	4,062.00	4,509.00	4,801.00	5,745.00	C/F
EXME531S-02*						With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.				
24V AC/DC, 110V AC, 220V AC	US$	2,502.00	2,573.00	2,592.00	2,947.00	4,872.00	5,320.00	5,612.00	6,556.00	C/F
Weight (Lbs)		12.31	12.81	13.71	14.81	26.41	48.25	55.55	64.35	103.19

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

541N direct mount, Lug style, Buna-N seats, nylon coated ductile iron disc butterfly valve.

DA541N

With **double acting Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	DA52	DA52	DA63	DA75	DA75	DA85	DA100	DA125	DA140
Weight (Lbs)	10.6	11.5	13.7	25.3	31.4	42.3	57.9	93.0	131.4
US$	278.00	314.00	360.00	481.00	513.00	578.00	783.00	1,095.00	1,574.00

SR541N

With **spring return Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	SR75	SR75	SR85	SR100	SR115	SR125	SR160	SR180	-
SR200	15.3	16.2	17.3	34.2	47.9	76.6	105.0	170.0	-
US$	407.00	443.00	495.00	634.00	817.00	931.00	1,783.00	2,322.00	C/F

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
E541N-00*	With **UL approved** standard on/off **plastic Valbia electric** actuator.									
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350	-
24V AC/DC	US$	534.00	570.00	583.00	700.00	816.00	879.00	1,069.00	1,313.00	C/F
12V AC/DC, 100-240 VAC	US$	576.00	612.00	625.00	769.00	894.00	970.00	1,174.00	1,377.00	C/F
E541N-01*	With fail-safe battery back-up **plastic Valbia electric** actuator.									
24V AC/DC	US$	1,012.00	1,048.00	1,061.00	1,193.00	1,343.00	1,457.00	1,659.00	1,856.00	C/F
100-240 VAC	US$	1,077.00	1,113.00	1,126.00	1,253.00	1,392.00	1,523.00	1,726.00	1,930.00	C/F
E541N-02*	With 0-10VDC or 4-20mA positioning **plastic Valbia** electric actuator.									
24V AC/DC	US$	953.00	989.00	1,002.00	1,112.00	1,206.00	1,323.00	1,549.00	1,740.00	C/F
12V AC/DC, 100-240 VAC	US$	1,040.00	1,076.00	1,089.00	1,198.00	1,290.00	1,323.00	1,639.00	1,812.00	C/F
E531N-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.									
24V AC/DC	US$	1,121.00	1,157.00	1,170.00	1,309.00	1,483.00	1,606.00	1,836.00	2,047.00	C/F
100-240 VAC	US$	1,193.00	1,229.00	1,242.00	1,366.00	1,566.00	1,680.00	1,912.00	2,109.00	C/F
Weight (Lbs)		13.5	14.4	15.5	27.1	31.3	42.1	50.9	72.4	-

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ME541N-00*	With **UL approved** standard on/off **metal Valbia electric** actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	EA450M
24V AC/DC	US$	634.00	670.00	683.00	820.00	1,239.00	1,322.00	1,671.00	1,869.00	C/F
12V AC/DC, 100-240 VAC	US$	676.00	712.00	725.00	863.00	1,359.00	1,478.00	1,716.00	1,933.00	C/F
ME541N-01*	With fail-safe battery back-up **metal Valbia electric** actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	-
24V AC/DC	US$	1,349.00	1,385.00	1,398.00	1,516.00	1,982.00	2,157.00	2,382.00	2,665.00	C/F
100-240 VAC	US$	1,427.00	1,463.00	1,476.00	1,594.00	2,045.00	2,267.00	2,492.00	2,787.00	C/F
ME541N-02*	With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,252.00	1,288.00	1,301.00	1,488.00	1,921.00	2,092.00	2,354.00	2,564.00	C/F
12V AC/DC, 100-240 VAC	US$	1,344.00	1,380.00	1,393.00	1,584.00	1,999.00	2,176.00	2,439.00	2,653.00	C/F
ME541N-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,598.00	1,634.00	1,647.00	1,635.00	2,004.00	2,247.00	2,477.00	2,767.00	C/F
100-240 VAC	US$	1,662.00	1,698.00	1,711.00	1,780.00	2,202.00	2,494.00	2,668.00	3,035.00	C/F
Weight (Lbs)		17.7	18.6	19.8	30.2	40.0	51.0	59.0	81.0	-

NEW

SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXME541N-00*	With **CSA approved** explosion proof on/off **metal electric** actuator.									
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,579.00	1,615.00	1,628.00	1,894.00	3,717.00	4,086.00	4,227.00	4,830.00	C/F
EXME541N-02*	With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.									
24V AC/DC, 110V AC, 220V AC	US$	2,389.00	2,425.00	2,438.00	2,705.00	4,527.00	4,897.00	5,038.00	5,641.00	C/F
Weight (Lbs)		12.81	13.71	14.81	26.41	48.25	55.55	64.35	103.19	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

541S direct mount, Lug style, Buna-N seats, stainless steel disc butterfly valve.

DA541S

With **double acting Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	DA52	DA52	DA63	DA75	DA75	DA85	DA100	DA125	DA140
Weight (Lbs)	10.6	11.5	13.7	25.3	31.4	42.3	57.9	93.0	131.4
US$	283.00	320.00	368.00	498.00	535.00	619.00	871.00	1,256.00	1,878.00

SR541S

With **spring return Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	SR75	SR75	SR85	SR100	SR115	SR125	SR160	SR180	C/F
SR200	15.3	16.2	17.3	34.2	47.9	76.6	104.0	170.0	C/F
US$	412.00	449.00	503.00	651.00	839.00	972.00	1,871.00	2,483.00	C/F

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
E541S-00*							With **UL approved** standard on/off **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350	-
24V AC/DC	US$	539.00	576.00	591.00	717.00	838.00	920.00	1,157.00	1,474.00	C/F
12V AC/DC, 100-240 VAC	US$	581.00	618.00	633.00	786.00	916.00	1,011.00	1,262.00	1,538.00	C/F
E541S-01*							With fail-safe battery back-up **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,017.00	1,054.00	1,069.00	1,210.00	1,365.00	1,498.00	1,747.00	2,017.00	C/F
100-240 VAC	US$	1,082.00	1,119.00	1,134.00	1,270.00	1,414.00	1,564.00	1,814.00	2,091.00	C/F
E541S-02*							With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	958.00	995.00	1,010.00	1,129.00	1,228.00	1,364.00	1,637.00	1,901.00	C/F
12V AC/DC, 100-240 VAC	US$	1,045.00	1,082.00	1,097.00	1,215.00	1,312.00	1,364.00	1,727.00	1,973.00	C/F
E541S-04*							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.			
24V AC/DC	US$	1,126.00	1,163.00	1,178.00	1,326.00	1,505.00	1,647.00	1,924.00	2,208.00	C/F
100-240 VAC	US$	1,198.00	1,235.00	1,250.00	1,383.00	1,588.00	1,721.00	2,000.00	2,270.00	C/F
Weight (Lbs)		13.1	14.4	15.5	27.1	31.3	42.1	50.9	78.2	-

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ME541S-00*							With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	EA450M
24V AC/DC	US$	639.00	676.00	691.00	837.00	1,261.00	1,363.00	1,759.00	2,030.00	C/F
12V AC/DC, 100-240 VAC	US$	681.00	718.00	733.00	880.00	1,381.00	1,519.00	1,804.00	2,094.00	C/F
ME541S-01*							With fail-safe battery back-up **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	-
24V AC/DC	US$	1,354.00	1,391.00	1,406.00	1,533.00	2,004.00	2,198.00	2,470.00	2,826.00	C/F
100-240 VAC	US$	1,432.00	1,469.00	1,484.00	1,611.00	2,067.00	2,308.00	2,580.00	2,948.00	C/F
ME541S-02*							With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,257.00	1,294.00	1,309.00	1,505.00	1,943.00	2,133.00	2,442.00	2,725.00	C/F
12V AC/DC, 100-240 VAC	US$	1,349.00	1,386.00	1,401.00	1,601.00	2,021.00	2,217.00	2,527.00	2,814.00	C/F
ME541S-04*							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,603.00	1,640.00	1,655.00	1,652.00	2,026.00	2,288.00	2,565.00	2,928.00	C/F
100-240 VAC	US$	1,667.00	1,704.00	1,719.00	1,797.00	2,224.00	2,535.00	2,756.00	3,196.00	C/F
Weight (Lbs)		17.3	18.6	19.8	30.2	40.0	51.0	59.0	81.0	-

NEW

SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXME541S-00*							With **CSA approved** explosion proof on/off **metal electric** actuato			
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,584.00	1,621.00	1,636.00	1,911.00	3,739.00	4,127.00	4,315.00	4,991.00	C/F
EXME541S-02*							With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.			
24V AC/DC, 110V AC, 220V AC	US$	2,394.00	2,431.00	2,446.00	2,722.00	4,549.00	4,938.00	5,126.00	5,802.00	C/F
Weight (Lbs)		12.81	13.71	14.81	26.41	48.25	55.55	64.35	103.19	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

L700 direct mount, grooved end, butterfly valve.

DA700E (EPDM coated disc)
DA700B (Buna-N coated disc)

With **double acting Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	DA52	DA63	DA75	DA75	DA85	DA100	DA125	DA140	DA160
Weight (Lbs)	6.4	8.5	9.6	16.1	25.3	33.3	56.3	90.4	124
US$	292.00	360.00	454.00	519.00	610.00	741.00	1,162.00	1,588.00	2,101.00

SR700E (EPDM)
SR700B (Buna-N)

With **spring return Valbia pneumatic** actuator.

SIZE	2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	SR75	SR85	SR115	SR115	SR125	SR125	SR160	SR200	SR230
SR200	11.4	15.4	31.2	35.2	47.7	52.2	80.5	119.5	197.3
US$	421.00	495.00	528.00	823.00	963.00	1,021.00	1,962.00	3,496.00	5,164.00

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
E700* -00*						With **UL approved** standard on/off **plastic Valbia electric** actuator.				
ACT.		VB030	VB030	VB060	VB110	VB190	VB190	VB270	VB350	-
24V AC/DC	US$	548.00	583.00	674.00	822.00	884.00	969.00	1,380.00	C/F	C/F
12V AC/DC, 100-240 VAC	US$	590.00	625.00	743.00	949.00	962.00	1,060.00	1,444.00	C/F	C/F
E700* -01*						With fail-safe battery back-up **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,026.00	1,061.00	1,167.00	1,412.00	1,411.00	1,547.00	1,923.00	C/F	C/F
100-240 VAC	US$	1,091.00	1,126.00	1,227.00	1,459.00	1,460.00	1,613.00	1,997.00	C/F	C/F
E700* -02*						With 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	967.00	1,002.00	1,086.00	1,233.00	1,274.00	1,413.00	1,807.00	C/F	C/F
12V AC/DC, 100-240 VAC	US$	1,054.00	1,089.00	1,172.00	1,289.00	1,358.00	1,526.00	1,879.00	C/F	C/F
E700* -04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic Valbia electric** actuator.				
24V AC/DC	US$	1,135.00	1,170.00	1,283.00	1,561.00	1,551.00	1,696.00	2,114.00	C/F	C/F
100-240 VAC	US$	1,207.00	1,242.00	1,340.00	1,603.00	1,634.00	1,770.00	2,176.00	C/F	C/F
Weight (Lbs)		9	9.9	13.7	21.6	28.4	32.8	46.3	68.3	-

* Seats material, B=Buna - E=EPDM

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ME700* -00*						With **UL approved** standard on/off **metal Valbia electric** actuator.				
ACT.		VB030M	VB030M	VB060M	VB110M	VB190M	VB190M	VB270M	VB350M	-
24V AC/DC	US$	648.00	683.00	794.00	1,244.00	1,354.00	1,412.00	1,936.00	C/F	C/F
12V AC/DC, 100-240 VAC	US$	690.00	725.00	837.00	1,364.00	1,510.00	1,568.00	2,000.00	C/F	C/F
ME700* -01*						With fail-safe battery back-up **metal Valbia electric** actuator.				
24V AC/DC	US$	1,363.00	1,398.00	1,490.00	1,987.00	2,189.00	2,247.00	2,732.00	C/F	C/F
100-240 VAC	US$	1,441.00	1,476.00	1,568.00	2,050.00	2,299.00	2,357.00	2,854.00	C/F	C/F
ME700* -02*						With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	1,266.00	1,301.00	1,462.00	1,926.00	2,124.00	2,182.00	2,631.00	C/F	C/F
12V AC/DC, 100-240 VAC	US$	1,358.00	1,393.00	1,558.00	2,004.00	2,208.00	2,266.00	2,720.00	C/F	C/F
ME700* -04*						With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	1,612.00	1,647.00	1,609.00	2,009.00	2,279.00	2,337.00	2,834.00	C/F	C/F
100-240 VAC	US$	1,676.00	1,711.00	1,754.00	2,207.00	2,526.00	2,584.00	3,102.00	C/F	C/F
Weight (Lbs)		13.2	14.1	16.7	30.0	37.0	41.0	54.5	77.0	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

8100 carbon steel, class 150 HP, Wafer style butterfly valve.
8300 carbon steel, class 300 HP, Wafer style butterfly valve.

DA8100/DA8300

With **double acting Valbia pneumatic** actuator.

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.		DA63V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA125V	DA180V
Weight (Lbs)		16.0	17.5	21.0	25.0	31.0	43.0	67.0	96.0	171.0
DA 8100	US$	591.00	650.00	738.00	954.00	1,127.00	1,305.00	2,001.00	2,746.00	4,846.00
ACT.		DA63V	DA63V	DA75V	DA75V	DA85V	DA100V	DA115V	DA140V	DA180V
Weight (Lbs)		18.0	20.0	23.5	28.0	37.5	51.0	77.5	103.0	182.0
DA 8300	US$	595.00	666.00	817.00	978.00	1,158.00	1,380.00	2,127.00	3,313.00	5,144.00

SR8100/SR8300

With **spring return Valbia pneumatic** actuator.

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.		SR85V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR180V	SR230
Weight (Lbs)		23.0	24.5	26.0	35.0	47.0	79.0	115.0	194.0	282.0
SR 8100	US$	726.00	785.00	873.00	1,107.00	1,419.00	1,725.00	2,874.00	3,962.00	5,721.00
ACT.		SR85V	SR100V	SR100V	SR115V	SR125V	SR125V	SR180V	SR200V	SR200V
Weight (Lbs)		15.0	27.0	29.0	38.0	54.0	92.0	123.0	136.0	356.0
SR 8300	US$	730.00	890.00	970.00	1,282.00	1,528.00	1,800.00	3,427.00	4,839.00	8,755.00

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ME8100-00*										
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB110M	VB190M	VB350M	-
24V AC/DC	US$	914.00	973.00	1,061.00	1,294.00	1,830.00	2,008.00	2,545.00	3,529.00	C/F
12V AC/DC, 100-240 VAC	US$	956.00	1,015.00	1,103.00	1,337.00	1,950.00	2,128.00	2,701.00	3,593.00	C/F
ME8100-01*										
24V AC/DC	US$	1,629.00	1,688.00	1,776.00	1,990.00	2,573.00	2,751.00	3,380.00	4,325.00	C/F
100-240 VAC	US$	1,707.00	1,766.00	1,854.00	2,068.00	2,636.00	2,814.00	3,490.00	4,447.00	C/F
ME8100-02*										
24V AC/DC	US$	1,532.00	1,591.00	1,679.00	1,962.00	2,512.00	2,690.00	3,315.00	4,224.00	C/F
12V AC/DC, 100-240 VAC	US$	1,624.00	1,683.00	1,771.00	2,058.00	2,590.00	2,768.00	3,399.00	4,313.00	C/F
ME8100-04*										
24V AC/DC	US$	1,878.00	1,937.00	2,025.00	2,109.00	2,595.00	2,773.00	3,470.00	4,427.00	C/F
100-240 VAC	US$	1,942.00	2,001.00	2,089.00	2,254.00	2,793.00	2,971.00	3,717.00	4,695.00	C/F
Weight (Lbs)		18.5	19.0	21.0	28.0	41.0	48.0	65.0	93.0	-

ME8100-00* — With **UL approved** standard on/off **metal Valbia electric** actuator.
ME8100-01* — With fail-safe battery back-up **metal Valbia electric** actuator.
ME8100-02* — With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.
ME8100-04* — With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ME8300-00*										
ACT.		VB030M	VB060M	VB060M	VB060M	VB110M	VB190M	VB270M	EA450	EA450
24V AC/DC	US$	918.00	1,076.00	1,156.00	1,318.00	1,861.00	2,130.00	2,888.00	4,533.00	6,161.00
12V AC/DC, 100-240 VAC	US$	960.00	1,119.00	1,199.00	1,361.00	1,981.00	2,286.00	2,933.00	4,533.00	6,161.00
ME8300-01*										
24V AC/DC	US$	1,633.00	1,772.00	1,852.00	2,014.00	2,604.00	2,965.00	3,599.00	C/F	C/F
100-240 VAC	US$	1,711.00	1,850.00	1,930.00	2,092.00	2,667.00	3,075.00	3,709.00	C/F	C/F
ME8300-02*										
24V AC/DC	US$	1,536.00	1,744.00	1,824.00	1,986.00	2,543.00	2,900.00	3,571.00	5,456.00	7,084.00
12V AC/DC, 100-240 VAC	US$	1,628.00	1,840.00	1,920.00	2,082.00	2,621.00	2,984.00	3,656.00	5,456.00	7,084.00
ME8300-04*										
24V AC/DC	US$	1,882.00	1,891.00	1,971.00	2,133.00	2,626.00	3,055.00	3,694.00	C/F	C/F
100-240 VAC	US$	1,946.00	2,036.00	2,116.00	2,278.00	2,824.00	3,302.00	3,885.00	C/F	C/F
Weight (Lbs)		19.4	24.0	25.0	34.0	48.0	55.0	78.0	87.0	-

ME8300-00* — With standard on/off **metal Valbia electric** actuator.
ME8300-01* — With fail-safe battery back-up **metal Valbia electric** actuator.
ME8300-02* — With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.
ME8300-04* — With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.

NEW

SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXME8100-00*										
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX360	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,859.00	1,918.00	2,006.00	2,368.00	4,308.00	4,819.00	5,800.00	6,490.00	C/F
EXME8100-02*										
24V AC/DC, 110V AC, 220V AC	US$	2,669.00	2,728.00	2,816.00	3,179.00	5,118.00	5,630.00	6,611.00	7,301.00	C/F
Weight (Lbs)		14.55	15.65	20.06	24.47	45.63	52.91	90.17	115.74	-

EXME8100-00* — With **CSA approved** explosion proof on/off **metal electric** actuator.
EXME8100-02* — With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.

SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXME8300-00*										
ACT.		EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360	EAX450	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,863.00	1,940.00	2,020.00	2,392.00	4,339.00	4,894.00	5,935.00	7,206.00	C/F
EXME8300-02*										
24V AC/DC, 110V AC, 220V AC	US$	2,673.00	2,750.00	2,830.00	3,203.00	5,149.00	5,705.00	6,746.00	8,016.00	C/F
Weight (Lbs)		15.65	17.42	21.38	27.55	52.75	59.96	100.31	121.25	-

EXME8300-00* — With **CSA approved** explosion proof on/off **metal electric** actuator.
EXME8300-02* — With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

8101 carbon steel, class 150 HP, Lug style butterfly valve.
8301 carbon steel, class 300 HP, Lug style butterfly valve.

DA8101/DA8301

With **double acting Valbia pneumatic** actuator.

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.		DA63V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA125V	DA180V
Weight (Lbs)		18.0	19.5	23.0	31.0	38.0	50.0	89.0	111.0	193.0
DA 8101	US$	613.00	689.00	769.00	1,073.00	1,284.00	1,465.00	2,200.00	3,186.00	5,301.00
ACT.		DA63V	DA63V	DA75V	DA75V	DA85V	DA100V	DA115V	DA140V	DA180V
Weight (Lbs)		21.5	23.0	28.5	41.0	51.0	72.0	119.0	156.0	235.0
DA 8301	US$	658.00	756.00	922.00	1,118.00	1,313.00	1,668.00	2,568.00	3,928.00	5,864.00

SR8101/SR8301

With **spring return Valbia pneumatic** actuator.

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.		SR85V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR180V	SR230
Weight (Lbs)		25.0	26.0	29.0	40.0	54.0	86.0	135.0	209.0	305.0
SR 8101	US$	748.00	824.00	904.00	1,226.00	1,576.00	1,885.00	3,073.00	4,402.00	6,176.00
ACT.		SR85V	SR100V	SR100V	SR115V	SR125V	SR125V	SR180V	SR200V	SR200V
Weight (Lbs)		26.5	28.5	31.0	46.5	67.0	99.0	146.0	240.0	388.0
SR 8301	US$	793.00	980.00	1,075.00	1,423.00	1,672.00	2,088.00	3,868.00	5,454.00	9,475.00

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ME8101-00*										
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB110M	VB190M	VB350M	-
24V AC/DC	US$	936.00	1,012.00	1,092.00	1,413.00	1,987.00	2,168.00	2,744.00	3,969.00	C/F
12V AC/DC, 100-240 VAC	US$	978.00	1,054.00	1,134.00	1,456.00	2,107.00	2,288.00	2,900.00	4,033.00	C/F
ME8101-01*										
24V AC/DC	US$	1,651.00	1,727.00	1,807.00	2,109.00	2,730.00	2,911.00	3,579.00	4,765.00	C/F
100-240 VAC	US$	1,729.00	1,805.00	1,885.00	2,187.00	2,793.00	2,974.00	3,689.00	4,887.00	C/F
ME8101-02*										
24V AC/DC	US$	1,554.00	1,630.00	1,710.00	2,081.00	2,669.00	2,850.00	3,514.00	4,664.00	C/F
12V AC/DC, 100-240 VAC	US$	1,646.00	1,722.00	1,802.00	2,177.00	2,747.00	2,928.00	3,598.00	4,753.00	C/F
ME8101-04*										
24V AC/DC	US$	1,900.00	1,976.00	2,056.00	2,228.00	2,752.00	2,933.00	3,669.00	4,867.00	C/F
100-240 VAC	US$	1,964.00	2,040.00	2,120.00	2,373.00	2,950.00	3,131.00	3,916.00	5,135.00	C/F
Weight (Lbs)		19.6	21.5	23.0	35.0	48.0	55.0	87.0	106.0	-

With **UL approved** standard on/off **metal Valbia electric** actuator.
With fail-safe battery back-up **metal Valbia electric** actuator.
With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.
With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ME8301-00*										
ACT.		VB030M	VB060M	VB060M	VB060M	VB110M	VB190M	VB270M	EA450	EA575
24V AC/DC	US$	981.00	1,166.00	1,261.00	1,458.00	2,016.00	2,418.00	3,329.00	5,148.00	6,881.00
12V AC/DC, 100-240 VAC	US$	1,023.00	1,209.00	1,304.00	1,501.00	2,136.00	2,574.00	3,374.00	5,148.00	6,881.00
ME8301-01*										
24V AC/DC	US$	1,696.00	1,862.00	1,957.00	2,154.00	2,759.00	3,253.00	4,040.00	C/F	C/F
100-240 VAC	US$	1,774.00	1,940.00	2,035.00	2,232.00	2,822.00	3,363.00	4,150.00	C/F	C/F
ME8301-02*										
24V AC/DC	US$	1,599.00	1,834.00	1,929.00	2,126.00	2,698.00	3,188.00	4,012.00	6,071.00	7,804.00
12V AC/DC, 100-240 VAC	US$	1,691.00	1,930.00	2,025.00	2,222.00	2,776.00	3,272.00	4,097.00	6,071.00	7,804.00
ME8301-04*										
24V AC/DC	US$	1,945.00	1,981.00	2,076.00	2,273.00	2,781.00	3,343.00	4,135.00	C/F	C/F
100-240 VAC	US$	2,009.00	2,126.00	2,221.00	2,418.00	2,979.00	3,590.00	4,326.00	C/F	C/F
Weight (Lbs)		21.7	28.0	31.0	38.0	54.0	70.0	101.0	126.0	-

With **UL approved** standard on/off **metal Valbia electric** actuator.
With fail-safe battery back-up **metal Valbia electric** actuator.
With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.
With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.

NEW

SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXME8101-00*										
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX360	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,881.00	1,957.00	2,037.00	2,487.00	4,465.00	4,979.00	5,999.00	6,930.00	C/F
EXME8101-02*										
24V AC/DC, 110V AC, 220V AC	US$	2,691.00	2,767.00	2,847.00	3,298.00	5,275.00	5,790.00	6,810.00	7,741.00	C/F
Weight (Lbs)		15.65	16.98	21.16	29.98	53.13	59.52	110.23	128.97	-

With **CSA approved** explosion proof on/off **metal electric** actuator.
With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.

SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXME8301-00*										
ACT.		EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360	EAX450	C/F
24V AC/DC, 110V AC, 220V AC	US$	1,926.00	2,030.00	2,125.00	2,532.00	4,494.00	5,182.00	6,376.00	7,821.00	C/F
EXME8301-02*										
24V AC/DC, 110V AC, 220V AC	US$	2,736.00	2,840.00	2,935.00	3,343.00	5,304.00	5,993.00	7,187.00	8,631.00	C/F
Weight (Lbs)		18.74	21.61	26.23	33.73	57.54	74.29	123.01	160.93	-

With **CSA approved** explosion proof on/off **metal electric** actuator.
With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

9100 stainless steel, class 150 HP, Wafer style butterfly valve.
9300 stainless steel, class 300 HP, Wafer style butterfly valve.

DA9100/DA9300

With **double acting Valbia pneumatic** actuator.

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.		DA63V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA125V	DA180V
Weight (Lbs)		16.0	17.5	21.0	25.0	31.0	43.0	69.0	96.0	171.0
DA 9100	US$	754.00	822.00	939.00	1,197.00	1,453.00	1,698.00	2,576.00	3,579.00	6,154.00
ACT.		DA63V	DA63V	DA75V	DA75V	DA85V	DA100V	DA115V	DA140V	DA180V
Weight (Lbs)		18.0	20.0	22.5	28.0	37.5	51.0	77.5	103.0	182.0
DA 9300	US$	761.00	848.00	1,018.00	1,234.00	1,485.00	1,780.00	2,749.00	4,295.00	6,555.00

SR9100/SR9300

With **spring return Valbia pneumatic** actuator.

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.		SR85V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR180V	SR230
Weight (Lbs)		23.0	24.5	26.0	35.0	47.0	79.0	115.0	194.0	282.0
SR 9100	US$	889.00	957.00	1,074.00	1,350.00	1,745.00	2,118.00	3,449.00	4,795.00	7,029.00
ACT.		SR85V	SR100V	SR100V	SR115V	SR125V	SR125V	SR180V	SR200V	SR200V
Weight (Lbs)		25.0	27.0	29.0	38.0	54.0	92.0	123.0	136.0	356.0
SR 9300	US$	896.00	1,072.00	1,171.00	1,539.00	1,844.00	2,200.00	4,049.00	5,821.00	10,166.00

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ME9100-00*							With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB110M	VB190M	VB350M	-
24V AC/DC	US$	1,077.00	1,145.00	1,262.00	1,537.00	2,156.00	2,401.00	3,120.00	4,362.00	C/F
12V AC/DC, 100-240 VAC	US$	1,119.00	1,187.00	1,304.00	1,580.00	2,276.00	2,521.00	3,276.00	4,426.00	C/F
ME9100-01*							With fail-safe battery back-up **metal Valbia electric** actuator.			
24V AC/DC	US$	1,792.00	1,860.00	1,977.00	2,233.00	2,899.00	3,144.00	3,955.00	5,158.00	C/F
100-240 VAC	US$	1,870.00	1,938.00	2,055.00	2,311.00	2,962.00	3,207.00	4,065.00	5,280.00	C/F
ME9100-02*							With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,695.00	1,763.00	1,880.00	2,205.00	2,838.00	3,083.00	3,890.00	5,057.00	C/F
12V AC/DC, 100-240 VAC	US$	1,787.00	1,855.00	1,972.00	2,301.00	2,916.00	3,161.00	3,974.00	5,146.00	C/F
ME9100-04*							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	2,041.00	2,109.00	2,226.00	2,352.00	2,921.00	3,166.00	4,045.00	5,260.00	C/F
100-240 VAC	US$	2,105.00	2,173.00	2,290.00	2,497.00	3,119.00	3,364.00	4,292.00	5,528.00	C/F
Weight (Lbs)		18.5	19.0	21.0	28.0	41.0	48.0	65.0	93.0	-

SIZE		2”	2 1/2”	3”	4”	5”	6”	8”	10”	12”
ME9300-00*							With **UL approved** standard on/off **metal Valbia electric** actuator.			
ACT.		VB030M	VB060M	VB060M	VB060M	VB110M	VB190M	VB270M	EA450	EA575
24V AC/DC	US$	1,084.00	1,258.00	1,357.00	1,574.00	2,188.00	2,530.00	3,510.00	5,515.00	7,572.00
12V AC/DC, 100-240 VAC	US$	1,126.00	1,301.00	1,400.00	1,617.00	2,308.00	2,686.00	3,555.00	5,515.00	7,572.00
ME9300-01*							With fail-safe battery back-up **metal Valbia electric** actuator.			
24V AC/DC	US$	1,799.00	1,954.00	2,053.00	2,270.00	2,931.00	3,365.00	4,221.00	C/F	C/F
100-240 VAC	US$	1,877.00	2,032.00	2,131.00	2,348.00	2,994.00	3,475.00	4,331.00	C/F	C/F
ME9300-02*							With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,702.00	1,926.00	2,025.00	2,242.00	2,870.00	3,300.00	4,193.00	6,438.00	8,495.00
12V AC/DC, 100-240 VAC	US$	1,794.00	2,022.00	2,121.00	2,338.00	2,948.00	3,384.00	4,278.00	6,438.00	8,495.00
ME9300-04*							With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	2,048.00	2,073.00	2,172.00	2,389.00	2,953.00	3,455.00	4,316.00	C/F	C/F
100-240 VAC	US$	2,112.00	2,218.00	2,317.00	2,534.00	3,151.00	3,702.00	4,507.00	C/F	C/F
Weight (Lbs)		19.4	24.0	28.0	34.0	48.0	55.0	78.0	87.0	-

NEW

SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXME9100-00*							With **CSA approved** explosion proof on/off **metal electric** actuator			
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX360	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	2,022.00	2,090.00	2,207.00	2,611.00	4,634.00	5,212.00	6,375.00	7,323.00	C/F
EXME9100-02*							With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.			
24V AC/DC, 110V AC, 220V AC	US$	2,832.00	2,900.00	3,017.00	3,422.00	5,444.00	6,023.00	7,186.00	8,134.00	C/F
Weight (Lbs)		14.55	15.65	20.06	24.47	45.63	52.91	90.17	115.74	-

SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
EXME9300-00*							With **CSA approved** explosion proof on/off **metal electric** actuator.			
ACT.		EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360	EAX450	C/F
24V AC/DC, 110V AC, 220V AC	US$	2,029.00	2,122.00	2,221.00	2,648.00	4,666.00	5,294.00	6,557.00	8,188.00	C/F
EXME9300-02*							With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.			
24V AC/DC, 110V AC, 220V AC	US$	2,839.00	2,932.00	3,031.00	3,459.00	5,476.00	6,105.00	7,368.00	8,998.00	C/F
Weight (Lbs)		15.65	17.42	21.38	27.55	52.75	59.96	100.31	121.25	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

9101 stainless steel, class 150 HP, Lug style butterfly valve.
9301 stainless steel, class 300 HP, Lug style butterfly valve.

DA9101/DA9301

With **double acting Valbia pneumatic** actuator.

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.		DA63V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA125V	DA180V
Weight (Lbs)		18.0	19.5	23.0	31.0	38.0	50.0	89.0	111.0	193.0
DA 9101	US$	785.00	880.00	978.00	1,386.00	1,699.00	1,949.00	2,792.00	4,299.00	6,894.00
ACT.		DA63V	DA63V	DA75V	DA75V	DA85V	DA100V	DA115V	DA140V	DA180V
Weight (Lbs)		21.5	23.0	28.5	41.0	51.0	72.0	119.0	156.0	235.0
DA 9301	US$	863.00	995.00	1,192.00	1,464.00	1,734.00	2,264.00	3,501.00	5,329.00	7,736.00

SR9101/SR9301

With **spring return Valbia pneumatic** actuator.

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.		SR63V	SR63V	SR63V	SR100V	SR115V	SR125V	SR160V	SR180V	SR230
Weight (Lbs)		25.0	26.0	29.0	40.0	54.0	86.0	135.0	209.0	305.0
SR 9101	US$	920.00	1,015.00	1,113.00	1,539.00	1,991.00	2,369.00	3,665.00	5,515.00	7,769.00
ACT.		SR85V	SR100V	SR100V	SR115V	SR125V	SR125V	SR180V	SR200V	SR200V
Weight (Lbs)		26.5	28.5	31.0	46.5	67.0	99.0	146.0	240.0	388.0
SR 9301	US$	998.00	1,219.00	1,345.00	1,769.00	2,093.00	2,684.00	4,801.00	6,855.00	11,347.00

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ME9101-00*										
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB110M	VB190M	VB350M	-
24V AC/DC	US$	1,108.00	1,203.00	1,301.00	1,726.00	2,402.00	2,652.00	3,336.00	5,082.00	C/F
12V AC/DC, 100-240 VAC	US$	1,150.00	1,245.00	1,343.00	1,769.00	2,522.00	2,772.00	3,492.00	5,146.00	C/F
ME9101-01*										
24V AC/DC	US$	1,823.00	1,918.00	2,016.00	2,422.00	3,145.00	3,395.00	4,171.00	5,878.00	C/F
100-240 VAC	US$	1,901.00	1,996.00	2,094.00	2,500.00	3,208.00	3,458.00	4,281.00	6,000.00	C/F
ME9101-02*										
24V AC/DC	US$	1,726.00	1,821.00	1,919.00	2,394.00	3,084.00	3,334.00	4,106.00	5,777.00	C/F
12V AC/DC, 100-240 VAC	US$	1,818.00	1,913.00	2,011.00	2,490.00	3,162.00	3,412.00	4,190.00	5,866.00	C/F
ME9101-04*										
24V AC/DC	US$	2,072.00	2,167.00	2,265.00	2,541.00	3,167.00	3,417.00	4,261.00	5,980.00	C/F
100-240 VAC	US$	2,136.00	2,231.00	2,329.00	2,686.00	3,365.00	3,615.00	4,508.00	6,248.00	C/F
Weight (Lbs)		19.6	21.5	23.0	35.0	48.0	55.0	87.0	106.0	-

With **UL approved** standard on/off **metal Valbia electric** actuator.
With fail-safe battery back-up **metal Valbia electric** actuator.
With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.
With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ME9301-00*										
ACT.		VB030M	VB060M	VB060M	VB060M	VB110M	VB190M	VB270M	EA450	EA575
24V AC/DC	US$	1,186.00	1,405.00	1,531.00	1,804.00	2,437.00	3,014.00	4,262.00	6,549.00	8,753.00
12V AC/DC, 100-240 VAC	US$	1,228.00	1,448.00	1,574.00	1,847.00	2,557.00	3,170.00	4,307.00	6,549.00	8,753.00
ME9301-01*										
24V AC/DC	US$	1,901.00	2,101.00	2,227.00	2,500.00	3,180.00	3,849.00	4,973.00	C/F	C/F
100-240 VAC	US$	1,979.00	2,179.00	2,305.00	2,578.00	3,243.00	3,959.00	5,083.00	C/F	C/F
ME9301-02*										
24V AC/DC	US$	1,804.00	2,073.00	2,199.00	2,472.00	3,119.00	3,784.00	4,945.00	7,472.00	9,676.00
12V AC/DC, 100-240 VAC	US$	1,896.00	2,169.00	2,295.00	2,568.00	3,197.00	3,868.00	5,030.00	7,472.00	9,676.00
ME9301-04*										
24V AC/DC	US$	2,150.00	2,220.00	2,346.00	2,619.00	3,202.00	3,939.00	5,068.00	C/F	C/F
100-240 VAC	US$	2,214.00	2,365.00	2,491.00	2,764.00	3,400.00	4,186.00	5,259.00	C/F	C/F
Weight (Lbs)		21.7	28.0	31.0	38.0	54.0	70.0	101.0	126.0	-

With **UL approved** nstandard on/off **metal Valbia electric** actuator.
With fail-safe battery back-up **metal Valbia electric** actuator.
With 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.
With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal Valbia electric** actuator.

NEW

SIZE		2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
EXME9101-00*										
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX360	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US$	2,053.00	2,148.00	2,246.00	2,800.00	4,880.00	5,463.00	6,591.00	8,043.00	C/F
EXME9101-02*										
24V AC/DC, 110V AC, 220V AC	US$	2,863.00	2,958.00	3,056.00	3,611.00	5,690.00	6,274.00	7,402.00	8,854.00	C/F
Weight (Lbs)		15.65	16.98	21.16	29.98	53.13	59.52	110.23	128.97	-

With **CSA approved** explosion proof on/off **metal electric** actuator
With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.

SIZE		2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
EXME9301-00*										
ACT.		EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360	EAX450	C/F
24V AC/DC, 110V AC, 220V AC	US$	2,131.00	2,269.00	2,395.00	2,878.00	4,915.00	5,778.00	7,309.00	9,222.00	C/F
EXME9301-02*										
24V AC/DC, 110V AC, 220V AC	US$	2,941.00	3,079.00	3,205.00	3,689.00	5,725.00	6,589.00	8,120.00	10,032.00	C/F
Weight (Lbs)		18.74	21.61	26.23	33.73	57.54	74.29	123.01	160.93	-

With **CSA approved** explosion proof on/off **metal electric** actuator.
With 0-10VDC or 4-20 mA positioning **CSA approved** explosion proof **metal electric** actuator.

* VOLTAGE SUFFIX		
1 = 12V AC/DC	**2 =** 24V AC/DC	**3 =**100-240V AC

N501S direct mount, Lug style, EPDM seats, stainless steel disc, butterfly valve tandem assembly with 125# cast iron tee.

T6

DAN501S-T*

EXAMPLE PART NO.	MODEL	-	ARR. #	-	SIZE
	DAN501S		T1		3

SIZE	2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	DA63	DA63	DA75	DA85	DA100	DA115	DA125	DA140	DA180
Linkage	BFVLINK-2	BFVLINK-2-1/2	BFVLINK-3	BFVLINK-4	BFVLINK-5	BFVLINK-6	BFVLINK-7	BFVLINK-10	BFVLINK-12
Est.Wgt. (Lbs.)	44.46	55.26	66.93	115.2	144.12	190.11	274.01	429.13	625.33
US$	1,261.00	1,441.00	1,478.00	1,996.00	2,578.00	2,478.00	3,424.00	5,016.00	6,857.00

* See “TEE FLOW ARRANGEMENTS” below

T2

SRN501S-T*

EXAMPLE PART NO.	MODEL	-	ARR. #	-	SIZE
	SRN501S		T1		3

SIZE	2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
ACT.	SR85	SR100	SR115	SR125	SR160	SR160	SR200	SR230	SR270
Linkage	BFVLINK-2	BFVLINK-2-1/2	BFVLINK-3	BFVLINK-4	BFVLINK-5	BFVLINK-6	BFVLINK-7	BFVLINK-10	BFVLINK-12
Est.Wgt. (Lbs.)	51.68	67.03	86.04	137.64	197.04	235.64	371.45	549.73	782.46
US$	1,395.00	1,664.00	1,773.00	2,340.00	3,558.00	3,340.00	5,002.00	7,851.00	9,904.00

* See “TEE FLOW ARRANGEMENTS” below

T5

T4

EXAMPLE PART NO.	MODEL	-	ARR. #	-	VOLTAGE	-	SIZE
	MEN501S		T1		003		3

SIZE		2”	2-1/2”	3”	4”	5”	6”	8”	10”	12”
MEN501S-T*-00*							With **UL approved** standard on/off **metal Valbia electric** actuators			
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M	VB190M	VB350M	EA450	EA450
24V AC/DC	US$	1,590.00	1,851.00	1,818.00	2,693.00	3,249.00	3,031.00	4,198.00	-	-
12V AC/DC, 100-240VAC	US$	1,632.00	1,894.00	1,861.00	2,813.00	3,405.00	3,187.00	4,262.00	6,207.00 *	7,547.00 *

* Available only in 100-240VAC

MEN501S-T*-01*							With fai-safe battery back-up **metal Valbia electric** actuators			
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M	VB190M	VB350M	-	-
24V AC/DC	US$	2,305.00	2,547.00	2,514.00	3,436.00	4,084.00	3,866.00	4,994.00	C/F	C/F
100-240 VAC	US$	2,383.00	2,625.00	2,592.00	3,499.00	4,194.00	3,976.00	5,116.00	C/F	C/F

MEN501S-T*-02*							With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuators			
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M	VB190M	VB350M	EA450	EA450
24V AC/DC	US$	2,208.00	2,519.00	2,486.00	3,375.00	4,019.00	3,801.00	4,893.00	-	-
12V AC/DC, 100-240VAC	US$	2,300.00	2,615.00	2,582.00	3,453.00	4,103.00	3,885.00	4,982.00	7,130.00 *	8,470.00 *

* Available only in 100-240VAC

MEN501S-T*- 04*							With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **Valbia electric** actuators			
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M	VB190M	VB350M	-	-
24V AC/DC	US$	2,554.00	2,666.00	2,633.00	3,458.00	4,174.00	3,956.00	5,096.00	C/F	C/F
100-240 VAC	US$	2,618.00	2,811.00	2,778.00	3,656.00	4,421.00	4,203.00	5,364.00	C/F	C/F
Est.Wgt. (Lbs.)		48.0	61.50	70.7	125.3	150.7	189.3	271.1	437.3	605.5

* See “TEE FLOW ARRANGEMENTS” below

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

TEE FLOW ARRANGEMENTS



Valpres 710190V (NPT) 710061V (SW), 2-way, 3-piece stainless steel, 1000 WOG 250 WSP, full port V-Ball valve.



30-60°

60°

90°

With **double acting Valbia pneumatic** actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	3"	4"
PP710190V36DA (NPT) PP710061V36DA (SW)	30-60°	US$	979.00	1,067.00	1,115.00	1,155.00	1,258.00	1,486.00	2,496.00	3,864.00
PP710190V6DA (NPT) PP710061V6DA (SW)	60°	US$	979.00	1,067.00	1,115.00	1,155.00	1,258.00	1,486.00	2,496.00	3,864.00
PP710190V9DA (NPT) PP710061V9DA (SW)	90°	US$	979.00	1,067.00	1,115.00	1,155.00	1,258.00	1,486.00	2,496.00	3,864.00
ACT.			DA32V	DA52V	DA52V	DA52V	DA63V	DA75V	DA85V	DA100V
Bracket			RI3789	RI3781	RI3030	RI3030	RI3031	RI3034	RI3003	RI3004
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			7.2	8.8	10.1	11.3	13.1	17.2	40.6	64.9

With **spring return Valbia pneumatic** actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	3"	4"
PP710190V36SR (NPT) PP710061V36R (SW)	30-60°	US$	1,049.00	1,109.00	1,158.00	1,198.00	1,394.00	1,639.00	2,851.00	4,137.00
PP710190V6SR (NPT) PP710061V6SR (SW)	60°	US$	1,049.00	1,109.00	1,158.00	1,198.00	1,394.00	1,639.00	2,851.00	4,137.00
PP710190V9SR (NPT) PP710061V9SR (SW)	90°	US$	1,049.00	1,109.00	1,158.00	1,198.00	1,394.00	1,639.00	2,851.00	4,137.00
ACT.			SR52V	SR63V	SR63V	SR63V	SR85V	SR100V	SR125V	SR125V
Bracket			RI3790	RI3783	RI3033	RI3033	RI3034	RI3034	RI3010	RI3005
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			8.7	10.7	12.1	10.3	20.6	36.9	60.2	80.6



30-60°

60°

90°

With **double acting Valbia pneumatic** actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	3"	4"
EP710190V36DA (NPT) EP710061V36DA (SW)	30-60°	US$	1,050.00	1,138.00	1,186.00	1,226.00	1,329.00	1,557.00	2,567.00	3,935.00
EP710190V6DA (NPT) EP710061V6DA (SW)	60°	US$	1,050.00	1,138.00	1,186.00	1,226.00	1,329.00	1,557.00	2,567.00	3,935.00
EP710190V9DA (NPT) EP710061V9DA (SW)	90°	US$	1,050.00	1,138.00	1,186.00	1,226.00	1,329.00	1,557.00	2,567.00	3,935.00
ACT.			DA32V	DA52V	DA52V	DA52V	DA63V	DA75V	DA85V	DA100V
Bracket			RI3789	RI3781	RI3030	RI3030	RI3031	RI3034	RI3003	RI3004
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			7.2	8.8	10.1	11.3	13.1	17.2	40.6	64.9

With **spring return Valbia pneumatic** actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	3"	4"
EP710190V36SR (NPT) EP710061V36SR (SW)	30-60°	US$	1,120.00	1,180.00	1,229.00	1,269.00	1,465.00	1,710.00	2,922.00	4,208.00
EP710190V6SR (NPT) EP710061V6SR (SW)	60°	US$	1,120.00	1,180.00	1,229.00	1,269.00	1,465.00	1,710.00	2,922.00	4,208.00
EP710190V9SR (NPT) EP710061V9SR (SW)	90°	US$	1,120.00	1,180.00	1,229.00	1,269.00	1,465.00	1,710.00	2,922.00	4,208.00
ACT.			SR52V	SR63V	SR63V	SR63V	SR85V	SR100V	SR125	SR125V
Bracket			RI3790	RI3783	RI3033	RI3033	RI3034	RI3034	RI3010	RI3005
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			8.7	10.7	12.1	10.3	20.6	36.9	60.2	80.6

30-60°

60°

90°

SIZE		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	3"	4"
M8E710190V36-02* (NPT) - M8E710061V36-02* (SW) With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
12VDC	US$	1,424.00	1,454.00	1,502.00	1,542.00	1,753.00	1,909.00	3,268.00	4,710.00
24V AC/DC	US$	1,332.00	1,362.00	1,410.00	1,450.00	1,657.00	1,813.00	3,190.00	4,626.00
100-240 VAC	US$	1,424.00	1,454.00	1,502.00	1,542.00	1,753.00	1,909.00	3,268.00	4,710.00
M8E710190V6-02* (NPT) - M8E710061V6-02* (SW) With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
12VDC	US$	1,424.00	1,454.00	1,502.00	1,542.00	1,753.00	1,909.00	3,268.00	4,710.00
24V AC/DC	US$	1,332.00	1,362.00	1,410.00	1,450.00	1,657.00	1,813.00	3,190.00	4,626.00
100-240 VAC	US$	1,424.00	1,454.00	1,502.00	1,542.00	1,753.00	1,909.00	3,268.00	4,710.00
M8E710190V9-02* (NPT) - M8E710061V9-02* (SW) With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
12VDC	US$	1,424.00	1,454.00	1,502.00	1,542.00	1,753.00	1,909.00	3,268.00	4,710.00
24V AC/DC	US$	1,332.00	1,362.00	1,410.00	1,450.00	1,657.00	1,813.00	3,190.00	4,626.00
100-240 VAC	US$	1,424.00	1,454.00	1,502.00	1,542.00	1,753.00	1,909.00	3,268.00	4,710.00
Bracket		RI3790	RI3781	RI3030	RI3030	RI3031	RI3031	RI3003	RI3004
Weight (Lbs)		8.3	9.1	10.2	13.2	17.3	21.0	50.0	70.0

SIZE		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	3"	4"
M8E710190V36-04* (NPT) - M8E710061V36-04* (SW) With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US$	1,678.00	1,708.00	1,756.00	1,796.00	1,804.00	1,960.00	3,273.00	4,781.00
100-240 VAC	US$	1,742.00	1,772.00	1,820.00	1,860.00	1,949.00	2,105.00	3,273.00	5,028.00
M8E710190V6-04* (NPT) - M8E710061V6-04* (SW) With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,678.00	1,708.00	1,756.00	1,796.00	1,804.00	1,960.00	3,273.00	4,781.00
100-240 VAC	US$	1,742.00	1,772.00	1,820.00	1,860.00	1,949.00	2,105.00	3,273.00	5,028.00
M8E710190V9-04* (NPT) - M8E710061V9-04* (SW) With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,678.00	1,708.00	1,756.00	1,796.00	1,804.00	1,960.00	3,273.00	4,781.00
100-240 VAC	US$	1,742.00	1,772.00	1,820.00	1,860.00	1,949.00	2,105.00	3,273.00	5,028.00
Bracket		RI3790	RI3781	RI3030	RI3030	RI3031	RI3031	RI3003	RI3004
Weight (Lbs)		8.3	9.1	10.2	13.2	17.3	21.0	50.0	70.0

For carbon steel version of this valve, please consult factory.

Valpres 720370V36 - 720370V6 - 720370V9, 2-way, stainless steel, ANSI 150 flanged, Wafer, V-port ball valve.

NEW



30-60°

60°

90°

With **double acting Valbia pneumatic** actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
PP720370V36DA	30-60°	US$	1,029.00	1,129.00	1,185.00	1,379.00	1,555.00	2,063.00	2,509.00	6,981.00
PP720370V6DA	60°	US$	1,029.00	1,129.00	1,185.00	1,379.00	1,555.00	2,063.00	2,509.00	6,981.00
PP720370V9DA	90°	US$	1,029.00	1,129.00	1,185.00	1,379.00	1,555.00	2,063.00	2,509.00	6,981.00
ACT.			DA32V	DA52V	DA52V	DA63V	DA75V	DA85V	DA100V	DA140V
Bracket			RI3012	RI3013	RI3001	RI3002	RI3009	RI3003	RI3004	RI3553
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			9.0	11.4	13.5	16.1	23.0	38.9	62.3	163.3

With **spring return Valbia pneumatic** actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
PP720370V36SR	30-60°	US$	1,100.00	1,169.00	1,227.00	1,515.00	1,708.00	2,424.00	2,782.00	7,777.00
PP720370V6SR	60°	US$	1,100.00	1,169.00	1,227.00	1,515.00	1,708.00	2,424.00	2,782.00	7,777.00
PP720370V9SR	90°	US$	1,100.00	1,169.00	1,227.00	1,515.00	1,708.00	2,424.00	2,782.00	7,777.00
ACT.			SR52V	SR63V	SR63V	SR85V	SR85V	SR125V	SR125V	SR180V
Bracket			RI3780	RI3014	RI3007	RI3009	RI3009	RI3010	RI3005	RI3555
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			10.7	13.1	15.2	22.2	31.8	57.9	77.8	209.4



30-60°

60°

90°

With **double acting Valbia pneumatic** actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
EP720370V36DA	30-60°	US$	1,100.00	1,200.00	1,256.00	1,450.00	1,626.00	2,134.00	2,580.00	7,052.00
EP720370V6DA	60°	US$	1,100.00	1,200.00	1,256.00	1,450.00	1,626.00	2,134.00	2,580.00	7,052.00
EP720370V9DA	90°	US$	1,100.00	1,200.00	1,256.00	1,450.00	1,626.00	2,134.00	2,580.00	7,052.00
ACT.			DA32V	DA52V	DA52V	DA63V	DA75V	DA85V	DA100V	DA140V
Bracket			RI3012	RI3013	RI3001	RI3002	RI3009	RI3003	RI3004	RI3553
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			9.0	11.4	13.5	16.1	23.0	38.9	62.3	163.3

With **spring return Valbia pneumatic** actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
EP720370V36SR	30-60°	US$	1,171.00	1,240.00	1,298.00	1,586.00	1,779.00	2,495.00	2,853.00	7,848.00
EP720370V6SR	60°	US$	1,171.00	1,240.00	1,298.00	1,586.00	1,779.00	2,495.00	2,853.00	7,848.00
EP720370V9SR	90°	US$	1,171.00	1,240.00	1,298.00	1,586.00	1,779.00	2,495.00	2,853.00	7,848.00
ACT.			SR52V	SR63V	SR63V	SR85V	SR85V	SR125V	SR125V	SR180V
Bracket			RI3780	RI3014	RI3007	RI3009	RI3009	RI3010	RI3005	RI3555
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			10.7	13.1	15.2	22.2	31.8	57.9	77.8	209.4

30-60°

60°

90°

SIZE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
M8E720370V36-02* With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB110M	VB190M	VB350M
12VDC	US$	1,447.00	1,488.00	1,544.00	1,989.00	2,093.00	2,895.00	3,349.00	8,004.00
24V AC/DC	US$	1,364.00	1,405.00	1,461.00	1,894.00	1,998.00	1,786.00	3,271.00	7,916.00
100-240 VAC	US$	1,455.00	1,496.00	1,552.00	1,998.00	2,102.00	2,901.00	3,355.00	8,011.00
M8E720370V6-02* With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
12VDC	US$	1,447.00	1,488.00	1,544.00	1,989.00	2,093.00	2,895.00	3,349.00	8,004.00
24V AC/DC	US$	1,364.00	1,405.00	1,461.00	1,894.00	1,998.00	1,786.00	3,271.00	7,916.00
100-240 VAC	US$	1,455.00	1,496.00	1,552.00	1,998.00	2,102.00	2,901.00	3,355.00	8,011.00
M8E720370V9-02* With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
12VDC	US$	1,447.00	1,488.00	1,544.00	1,989.00	2,093.00	2,895.00	3,349.00	8,004.00
24V AC/DC	US$	1,364.00	1,405.00	1,461.00	1,894.00	1,998.00	1,786.00	3,271.00	7,916.00
100-240 VAC	US$	1,455.00	1,496.00	1,552.00	1,998.00	2,102.00	2,901.00	3,355.00	8,011.00
Bracket		RI3780	RI3013	RI3001	RI3002	RI3002	RI3003	RI3004	RI3753
Weight (Lbs)		10.3	12.0	14.3	18.0	23.0	60.0	92.0	197.0

SIZE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
M8E720370V36-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB110M	VB190M	VB350M
24V AC/DC	US$	1,729.00	1,770.00	1,826.00	2,054.00	2,158.00	2,907.00	3,426.00	8,221.00
100-240 VAC	US$	1,793.00	1,834.00	1,890.00	2,211.00	2,315.00	3,111.00	3,673.00	8,519.00
M8E720370V6-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,729.00	1,770.00	1,826.00	2,054.00	2,158.00	2,907.00	3,426.00	8,221.00
100-240 VAC	US$	1,793.00	1,834.00	1,890.00	2,211.00	2,315.00	3,111.00	3,673.00	8,519.00
M8E720370V9-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,729.00	1,770.00	1,826.00	2,054.00	2,158.00	2,907.00	3,426.00	8,221.00
100-240 VAC	US$	1,793.00	1,834.00	1,890.00	2,211.00	2,315.00	3,111.00	3,673.00	8,519.00
Bracket		RI3780	RI3013	RI3001	RI3002	RI3002	RI3003	RI3004	RI4031
Weight (Lbs)		10.3	12.0	14.3	18.0	23.0	60.0	92.0	197.0

Valpres 725002V36 - 725002V6 - 725002V9, 2-way, stainless steel, ANSI 150 flanged, “true” Wafer, V-port ball valve.

NEW



30-60°

60°

90°

With **double acting Valbia pneumatic** actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1”	1-1/4”	1-1/2”	2”	3”	4”
PP725002V36DA	30-60°	US$	1,255.00	1,311.00	1,448.00	1,710.00	2,367.00	3,067.00
PP725002V6DA	60°	US$	1,255.00	1,311.00	1,448.00	1,710.00	2,367.00	3,067.00
PP725002V9DA	90°	US$	1,255.00	1,311.00	1,448.00	1,710.00	2,367.00	3,067.00
ACT.			DA52V	DA52V	DA63V	DA75V	DA85V	DA100V
Bracket			RI4230	RI4230	RI4231	RI4232	RI4233	RI4233
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			10.5	11.2	13.5	19.5	36.4	52.6

With **spring return Valbia pneumatic** actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1”	1-1/4”	1-1/2”	2”	3”	4”
PP725002V36SR	30-60°	US$	1,300.00	1,356.00	1,585.00	1,863.00	2,715.00	3,342.00
PP725002V6SR	60°	US$	1,300.00	1,356.00	1,585.00	1,863.00	2,715.00	3,342.00
PP725002V9SR	90°	US$	1,300.00	1,356.00	1,585.00	1,863.00	2,715.00	3,342.00
ACT.			SR63V	SR63V	SR85V	SR100V	SR125V	SR125V
Bracket			RI4234	RI4234	RI4232	RI4232	RI4235	RI4235
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			12.4	13.1	20.5	28.9	58.9	71.5

30-60°

60°

90°

With **double acting Valbia pneumatic** actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1”	1-1/4”	1-1/2”	2”	3”	4”
EP725002V36DA	30-60°	US$	1,326.00	1,382.00	1,519.00	1,781.00	2,438.00	3,138.00
EP725002V6DA	60°	US$	1,326.00	1,382.00	1,519.00	1,781.00	2,438.00	3,138.00
EP725002V9DA	90°	US$	1,326.00	1,382.00	1,519.00	1,781.00	2,438.00	3,138.00
ACT.			DA52V	DA52V	DA63V	DA75V	DA85V	DA100
Bracket			RI4230	RI4230	RI4231	RI4232	RI4233	RI4233
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			10.5	11.2	13.5	19.5	36.4	52.6

With **spring return Valbia pneumatic** actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1”	1-1/4”	1-1/2”	2”	3”	4”
EP725002V36SR	30-60°	US$	1,371.00	1,427.00	1,656.00	1,934.00	2,786.00	3,413.00
EP725002V6SR	60°	US$	1,371.00	1,427.00	1,656.00	1,934.00	2,786.00	3,413.00
EP725002V9SR	90°	US$	1,371.00	1,427.00	1,656.00	1,934.00	2,786.00	3,413.00
ACT.			SR63V	SR63V	SR85V	SR100V	SR125V	SR125V
Bracket			RI4234	RI4234	RI4232	RI4232	RI4235	RI4235
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			12.4	13.1	20.5	28.9	58.9	71.5

30-60°

60°

90°

SIZE		1”	1-1/4”	1-1/2”	2”	3”	4”
M8E725002V36-02*				With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB060M	VB110M	VB190M	VB350M
12VDC	US$	1,642.00	1,698.00	1,943.00	2,132.00	3,145.00	3,913.00
24V AC/DC	US$	1,550.00	1,606.00	1,847.00	2,036.00	3,067.00	3,829.00
100-240 VAC	US$	1,642.00	1,698.00	1,943.00	2,132.00	3,145.00	3,913.00
M8E725002V6-02*				With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.			
12VDC	US$	1,642.00	1,698.00	1,943.00	2,132.00	3,145.00	3,913.00
24V AC/DC	US$	1,550.00	1,606.00	1,847.00	2,036.00	3,067.00	3,829.00
100-240 VAC	US$	1,642.00	1,698.00	1,943.00	2,132.00	3,145.00	3,913.00
M8E725002V9-02*				With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.			
12VDC	US$	1,642.00	1,698.00	1,943.00	2,132.00	3,145.00	3,913.00
24V AC/DC	US$	1,550.00	1,606.00	1,847.00	2,036.00	3,067.00	3,829.00
100-240 VAC	US$	1,642.00	1,698.00	1,943.00	2,132.00	3,145.00	3,913.00
Bracket		RI4230	RI4230	RI4231	RI4231	RI4233	RI4233
Weight (Lbs)		10.0	10.7	14.1	17.6	38.5	48.1

SIZE		1”	1-1/4”	1-1/2”	2”	3”	4”
M8E725002V36-04*				With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB060M	VB110M	VB190M	VB350M
24V AC/DC	US$	1,896.00	1,952.00	1,994.00	2,183.00	3,150.00	3,984.00
100-240 VAC	US$	1,960.00	2,016.00	2,139.00	2,328.00	3,348.00	4,231.00
M8E725002V6-04*				With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,896.00	1,952.00	1,994.00	2,183.00	3,150.00	3,984.00
100-240 VAC	US$	1,960.00	2,016.00	2,139.00	2,328.00	3,348.00	4,231.00
M8E725002V9-04*				With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,896.00	1,952.00	1,994.00	2,183.00	3,150.00	3,984.00
100-240 VAC	US$	1,960.00	2,016.00	2,139.00	2,328.00	3,348.00	4,231.00
Bracket		RI4230	RI4230	RI4231	RI4231	RI4233	RI4233
Weight (Lbs)		10.0	10.7	14.1	17.6	38.5	48.1

Valpres 760021V36 - 760021V6 - 760021V9, 2-way, stainless steel, ANSI 150 flanged, V-port ball valve.



30-60°

60°

90°

With **double acting Valbia pneumatic** actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”
PP760021V36DA	30-60°	US$	1,072.00	1,171.00	1,241.00	1,477.00	1,801.00	2,685.00	3,183.00	6,957.00
PP760021V6DA	60°	US$	1,072.00	1,171.00	1,241.00	1,477.00	1,801.00	2,685.00	3,183.00	6,957.00
PP760021V9DA	90°	US$	1,072.00	1,171.00	1,241.00	1,477.00	1,801.00	2,685.00	3,183.00	6,957.00
ACT.			DA32V	DA32V	DA52V	DA63V	DA75V	DA85V	DA100V	DA140V
Bracket			RI3518	RI3519	RI3520	RI3521	RI3522	RI3523	RI3552	RI3553
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			12.4	13.4	16.5	25.4	31.3	59.1	82.5	197.8

With **spring return Valbia pneumatic** actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”
PP760021V36SR	30-60°	US$	1,142.00	1,212.00	1,287.00	1,614.00	1,954.00	3,038.00	3,460.00	7,502.00
PP760021V6SR	60°	US$	1,142.00	1,212.00	1,287.00	1,614.00	1,954.00	3,038.00	3,460.00	7,502.00
PP760021V9SR	90°	US$	1,142.00	1,212.00	1,287.00	1,614.00	1,954.00	3,038.00	3,460.00	7,502.00
ACT.			SR52V	SR63V	SR63V	SR85V	SR100V	SR125V	SR125V	SR180V
Bracket			RI3519	RI3829	RI3525	RI3526	RI3522	RI3528	RI3528	RI3555
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			14.2	18.4	23.4	34.7	50.4	112.0	184.3	295.3



30-60°

60°

90°

With **double acting Valbia pneumatic** actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”
EP760021V36DA	30-60°	US$	1,143.00	1,242.00	1,312.00	1,548.00	1,872.00	2,756.00	3,254.00	6,785.00
EP760021V6DA	60°	US$	1,143.00	1,242.00	1,312.00	1,548.00	1,872.00	2,756.00	3,254.00	6,785.00
EP760021V9DA	90°	US$	1,143.00	1,242.00	1,312.00	1,548.00	1,872.00	2,756.00	3,254.00	6,785.00
ACT.			DA32V	DA32V	DA52V	DA63V	DA75V	DA85V	DA100V	DA140V
Bracket			RI3518	RI3519	RI3520	RI3521	RI3522	RI3523	RI3552	RI3553
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			12.4	13.4	16.5	25.4	31.3	59.1	82.5	197.8

With **spring return Valbia pneumatic** actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”
EP760021V36SR	30-60°	US$	1,213.00	1,283.00	1,358.00	1,685.00	2,025.00	3,109.00	3,531.00	7,573.00
EP760021V6SR	60°	US$	1,213.00	1,283.00	1,358.00	1,685.00	2,025.00	3,109.00	3,531.00	7,573.00
EP760021V9SR	90°	US$	1,213.00	1,283.00	1,358.00	1,685.00	2,025.00	3,109.00	3,531.00	7,573.00
ACT.			SR52V	SR63V	SR63V	SR85V	SR100V	SR125V	SR125V	SR180V
Bracket			RI3519	RI3829	RI3525	RI3526	RI3522	RI3528	RI3528	RI3555
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			14.2	18.4	23.4	34.7	50.4	112.0	184.3	295.3

30-60°

60°

90°

SIZE		1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”
M8E760021V36-02* With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB110M	VB190M	VB350M
12VDC	US$	1,517.00	1,558.00	1,628.00	1,972.00	2,228.00	3,463.00	4,017.00	7,587.00
24V AC/DC	US$	1,425.00	1,466.00	1,536.00	1,876.00	2,132.00	3,385.00	3,933.00	7,498.00
100-240 VAC	US$	1,517.00	1,558.00	1,628.00	1,972.00	2,228.00	3,463.00	4,017.00	7,587.00
M8E760021V6-02* With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
12VDC	US$	1,517.00	1,558.00	1,628.00	1,972.00	2,228.00	3,463.00	4,017.00	7,587.00
24V AC/DC	US$	1,425.00	1,466.00	1,536.00	1,876.00	2,132.00	3,385.00	3,933.00	7,498.00
100-240 VAC	US$	1,517.00	1,558.00	1,628.00	1,972.00	2,228.00	3,463.00	4,017.00	7,587.00
M8E760021V9-02* With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
12VDC	US$	1,517.00	1,558.00	1,628.00	1,972.00	2,228.00	3,463.00	4,017.00	7,587.00
24V AC/DC	US$	1,425.00	1,466.00	1,536.00	1,876.00	2,132.00	3,385.00	3,933.00	7,498.00
100-240 VAC	US$	1,517.00	1,558.00	1,628.00	1,972.00	2,228.00	3,463.00	4,017.00	7,587.00
Bracket		RI3519	RI3519	RI3520	RI3521	RI4039	RI3523	RI3522	RI3553
Weight (Lbs)		12.3	14.4	16.7	23.5	34.0	68.0	88.0	203.0

SIZE		1/2”	3/4”	1”	1-1/2”	2”	3”	4”	6”
M8E760021V36-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB110M	VB190M	VB350M
24V AC/DC	US$	1,771.00	1,812.00	1,882.00	2,023.00	2,279.00	3,468.00	4,088.00	7,701.00
100-240 VAC	US$	1,835.00	1,876.00	1,946.00	2,168.00	2,424.00	3,666.00	4,335.00	7,969.00
M8E760021V6-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,771.00	1,812.00	1,882.00	2,023.00	2,279.00	3,468.00	4,088.00	7,701.00
100-240 VAC	US$	1,835.00	1,876.00	1,946.00	2,168.00	2,424.00	3,666.00	4,335.00	7,969.00
M8E760021V9-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.									
24V AC/DC	US$	1,771.00	1,812.00	1,882.00	2,023.00	2,279.00	3,468.00	4,088.00	7,701.00
100-240 VAC	US$	1,835.00	1,876.00	1,946.00	2,168.00	2,424.00	3,666.00	4,335.00	7,969.00
Bracket		RI3519	RI3519	RI3520	RI3521	RI4039	RI3523	RI3522	RI3553
Weight (Lbs)		12.3	14.4	16.7	23.5	34.0	68.0	88.0	203.0

For carbon steel version of this valve, please consult factory.

Valpres 760195V36 - 760195V6 - 760195V9, 2-way, stainless steel, ANSI 300 flanged, V-port ball valve.

NEW



30-60°

60°

90°

With **double acting Valbia pneumatic** actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
PP760195V36DA (NPT)	30-60°	US$	1,150.00	1,226.00	1,369.00	1,663.00	1,868.00	3,032.00	3,595.00	C/F
PP760195V6DA (NPT)	60°	US$	1,150.00	1,226.00	1,369.00	1,663.00	1,868.00	3,032.00	3,595.00	C/F
PP760195V9DA (NPT)	90°	US$	1,150.00	1,226.00	1,369.00	1,663.00	1,868.00	3,032.00	3,595.00	C/F
ACT.			DA52V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA180V
Bracket			RI3519	RI3829	RI3563	RI3526	RI3522	RI3552	RI3565	RI3555
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			13.26	15.75	19.81	31.79	33.95	71	105.86	230.86

With **spring return Valbia pneumatic** actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
PP760195V36SR	30-60°	US$	1,191.00	1,363.00	1,506.00	1,816.00	2,139.00	3,309.00	4,479.00	C/F
PP760195V6SR	60°	US$	1,191.00	1,363.00	1,506.00	1,816.00	2,139.00	3,309.00	4,479.00	C/F
PP760195V9SR	90°	US$	1,191.00	1,363.00	1,506.00	1,816.00	2,139.00	3,309.00	4,479.00	C/F
ACT.			SR63V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR270
Bracket			RI3829	RI3571	RI3573	RI4117	RI3527	RI3528	RI3997	RI3753
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			15.06	20.75	26.71	41.09	53.05	123.9	207.66	328.36



30-60°

60°

90°

With **double acting Valbia pneumatic** actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
EP760195V36DA	30-60°	US$	1,221.00	1,297.00	1,440.00	1,734.00	1,939.00	3,103.00	3,666.00	C/F
EP760195V6DA	60°	US$	1,221.00	1,297.00	1,440.00	1,734.00	1,939.00	3,103.00	3,666.00	C/F
EP760195V9DA	90°	US$	1,221.00	1,297.00	1,440.00	1,734.00	1,939.00	3,103.00	3,666.00	C/F
ACT.			DA52V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA180V
Bracket			RI3519	RI3829	RI3563	RI3526	RI3522	RI3552	RI3565	RI3555
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			13.26	15.75	19.81	31.79	33.95	71	105.86	230.86

With **spring return Valbia pneumatic** actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
EP760195V36SR	30-60°	US$	1,262.00	1,434.00	1,577.00	1,887.00	2,210.00	3,380.00	4,550.00	C/F
EP760195V6SR	60°	US$	1,262.00	1,434.00	1,577.00	1,887.00	2,210.00	3,380.00	4,550.00	C/F
EP760195V9SR	90°	US$	1,262.00	1,434.00	1,577.00	1,887.00	2,210.00	3,380.00	4,550.00	C/F
ACT.			SR63V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR270
Bracket			RI3829	RI3571	RI3573	RI4117	RI3527	RI3528	RI3997	RI3753
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			15.06	20.75	26.71	41.09	53.05	123.9	207.66	328.36

30-60°

60°

90°

SIZE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
M8E760195V36-02*					With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB190M	VB270M	C/F
12VDC	US$	1,509.00	1,559.00	1,694.00	2,200.00	2,394.00	3,872.00	4,582.00	C/F
24V AC/DC	US$	1,426.00	1,476.00	1,611.00	2,105.00	2,299.00	3,794.00	4,498.00	C/F
100-240 VAC	US$	1,517.00	1,567.00	1,702.00	2,209.00	2,403.00	3,878.00	4,589.00	C/F
M8E760195V6-02*					With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.				
12VDC	US$	1,509.00	1,559.00	1,694.00	2,200.00	2,394.00	3,872.00	4,582.00	C/F
24V AC/DC	US$	1,426.00	1,476.00	1,611.00	2,105.00	2,299.00	3,794.00	4,498.00	C/F
100-240 VAC	US$	1,517.00	1,567.00	1,702.00	2,209.00	2,403.00	3,878.00	4,589.00	C/F
M8E760195V9-02*					With 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.				
12VDC	US$	1,509.00	1,559.00	1,694.00	2,200.00	2,394.00	3,872.00	4,582.00	C/F
24V AC/DC	US$	1,426.00	1,476.00	1,611.00	2,105.00	2,299.00	3,794.00	4,498.00	C/F
100-240 VAC	US$	1,517.00	1,567.00	1,702.00	2,209.00	2,403.00	3,878.00	4,589.00	C/F
Bracket		RI3519	RI3519	RI4116	RI4617	RI4039	RI3552	RI3565	-
Weight (Lbs)		13.16	16.75	20.01	32.89	36.65	79.9	111.36	-

SIZE		1/2"	3/4"	1"	1-1/2"	2"	3"	4"	6"
M8E760195V36-04*					With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.				
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB190M	VB270M	C/F
24V AC/DC	US$	1,791.00	1,841.00	1,976.00	2,265.00	2,459.00	4,196.00	4,710.00	C/F
100-240 VAC	US$	1,855.00	1,905.00	2,040.00	2,422.00	2,616.00	4,196.00	4,923.00	C/F
M8E760195V6-04*					With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	1,791.00	1,841.00	1,976.00	2,265.00	2,459.00	4,196.00	4,710.00	C/F
100-240 VAC	US$	1,855.00	1,905.00	2,040.00	2,422.00	2,616.00	4,196.00	4,923.00	C/F
M8E760195V9-04*					With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning **metal Valbia electric** actuator.				
24V AC/DC	US$	1,791.00	1,841.00	1,976.00	2,265.00	2,459.00	4,196.00	4,710.00	C/F
100-240 VAC	US$	1,855.00	1,905.00	2,040.00	2,422.00	2,616.00	4,196.00	4,923.00	C/F
Bracket		RI3519	RI3519	RI4116	RI4617	RU4039	RI3552	RI3565	-
Weight (Lbs)		13.16	16.75	20.01	32.89	36.65	79.9	111.36	-

For carbon steel version of this valve, please consult factory.

V300-V600-V900 direct mount, 2-way, 3-piece stainless steel, 1,000 psi, FNPT threaded V-port ball valve.

30°

60°

90°

With **double acting pneumatic Valbia actuator and pneumatic** PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
PPV300DA-PPV310DA	30°	US$	985.00	1,015.00	N/A	1,137.00	1,190.00	1,422.00	2,040.00	2,411.00	3,712.00
PPV600DA-PPV610DA	60°	US$	985.00	1,015.00	N/A	1,137.00	1,190.00	N/A	2,040.00	2,411.00	3,712.00
PPV900DA-PPV910DA	90°	US$	985.00	1,015.00	1,064.00	1,137.00	N/A	1,422.00	2,040.00	2,411.00	3,712.00
ACT.			DA52	DA52	DA52	DA63	DA63	DA75	DA85	DA85	DA100
Weight (Lbs)			8.3	8.6	9.3	11.5	13.6	15.7	26.3	36.8	64.2

With **spring return Valbia actuator and pneumatic** PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
PPV300SR-PPV310SR	30°	US$	1,033.00	1,063.00	N/A	1,272.00	1,419.00	1,575.00	2,393.00	2,764.00	4,576.00
PPV600SR-PPV610SR	60°	US$	1,033.00	1,063.00	N/A	1,272.00	1,419.00	N/A	2,393.00	2,764.00	4,576.00
PPV900SR-PPV910SR	90°	US$	1,033.00	1,063.00	1,193.00	1,272.00	N/A	1,575.00	2,393.00	2,764.00	4,576.00
ACT.			SR63	SR63	SR75	SR85	SR85	SR100	SR115	SR125	SR160
Weight (Lbs)			10.1	10.4	14.0	17.6	19.7	26.8	42.8	56.2	118.2



30°

60°

90°

With **double acting pneumatic Valbia actuator and electro-pneumatic** ENP-B 4-20mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EPV300DA-EPV310DA	30°	US$	1,056.00	1,086.00	N/A	1,208.00	1,261.00	1,493.00	2,111.00	2,482.00	3,783.00
EPV600DA-EPV610DA	60°	US$	1,056.00	1,086.00	N/A	1,208.00	1,261.00	N/A	2,111.00	2,482.00	3,783.00
EPV900DA-EPV910DA	90°	US$	1,056.00	1,086.00	1,135.00	1,208.00	N/A	1,493.00	2,111.00	2,482.00	3,783.00
ACT.			DA52	DA52	DA52	DA63	DA63	DA75	DA85	DA85	DA100
Weight (Lbs)			10.0	10.3	11.0	13.2	15.3	17.4	28.0	38.5	65.9

With **spring return Valbia actuator electro-pneumatic** ENP-B 4-20mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EPV300SR-EPV310SR	30°	US$	1,104.00	1,134.00	N/A	1,343.00	1,490.00	1,646.00	2,464.00	2,835.00	4,647.00
EPV600SR-EPV610SR	60°	US$	1,104.00	1,134.00	N/A	1,343.00	1,490.00	N/A	2,464.00	2,835.00	4,647.00
EPV900SR-EPV910SR	90°	US$	1,104.00	1,134.00	1,264.00	1,343.00	N/A	1,646.00	2,464.00	2,835.00	4,647.00
ACT.			SR52	SR63	SR75	SR85	SR85	SR100	SR115	SR115	SR160
Weight (Lbs)			11.8	12.1	15.7	19.3	21.4	28.5	44.5	57.9	119.9

30°

60°

90°

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EV300-02* (NPT) - EV310-02* (SW)							V3*0 with positioning **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190
12VDC	US$	1,068.00	1,098.00	N/A	1,187.00	1,299.00	1,455.00	2,109.00	2,480.00	3,691.00
24V AC/DC	US$	981.00	1,011.00	N/A	1,100.00	1,213.00	1,369.00	2,025.00	2,396.00	3,578.00
100-240 VAC	US$	1,068.00	1,098.00	N/A	1,187.00	1,299.00	1,455.00	2,109.00	2,480.00	3,691.00
EV600-02* (NPT) - EV610-02* (SW)							V6*0 with positioning **plastic Valbia electric** actuator.			
12VDC	US$	1,068.00	1,098.00	N/A	1,187.00	1,299.00	N/A	2,109.00	2,480.00	3,691.00
24V AC/DC	US$	981.00	1,011.00	N/A	1,100.00	1,213.00	N/A	2,025.00	2,396.00	3,578.00
100-240 VAC	US$	1,068.00	1,098.00	N/A	1,187.00	1,299.00	N/A	2,109.00	2,480.00	3,691.00
EV900-02* (NPT) - EV910-02* (SW)							V9*0 with positioning **plastic Valbia electric** actuator.			
12VDC	US$	1,068.00	1,098.00	1,147.00	1,187.00	N/A	1,455.00	2,109.00	2,480.00	3,691.00
24V AC/DC	US$	981.00	1,011.00	1,060.00	1,100.00	N/A	1,369.00	2,025.00	2,396.00	3,578.00
100-240 VAC	US$	1,068.00	1,098.00	1,147.00	1,187.00	N/A	1,455.00	2,109.00	2,480.00	3,691.00
Weight (Lbs)		6.4	6.7	7.4	8.5	12.8	14.9	24.9	35.4	59.2

30°

60°

90°

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
MEV300-02* (NPT) - MEV310-02* (SW)							V3*0 with positioning **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
12VDC	US$	1,372.00	1,402.00	N/A	1,491.00	1,685.00	1,841.00	2,818.00	3,189.00	4,431.00
24V AC/DC	US$	1,280.00	1,310.00	N/A	1,399.00	1,589.00	1,745.00	2,740.00	3,111.00	4,347.00
100-240 VAC	US$	1,372.00	1,402.00	N/A	1,491.00	1,685.00	1,841.00	2,818.00	3,189.00	4,431.00
MEV600-02* (NPT) - MEV610-02* (SW)							V6*0 with positioning **metal Valbia electric** actuator.			
12VDC	US$	1,372.00	1,402.00	N/A	1,491.00	1,685.00	N/A	2,818.00	3,189.00	4,431.00
24V AC/DC	US$	1,280.00	1,310.00	N/A	1,399.00	1,589.00	N/A	2,740.00	3,111.00	4,347.00
100-240 VAC	US$	1,372.00	1,402.00	N/A	1,491.00	1,685.00	N/A	2,818.00	3,189.00	4,431.00
MEV900-02* (NPT) - MEV910-02* (SW)							V9*0 with positioning **metal Valbia electric** actuator.			
12VDC	US$	1,372.00	1,402.00	1,451.00	1,491.00	N/A	1,841.00	2,818.00	3,189.00	4,431.00
24V AC/DC	US$	1,280.00	1,310.00	1,359.00	1,399.00	N/A	1,745.00	2,740.00	3,111.00	4,347.00
100-240 VAC	US$	1,372.00	1,402.00	1,451.00	1,491.00	N/A	1,841.00	2,818.00	3,189.00	4,431.00
Weight (Lbs)		10.6	11.0	11.7	12.8	16.0	18.0	33.0	44.0	68.0

V300-V600-V900 direct mount, 2-way, 3-piece stainless steel, 1,000 psi, FNPT threaded V-port ball valve.

30°

60°

90°

SIZE		1/2”	3/4”	1”	1 1/4”	1 1/2”	2”	2 1/2”	3”	4”
EV300-04* (NPT) - EV310-04* (SW)						V3*0 with positioning **plastic Valbia electric** actuator w/battery backup.				
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US$	1,149.00	1,179.00	N/A	1,268.00	1,410.00	1,566.00	2,302.00	2,673.00	3,861.00
100-240 VAC	US$	1,221.00	1,251.00	N/A	1,340.00	1,467.00	1,623.00	2,385.00	2,756.00	3,935.00
EV600-04* (NPT) - EV610-04* (SW)						V6*0 with positioning **plastic Valbia electric** actuator w/battery backup.				
24V AC/DC	US$	1,149.00	1,179.00	N/A	1,268.00	1,410.00	N/A	2,302.00	2,673.00	3,861.00
100-240 VAC	US$	1,221.00	1,251.00	N/A	1,340.00	1,467.00	N/A	2,385.00	2,756.00	3,935.00
EV900-04* (NPT) - EV910-04* (SW)						V9*0 with positioning **plastic Valbia electric** actuator w/battery backup.				
24V AC/DC	US$	1,149.00	1,179.00	1,228.00	1,268.00	N/A	1,566.00	2,302.00	2,673.00	3,861.00
100-240 VAC	US$	1,221.00	1,251.00	1,300.00	1,340.00	N/A	1,623.00	2,385.00	2,756.00	3,935.00
Weight (Lbs)		6.4	6.7	7.4	8.5	12.8	14.9	24.9	35.4	59.2

30°

60°

90°

SIZE		1/2”	3/4”	1”	1 1/4”	1 1/2”	2”	2 1/2”	3”	4”
MEV300-04* (NPT) - MEV310-04* (SW)							V3*0 with positionig **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US$	1,626.00	1,656.00	N/A	1,745.00	1,736.00	1,892.00	2,823.00	3,194.00	4,502.00
100-240 VAC	US$	1,690.00	1,720.00	N/A	1,809.00	1,881.00	2,037.00	3,021.00	3,392.00	4,749.00
MEV600-04* (NPT) - MEV610-04* (SW)							V6*0 with positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,626.00	1,656.00	N/A	1,745.00	1,736.00	N/A	2,823.00	3,194.00	4,502.00
100-240 VAC	US$	1,690.00	1,720.00	N/A	1,809.00	1,881.00	N/A	3,021.00	3,392.00	4,749.00
MEV900-04* (NPT) - MEV910-04* (SW)							V9*0 with positioning **metal Valbia electric** actuator.			
24V AC/DC	US$	1,626.00	1,656.00	1,705.00	1,745.00	N/A	1,892.00	2,823.00	3,194.00	4,502.00
100-240 VAC	US$	1,690.00	1,720.00	1,769.00	1,809.00	N/A	2,037.00	3,021.00	3,392.00	4,749.00
Weight (Lbs)		10.6	11.0	11.7	12.8	16.0	18.0	33.0	44.0	68.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

VF300-VF600-VF900 direct mount, 2-way, stainless steel, ANSI 150 flanged, V-port ball valve.

30°

60°

90°

With **double acting Valbia pneumatic** actuator and PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
PPVF300DA	30°	US$	1,059.00	1,100.00	1,199.00	1,300.00	1,477.00	1,701.00	2,432.00	2,643.00	3,192.00	N/A
PPVF600DA	60°	US$	1,059.00	N/A	N/A	1,300.00	1,515.00	N/A	2,432.00	2,701.00	3,353.00	9,644.00
PPVF900DA	90°	US$	1,059.00	1,100.00	1,199.00	1,300.00	1,477.00	1,701.00	2,432.00	2,643.00	3,192.00	6,778.00
ACT.			DA52V	DA52V	DA63V	DA63V	DA63V	DA75V	DA75V	DA100V	DA115V	DA125V
Weight (Lbs)			12.4	13.4	16.5	18.9	25.4	31.3	42.9	59.1	82.5	197.8

With **spring return Valbia actuator** and PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
PPVF300SR	30°	US$	1,105.00	1,232.00	1,339.00	1,440.00	1,630.00	2,005.00	3,026.00	3,643.00	4,065.00	N/A
PPVF600SR	60°	US$	1,105.00	N/A	N/A	1,440.00	1,668.00	N/A	3,026.00	3,643.00	4,065.00	10,920.00
PPVF900SR	90°	US$	1,105.00	1,232.00	1,339.00	1,440.00	1,630.00	2,005.00	3,026.00	3,643.00	4,065.00	8,054.00
ACT.			SR63V	SR75V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR160V	SR180V
Weight (Lbs)			14.2	18.4	23.4	25.8	34.7	50.4	61.8	112.0	184.3	295.3



30°

60°

90°

With **double acting Valbia pneumatic** actuator and ENP-B 4-20mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
EPVF300DA	30°	US$	1,130.00	1,171.00	1,270.00	1,371.00	1,548.00	1,772.00	2,503.00	2,714.00	3,263.00	N/A
EPVF600DA	60°	US$	1,130.00	N/A	N/A	1,371.00	1,586.00	N/A	2,503.00	2,772.00	3,424.00	9,715.00
EPVF900DA	90°	US$	1,130.00	1,171.00	1,270.00	1,371.00	1,548.00	1,772.00	2,503.00	2,714.00	3,263.00	6,849.00
ACT.			DA52V	DA52V	DA63V	DA63V	DA75V	DA75V	DA100V	DA100V	DA115V	DA125V
Weight (Lbs)			14.4	15.4	18.5	20.9	27.4	33.3	44.9	61.1	84.5	199.8

With **spring return Valbia actuator** and ENP-B 4-20mA positioner

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
EPVF300SR	30°	US$	1,176.00	1,303.00	1,410.00	1,511.00	1,701.00	2,076.00	3,097.00	3,714.00	4,136.00	N/A
EPVF600SR	60°	US$	1,176.00	N/A	N/A	1,511.00	1,739.00	N/A	3,097.00	3,772.00	4,297.00	10,991.00
EPVF900SR	90°	US$	1,176.00	1,303.00	1,410.00	1,511.00	1,701.00	2,076.00	3,097.00	3,714.00	4,136.00	8,125.00
ACT.			SR63V	SR75V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR160V	SR180V
Weight (Lbs)			16.2	20.4	25.4	27.8	36.7	52.4	63.8	114.0	186.3	297.3

30°

60°

90°

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4	6"
EVF300-02*								VF300 with **plastic Valbia electric** actuator.			
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270	VB350
12VDC	US$	1,142.00	1,183.00	1,251.00	1,352.00	1,510.00	1,734.00	2,428.00	2,749.00	3,242.00	N/A
24V AC/DC	US$	1,055.00	1,096.00	1,164.00	1,265.00	1,424.00	1,648.00	2,344.00	2,636.00	3,152.00	N/A
100-240 VAC	US$	1,142.00	N/A	N/A	1,352.00	1,510.00	N/A	2,428.00	2,749.00	3,242.00	10,493.00
EVF600-02*								VF600 with **plastic Valbia electric** actuator.			
12VDC	US$	1,142.00	N/A	N/A	1,352.00	1,510.00	N/A	2,428.00	2,749.00	3,242.00	10,493.00
24V AC/DC	US$	1,055.00	N/A	N/A	1,265.00	1,424.00	N/A	2,344.00	2,636.00	3,152.00	6,714.00
100-240 VAC	US$	1,142.00	N/A	N/A	1,352.00	1,510.00	N/A	2,428.00	2,749.00	3,242.00	6,786.00
EVF900-02*								VF900 with **plastic Valbia electric** actuator.			
12VDC	US$	1,142.00	1,183.00	1,251.00	1,352.00	1,510.00	1,734.00	2,428.00	2,749.00	3,242.00	6,786.00
24V AC/DC	US$	1,055.00	1,096.00	1,164.00	1,265.00	1,424.00	1,648.00	2,344.00	2,636.00	3,152.00	6,714.00
100-240 VAC	US$	1,142.00	1,183.00	1,251.00	1,352.00	1,510.00	1,734.00	2,428.00	2,749.00	3,242.00	6,786.00
Weight (Lbs)		9.1	10.1	11.9	14.3	21.0	27.0	36.0	52.0	68.0	183.0

30°

60°

90°

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4	6"
MEVF300-02*								VF300 with **metal Valbia electric** actuator.			
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	VB350M
12VDC	US$	1,446.00	1,487.00	1,555.00	1,656.00	1,800.00	2,024.00	3,137.00	3,489.00	4,042.00	N/A
24V AC/DC	US$	1,354.00	1,395.00	1,463.00	1,564.00	1,800.00	2,024.00	3,059.00	3,405.00	3,957.00	N/A
100-240 VAC	US$	1,446.00	1,487.00	1,555.00	1,656.00	1,896.00	2,120.00	3,137.00	3,489.00	4,042.00	N/A
MEVF600-02*								VF600 with **metal Valbia electric** actuator.			
12VDC	US$	1,446.00	N/A	N/A	1,656.00	1,800.00	N/A	3,137.00	3,489.00	4,042.00	7,627.00
24V AC/DC	US$	1,354.00	N/A	N/A	1,564.00	1,800.00	N/A	3,059.00	3,405.00	3,957.00	7,538.00
100-240 VAC	US$	1,446.00	N/A	N/A	1,656.00	1,896.00	N/A	3,137.00	3,489.00	4,042.00	7,627.00
MEVF900-02*								VF900 with **metal Valbia electric** actuator.			
12VDC	US$	1,446.00	1,487.00	1,555.00	1,656.00	1,800.00	2,024.00	3,137.00	3,489.00	4,042.00	7,627.00
24V AC/DC	US$	1,354.00	1,395.00	1,463.00	1,564.00	1,800.00	2,024.00	3,059.00	3,405.00	3,957.00	7,538.00
100-240 VAC	US$	1,446.00	1,487.00	1,555.00	1,656.00	1,896.00	2,120.00	3,137.00	3,489.00	4,042.00	7,627.00
Weight (Lbs)		13.3	14.3	16.1	18.5	31.0	37.0	43.0	60.0	77.0	192

VF300-VF600-VF900 direct mount, 2-way, stainless steel, ANSI 150 flanged, V-port ball valve.

30°

60°

90°

SIZE		1/2”	3/4”	1”	1 1/4”	1 1/2”	2”	2 1/2”	3”	4	6”
EVF300-04*						VF300 with battery backup and **plastic Valbia electric** actuator.					
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270	VB350
24V AC/DC	US$	1,223.00	1,264.00	1,332.00	1,433.00	1,621.00	1,845.00	2,621.00	2,919.00	3,439.00	7,021.00
100-240 VAC	US$	1,295.00	1,336.00	1,404.00	1,505.00	1,678.00	1,902.00	2,704.00	2,993.00	3,515.00	N/A
EVF600-04*						VF600 with battery backup and **plastic Valbia electric** actuator.					
24V AC/DC	US$	1,223.00	N/A	N/A	1,433.00	1,621.00	N/A	2,621.00	2,919.00	3,439.00	7,021.00
100-240 VAC	US$	1,295.00	N/A	N/A	1,505.00	1,678.00	N/A	2,704.00	2,993.00	3,515.00	7,083.00
EVF900-04*						VF3900 with battery backup and **plastic Valbia electric** actuator.					
24V AC/DC	US$	1,223.00	1,264.00	1,332.00	1,433.00	1,621.00	1,845.00	2,621.00	2,919.00	3,439.00	7,021.00
100-240 VAC	US$	1,295.00	1,336.00	1,404.00	1,505.00	1,678.00	1,902.00	2,704.00	2,993.00	3,515.00	7,083.00
Weight (Lbs)		9.1	10.1	11.9	14.3	21.0	27.0	36.0	52.0	68.0	183.0

30°

60°

90°

SIZE		1/2”	3/4”	1”	1 1/4”	1 1/2”	2”	2 1/2”	3”	4	6”
MEVF300-04*						VF300 with battery backup **metal Valbia electric** actuator.					
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US$	1,700.00	1,741.00	1,809.00	1,910.00	1,947.00	2,171.00	3,142.00	3,560.00	4,080.00	N/A
100-240 VAC	US$	1,764.00	1,805.00	1,873.00	1,974.00	2,092.00	2,316.00	3,340.00	3,807.00	4,271.00	N/A
MEVF600-04*						VF600 with battery backup **metal Valbia electric** actuator.					
24V AC/DC	US$	1,700.00	N/A	N/A	1,910.00	1,947.00	N/A	3,142.00	3,560.00	4,080.00	7,741.00
100-240 VAC	US$	1,764.00	N/A	N/A	1,974.00	2,092.00	N/A	3,340.00	3,807.00	4,271.00	8,009.00
MEVF900-04*						VF900 with battery backup **metal Valbia electric** actuator.					
24V AC/DC	US$	1,700.00	1,741.00	1,809.00	1,910.00	1,947.00	2,171.00	3,142.00	3,560.00	4,080.00	7,741.00
100-240 VAC	US$	1,764.00	1,805.00	1,873.00	1,974.00	2,092.00	2,316.00	3,340.00	3,807.00	4,271.00	8,009.00
Weight (Lbs)		13.3	14.3	16.1	18.5	31.0	37.0	43.0	60.0	77.0	192.0

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

NEW



600LL-*-LS2

600LL with mounted LS2-B Limit Switch.

SIZE	1/4”	3/8”	1/2”	3/4”	1”	1-1/4”	1-1/2”	2”
Est.Wgt. (Lbs.)	2.46	2.46	2.78	3.19	4.02	4.85	6.38	9.11
Bracket Kit	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-3/4"-LS2	MK700LL-1"-LS2	MK700LL-1 1/4"-LS2	MK700LL-11/2"-LS2	MK700LL-2"-LS2
US$	320.00	320.00	325.00	359.00	394.00	430.00	479.00	517.00

700LL-*-LS2

700LL with mounted LS2-B Limit Switch.

SIZE	1/4”	3/8”	1/2”	3/4”	1”	1-1/4”	1-1/2”	2”
Est.Wgt. (Lbs.)	2.46	2.46	2.78	3.19	4.02	4.85	6.38	9.11
Bracket Kit	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-3/4"-LS2	MK700LL-1"-LS2	MK700LL-1 1/4"-LS2	MK700LL-11/2"-LS2	MK700LL-2"-LS2
US$	322.00	322.00	327.00	362.00	398.00	435.00	490.00	534.00



630LL-*-LS2

630LL with mounted LS2-B Limit Switch.

SIZE	1/4”	3/8”	1/2”	3/4”	1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”
Est.Wgt. (Lbs.)	3.90	3.90	4.60	6.20	8.00	9.40	13.40	25.40	C/F	C/F	C/F
Bracket Kit	MK-LS2-F3/F4X9MM	MK-LS2-F3/F4X9MM	MK-LS2-F3/F4X9MM	MK-LS2-F5X11MM	MK-LS2-F5X11MM	MK-LS2-F5/F7X14MM	MK-LS2-F5/F7X14MM	MK-LS2-F7/F10X17MM	C/F	C/F	C/F
US$	344.00	344.00	351.00	411.00	443.00	537.00	596.00	956.00	C/F	C/F	C/F

730LL-*-LS2

730LL with mounted LS2-B Limit Switch.

SIZE	1/4”	3/8”	1/2”	3/4”	1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”
Est.Wgt. (Lbs.)	3.90	3.90	4.60	6.20	8.00	9.40	13.40	25.40	C/F	C/F	C/F
Bracket Kit	MK-LS2-F3/F4X9MM	MK-LS2-F3/F4X9MM	MK-LS2-F3/F4X9MM	MK-LS2-F5X11MM	MK-LS2-F5X11MM	MK-LS2-F5/F7X14MM	MK-LS2-F5/F7X14MM	MK-LS2-F7/F10X17MM	C/F	C/F	C/F
US$	354.00	354.00	363.00	434.00	476.00	585.00	655.00	1,077.00	C/F	C/F	C/F

600LL-*-LS2-EX*

600LL with mounted LS2-EXM or LS2-EXN explosion Proof Limit Switch.

SIZE	1/4”	3/8”	1/2”	3/4”	1”	1-1/4”	1-1/2”	2”
Est.Wgt. (Lbs.)	5.21	5.21	5.53	5.94	6.77	7.6	9.13	11.86
Bracket Kit	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-3/4"-LS2	MK700LL-1"-LS2	MK700LL-1 1/4"-LS2	MK700LL-11/2"-LS2	MK700LL-2"-LS2
LS2-B-EXM (US$)	476.00	476.00	481.00	515.00	550.00	586.00	635.00	673.00
LS2-B-EXN (US$)	659.00	659.00	664.00	698.00	733.00	769.00	818.00	856.00

700LL-*-LS2-EX*

700LL with mounted LS2-EXM or LS2-EXN explosion Proof Limit Switch.

SIZE	1/4”	3/8”	1/2”	3/4”	1”	1-1/4”	1-1/2”	2”
Est.Wgt. (Lbs.)	5.21	5.21	5.53	5.94	6.77	7.6	9.13	11.86
Bracket Kit	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-3/4"-LS2	MK700LL-1"-LS2	MK700LL-11/4"-LS2	MK700LL-11/2"-LS2	MK700LL-2"-LS2
LS2-B-EXM (US$)	478.00	478.00	483.00	518.00	554.00	591.00	646.00	690.00
LS2-B-EXN (US$)	661.00	661.00	666.00	701.00	737.00	774.00	829.00	873.00



630LL-*-LS2-EX*

630LL with mounted LS2-EXM or LS2-EXN explosion Proof Limit Switch.

SIZE	1/4”	3/8”	1/2”	3/4”	1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”
Est.Wgt. (Lbs.)	6.65	6.65	7.35	8.95	10.75	12.15	16.15	28.15	C/F	C/F	C/F
Bracket Kit	MK-LS2-F3/F4X9MM	MK-LS2-F3/F4X9MM	MK-LS2-F3/F4X9MM	MK-LS2-F5X11MM	MK-LS2-F5X11MM	MK-LS2-F5/F7X14MM	MK-LS2-F5/F7X14MM	MK-LS2-F7/F10X17MM	C/F	C/F	C/F
LS2-B-EXM (US$)	500.00	500.00	507.00	567.00	599.00	693.00	752.00	1,112.00	C/F	C/F	C/F
LS2-B-EXN (US$)	683.00	683.00	690.00	750.00	782.00	876.00	935.00	1,295.00	C/F	C/F	C/F

730LL-*-LS2-EX*

730LL with mounted LS2-EXM or LS2-EXN explosion Proof Limit Switch.

SIZE	1/4”	3/8”	1/2”	3/4”	1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”
Est.Wgt. (Lbs.)	6.65	6.65	7.35	8.95	10.75	12.15	16.15	28.15	C/F	C/F	C/F
Bracket Kit	MK-LS2-F3/F4X9MM	MK-LS2-F3/F4X9MM	MK-LS2-F3/F4X9MM	MK-LS2-F5X11MM	MK-LS2-F5X11MM	MK-LS2-F5/F7X14MM	MK-LS2-F5/F7X14MM	MK-LS2-F7/F10X17MM	C/F	C/F	C/F
LS2-B-EXM (US$)	510.00	510.00	519.00	590.00	632.00	741.00	811.00	1,233.00	C/F	C/F	C/F
LS2-B-EXN (US$)	693.00	693.00	702.00	773.00	815.00	924.00	994.00	1,416.00	C/F	C/F	C/F

Bonomi IP positioner models

MODEL	DESCRIPTION	US$
PNP-B	3-15 psi positioner	679.00
ENP-B	4-20 mA positioner	750.00
ENP-B-F	4-20 mA Positioner w/feedback	1,403.00
Bracket is included with these positioners		N/C

Bonomi CA20 pneumatic/pneumatic 3-15 psi positioner

MODEL	DESCRIPTION	US$
CA20	Pneumatic/pneumatic 3-15 psi positioner	760.00
BKT-ISO-1	Bracket (52-100)	110.00
BKT-ISO-2	Bracket (115-330)	110.00
Gauges (recommended but not required)		
SAD1501-30	1.5” x 1/8” NPT CBM 0-30 psi	12.00
SAD1501-160	1.5” x 1/2” NPT CBM 0-160 psi	12.00

Bonomi CA21 electro/pneumatic I/S positioner

MODEL	DESCRIPTION	US$
CA21	Electric/pneumatic I/S positioner	1,230.00
BKT-ISO-1	Bracket (52-100)	110.00
BKT-ISO-2	Bracket (115-330)	110.00
Gauges (recommended but not required)		
SAD1501-30	1.5” x 1/8” NPT CBM 0-30 psi	12.00
SAD1501-160	1.5” x 1/2” NPT CBM 0-160 psi	12.00



Bonomi CA22 electro/pneumatic explosion proof positioner

MODEL	DESCRIPTION	US$
CA22	Electro/pneumatic explosion proof positioner	1,562.00
BKT-ISO-1	Bracket (52-100)	110.00
BKT-ISO-2	Bracket (115-330)	110.00
Gauges (recommended but not required)		
SAD1501-30	1.5” x 1/8” NPT CBM 0-30 psi	12.00
SAD1501-160	1.5” x 1/2” NPT CBM 0-160 psi	12.00

Pneumatic/pneumatic 3-15 psi positioner

MODEL	DESCRIPTION	US$
MON-40N-S1N-SF	3-15 psi positioner	851.00
MON-BKT-FS-1206	SS bracket kit 52-100 M6	118.00
MON-BKT-FS-1306	SS bracket kit 115-330 M6	139.00

Electro/pneumatic 4-20mA positioner

MODEL	DESCRIPTION	US$
MON-41N-E1N-SF	4-20mA E/P positioner w/gauges	1,385.00
MON-41N-E1T-SF	4-20mA E/P positioner w/gauges & feedback	2,447.00
For mounting kits, use models from 3-15 psi positioner above		

4-20mA smart positioner hart controls - w/bracket and gauges

MODEL	DESCRIPTION	US$
SP	Smart positioner basic	1,665.00
SPH	Smart positioner 4-20mA w/hart	1,910.00
SPHF	Smart positioner 4-20mA w/hart - w/feedback	2,122.00



Regulator with filter

MODEL	DESCRIPTION	US$
BON-AW20-N02E-2Z	Mini filter regulator 1/4”	90.00
BON-AW30-N02E-2Z	FIter regulator 1/4”	118.00
BON-AW30-N03E-2Z	Filter regulator 1/8”	118.00
SS-FR-25-1/4	Stainless steel filter regulator 1/4” 0-160, 25 micron	760.00

Inductive 4-20m-A position transmitter

MODEL	DESCRIPTION	US$
PMI360DV-F130-IU-V15	Inductive 4-20mA position transmitter	617.00
BT-F130-A	Activator for above	60.00
V15-G-2M-PUR	M12 5-Pin cable for above 2M long	45.00

Limit switch UL & CSA approved IP67

MODEL	DESCRIPTION	US$
LS2-B	2 SPDT 16A UL, CSA	136.00
LS2-CLEAR COVER	Clear cover	8.00
LS2-3W-LP	L-port	9.00
LS2-3W-TP	T-port	9.00
Bracket is included with this limit switch package		

IP65 limit switch

MODEL	DESCRIPTION	US$
03900000149	IP65 2 mechanical SPDT limit switch for models 52 thru 270	118.00
03900280014	IP65 2 mechanical SPDT limit switch for models 32	171.00
Max. 5A 250 VAC/3A 24VDC		

Limit switch NEMA 4-4x and CSA approved

MODEL	DESCRIPTION	US$
MON-FMYB-5120	2 SPDT 15A mechanical	279.00
MON-FMYB-5220	2 SPDT 3A non-contact	533.00
MON-BKT-NP120	SS bracket kit 52-100	49.00
MON-BKT-NP130	SS bracket kit 115-300	49.00
Additional models available, consult factory		



Limit switch NEMA 4-4x-7-9, UL and CSA approved

MODEL	DESCRIPTION	US$
MON-AMYB-5120	2 SPDT 15A mechanical	362.00
MON-AMYB-5220	2 SPDT 3A non-contact	629.00
Use bracket kit from above		
Additional models available, consult factory		

Limit switch NEMA 4,4X,7,9 Explosion Proof UL Approved

MODEL	DESCRIPTION	US$
LS2-B-EXM	2 SPDT 5A 120VAC mechanical UL Explosion Proof	292.00
LS2-B-EXN	2 SPDT 3A non-contact UL Explosion Proof	475.00
LS2-EX-3W-LP	L-Port	33.00
LS2-EX-3W-TP	T-Port	33.00
Additional models available, consult factory		

Inductive sensors

MODEL	DESCRIPTION	US$
NBN3-F31-E8-V1	M12 PNP dual NO	394.00
NBN3-F31-Z8-V1	M12 dual NO	394.00
BT65A	Activator for above	56.00
NBN3-F25-E8-V1	M21 PNP dual NO	289.00
BT32	Activator for above	58.00
V1-G-2M-PVC	M12 4-Pin PVC cable for above 2M long	40.00
V1-G-10M-PVC	M12 4-Pin PVC cable for above 10M long	66.00

Inductive sensor

MODEL	DESCRIPTION	US$
NBN3-F31K2M-E8-B23-S	Inductive sensor	657.00
BT65-F31K2-RG-EN	Activator w/dome for above	168.00



Carbon steel square adapters

MODEL	In	mm	US$
11x9	0.43x0.35	11x9	4.00
14x11	0.55x0.43	14x11	6.00
17x11	0.67x0.43	17x11	7.00
17x14	0.67x0.55	17x14	6.00
22x17	0.87x0.67	22x17	9.00
27x17	1.06x0.67 *	27x17	20.00
27x22	1.06x0.87	27x22	14.00
36x27	1.42x1.06	36x27	20.00

* Adapter made by 1.06x0.87 + 0.87x0.67



Stainless steel square adapters

MODEL	In	mm	US$
11x9SS	0.43x0.35	11x9	5.00
14X9SS	0.55x0.43	14x9	8.00
14X11SS	0.67x0.43	14x11	7.00
17X14SS	0.67x0.55	17x14	9.00
22X17SS	0.87x0.67	22x17	18.00
27X22SS	1.06x0.87	27x22	23.00
36X27SS	1.42x1.06	36x27	52.00



Position Indicators

MODEL	DESCRIPTION	US$
R4550	Position indicator kit for actuator model 32	7.00
R4551	Position indicator kit for actuator model 52-100	8.00
R4552	Position indicator kit for actuator model 115-140	10.00
R4553	Position indicator kit for actuator model 160-270	11.00



De-clutchable manual overrides

MODEL	DESCRIPTION	US$
MOA30	Top pad: 14-F05/F07, bottom pad: 22-F05/F07,output torque: 2,655 in/lbs	253.00
MOA70	Top pad: 17-F07/F10, bottom pad: 27-F07/F10 output torque: 6,195 in/lbs	344.00
MOA120	Top pad: 22-F012/14, bottom pad: 36-F10/12/F14 output torque: 10,620 in/lbs	522.00



Pneumatic push fittings

MODEL	DESCRIPTION	US$
KQ2L07-34S	1/8” NPT X 1/4” tube OD elbow	5.00
KQ2L07-35S	1/4” NPT X 1/4” tube OD elbow	5.00
KQ2L12-U02A	1/4” uni-Fit x 12mm tube OD elbow	11.00

Speed control/muffler combination

MODEL	DESCRIPTION in/mm	US$
SCM-1	1/8” NPT speed control muffler	4.00
SCM-2	1/4” NPT speed control muffler	5.00
SCM-3	3/8” NPT speed control muffler	7.00
SCM-4	1/2” NPT speed control muffler	10.00



Mufflers

MODEL	DESCRIPTION	US$
SBM-M	10-32 UNF sintered bronze muffler	2.00
SBM-1	1/8” NPT sintered bronze muffler	2.00
SBM-2	1/4” NPT sintered bronze muffler	3.00
SBM-3	3/8” NPT sintered bronze muffler	4.00
SBM-4	1/2” NPT sintered bronze muffler	5.00

Regulator with filter

MODEL	DESCRIPTION	US$
BV-1	1/8” NPT breather vent	2.00
BV-2	1/4” NPT breather vent	3.00
BV-3	3/8” NPT breather vent	3.00
BV-4	1/2” NPT breather vent	4.00

Volume booster

MODEL	DESCRIPTION	US$
VB-2	1/4” volume booster	332.00



Precision speed control muffler

MODEL	DESCRIPTION	US$
ASN2-N02	1/4” metering valve w/silencer	15.00

Right angle meter-out flow control valves

MODEL	DESCRIPTION	US$
AS2201F-N01-07S	Right angle flow control 1/8” NPT x 1/4” tube OD	26.00
AS2201F-N02-07S	Right angle flow control 1/4” NPT x 1/4” tube OD	27.00

NAMUR solenoid 3-way, conduit connection

MODEL	DESCRIPTION	US$
NMR3-C1	120 VAC 3-way conduit connection	78.00
NMR3-C2	24 VDC 3-way conduit connection	78.00
NMR3-C12	12 VDC 3-way conduit connection	78.00
NMR3-C22	220V AC 3-way conduit connection	78.00

NAMUR solenoid 3-way, din connection

MODEL	DESCRIPTION	US$
NMR3-D1	120 VAC 3-way din connection	78.00
NMR3-D2	24 VDC 3-way din connection	78.00
NMR3-D12	12 VDC 3-way din connection	78.00
NMR3-D22	220V AC 3-way conduit connection	78.00

NAMUR solenoid 3-way, explosion proof

MODEL	DESCRIPTION	US$
NMR3-EX1	120 VAC 3-way explosion proof	188.00
NMR3-EX2	24 VDC 3-way explosion proof	188.00
NMR3-EX12	12 VDC 3-way explosion proof	188.00

NAMUR solenoid 4-way, conduit connection

MODEL	DESCRIPTION	US$
NMR1-C1	120 VAC 4-way conduit connection	78.00
NMR1-C2	24 VDC 4-way conduit connection	78.00
NMR-C12	12 VDC 4-way conduit connection	78.00
NMR4-C1*	120 VAC 4-way conduit connection	410.00
NMR-C2*	24 VDC 4-way conduit connection	410.00

* New Large namur pattern

NAMUR solenoid 4-way, din connection

MODEL	DESCRIPTION	US$
NMR1-D1	120 VAC 4-way din connection	78.00
NMR1-D2	24 VDC 4-way din connection	78.00
NMR-D12	12 VDC 4-way dinconnection	78.00
NMR1-D22	220 VAC 4-way DIN Connection	78.00
NMR1-D24	24 VAC 4-way DIN Connection	78.00
NMR4-D1*	120 VAC 4-way din connection	410.00
NMR-D2*	24 VDC 4-way din connection	410.00

* New Large namur pattern

NAMUR solenoid 4-way, explosion proof

MODEL	DESCRIPTION	US$
NMR1-EX1	120 VAC 4-way explosion proof	188.00
NMR1-EX2	24 VDC 4-way explosion proof	188.00
NMR-EX12	12 VDC 4-way explosion proof	188.00
NMR4-EX1*	120 VAC 4-way explosion proof	543.00
NMR-EX2*	24 VDC 4-way explosion proof	543.00

* New Large namur pattern

NAMUR solenoid 4-way, ATEX explosion proof

MODEL	DESCRIPTION	US$
NMR-ATEX2	24 VDC 4-way ATEX explosion proof	188.00



Stainless steel NAMUR solenoid 4-way

MODEL	DESCRIPTION	US$
SSNMR1-C1	110 VAC 4-way conduit connection	433.00
SSNMR1-C2	24 VDC 4-way conduit connection	433.00
SSNMR1-C12	12 VDC 4-way conduit connection	433.00
SSNMR1-D1	110 VAC 4-way din connection	433.00
SSNMR1-D2	24 VDC 4-way din connection	433.00
SSNMR1-D12	12 VDC 4-way din connection	433.00
SSNMR1-EX1	110 VAC 4-way explosion connection	544.00
SSNMR1-EX2	24 VDC 4-way explosion connection	544.00
SSNMR1-EX12	12 VDC 4-way explosion connection	544.00



NAMUR double solenoid 4-way, din connection

MODEL	DESCRIPTION	US$
DNMR-D1	110 VAC 4-way din connection	156.00
DNMR-D2	24 VDC 4-way din connection	156.00
DNMR-D12	12 VDC 4-way din connection	156.00



NAMUR double solenoid 4-way, conduit connection

MODEL	DESCRIPTION	US$
DNMR-C1	110 VAC 4-way conduit connection	156.00
DNMR-C2	24 VDC 4-way conduit connection	156.00
DNMR-C12	12 VDC 4-way conduit connection	156.00

NAMUR double solenoid 4-way, explosion proof

MODEL	DESCRIPTION	US$
DNMR-EX1	110 VAC 4-way explosion proof	375.00
DNMR-EX2	24 VDC 4-way explosion proof	375.00
DNMR-EX12	12 VDC 4-way explosion proof	375.00

NAMUR double solenoid 4-way, ATEX explosion proof

MODEL	DESCRIPTION	US$
NMR1-ATEX2	24 VDC 4-way ATEX explosion proof	375.00

Solenoid Valve Manifolds
(minimum 2 stations up to maximum 10 stations)

MODEL	DESCRIPTION	US$
S4M*-D1	Solenoid Valve Manifold 24V DC Din Connection	103.00
S4M*-D2	Solenoid Valve Manifold 120V AC Din Connection	103.00

* Number of stations



Stand-alone Non-NAMUR solenoid, 4-way, conduit connection

MODEL	DESCRIPTION	US$
S4S-C1	Stand-alone Non-NAMUR Solenoid Valve 120V AC Conduit Connection	78.00
S4S-C2	Stand-alone Non-NAMUR Solenoid Valve 24V DC Conduit Connection	78.00
S4S-C12	Stand-alone Non-NAMUR Solenoid Valve 12V DC Conduit Connection	78.00
S4S-C22	Stand-alone Non-NAMUR Solenoid Valve 220V AC Conduit Connection	78.00

Stand-alone Non-NAMUR solenoid, 4-way, din connection

MODEL	DESCRIPTION	US$
S4S-D1	Stand-alone Non-NAMUR Solenoid Valve 120V AC Din Connection	78.00
S4S-D2	Stand-alone Non-NAMUR Solenoid Valve 24V DC Din Connection	78.00
S4S-D12	Stand-alone Non-NAMUR Solenoid Valve 12V DC Din Connection	78.00
S4S-D22	Stand-alone Non-NAMUR Solenoid Valve 220V AC Din Connection	78.00

DN6	DN8	DN10	DN15	DN20	DN25	DN32	DN40	DN50	DN65	DN80	DN100	DN150	DN200	DN250	DN300
1/8”	1/4”	3/8”	1/2”	3/4”	1”	1 1/4”	1 1/2”	2”	2 1/2”	3”	4”	6”	8”	10”	12”

Stainless steel working pressures by class psig							
Class temp °F	**150**	**300**	**400**	**600**	**900**	**1500**	**2500**
-20 to 100	275	720	960	1440	2160	3600	6000
200	235	620	825	1240	1860	3095	5160
300	215	560	745	1120	1680	2795	4660
400	195	515	685	1025	1540	2570	4280
500	170	480	635	955	1435	2390	3980
600	140	450	600	900	1355	2255	3760
650	125	440	590	885	1325	2210	3680
700	110	435	580	870	1305	2170	3620
750	95	425	570	855	1280	2135	3560
800	80	420	565	845	1265	2110	3520
850	65	420	555	935	1255	2090	3480
900	50	415	555	830	1245	2075	3460
950	35	385	515	775	1160	1930	3220
1000	20	365	485	725	1090	1820	3030

Carbon steel working pressures by class psig							
Class temp °F	**150**	**300**	**400**	**600**	**900**	**1500**	**2500**
-20 to 100	285	740	990	1480	2220	3705	6170
200	260	675	900	1350	2025	3375	5625
300	230	655	875	1315	1970	3280	5470
400	200	635	845	1270	1900	3170	5280
500	170	600	800	1200	1795	2995	4990
600	140	550	730	1095	1640	2735	4560
650	125	535	715	1075	1610	2685	4475
700	110	535	710	1065	1600	2665	4440
750	95	505	670	1010	1510	2520	4200

STEAM TEMPERATURE/PRESSURE TABLE

saturated steam temperatures

Inches mercury vacuum	Absolute pressure (P.S.I.A.)	Temp. (°F)	Gauge pressure (P.S.I.G.)	Temp. (°F)	Gauge pressure (P.S.I.G.)	Temp. (°F)	Gauge pressure (P.S.I.G.)	Temp. (°F)	Gauge pressure (P.S.I.G.)	Temp. (°F)
29.74	0.089	32	0	212	135	358.3	285	417.2	570	483.4
29	0.451	76.5	2	218.5	140	360.8	290	418.7	580	485.2
28	0.942	99.7	4	224.4	145	363.4	295	420.2	590	487
27	1.43	114	6	229.8	-	-	-	-	-	-
26	1.92	124.6	8	234.6	150	365.9	300	421.7	600	488.8
-	-	-	-	-	155	368.3	310	424.6	650	497.4
25	2.42	133.3	10	239	160	370.6	320	427.4	700	505.4
24	2.91	140.3	15	249.7	165	372.9	330	430.3	-	-
23	3.4	146.3	20	258.8	170	375.2	340	433	750	513.1
22	3.89	151.7	-	-	-	-	-	-	800	520.3
21	4.38	156.5	25	266.8	175	377.4	350	435.6	850	527.3
-	-	-	30	274	180	379.5	360	438.2	900	533.9
20	4.87	161	35	280.6	185	381.7	370	440.8	950	540.3
19	5.36	165.2	40	286.7	190	383.7	380	443.3		
18	5.85	168.9	45	292.4	195	385.8	390	445.7	1000	546.4
17	6.35	172.5	-	-	-	-	-	-	-	-
16	6.84	175.8	50	297.7	200	387.8	400	448.1	-	-
-	-	-	55	302.6	205	389.7	410	450.5	-	-
15	7.33	178.9	60	307.3	210	391.7	420	452.8	-	-
14	7.82	181.8	65	311.8	215	393.6	430	455.1	-	-
13	8.31	184.6	70	316	220	395.4	440	457.3	-	-
12	8.8	187.2	-	-	-	-	-	-	-	-
11	9.29	189.7	75	320	225	397.3	450	459.5	-	-
-	-	-	80	323.9	230	399.1	460	461.7	-	-
10	9.78	192.1	85	327.6	235	400.8	470	463.8	-	-
9	10.27	194.4	90	331.1	240	402.6	480	465.9	-	-
8	10.77	196.7	95	334.6	245	404.3	490	468	-	-
7	11.26	198.8	-	-	-	-	-	-	-	-
6	11.75	200.9	100	337.9	250	406	500	470	-	-
-	-	-	105	341.1	255	407.7	510	472	-	-
5	12.24	202.9	110	344.1	260	409.3	520	474	-	-
4	12.73	204.8	115	347.1	265	410.9	530	475.9	-	-
3	13.22	206.7	120	350	270	412.5	540	477.8	-	-
2	13.71	208.5	-	-	-	-	-	-	-	-
1	14.2	210.3	125	352.8	275	414.1	550	479.7	-	-
0	14.696	212	130	355.6	280	415.7	560	481.6	-	-

WARRANTY, LIMITATIONS OF LIABILITY, RETURNS

Bonomi North America, Inc. warrants that its products shipped to its initial purchaser will be free of all defects in material and workmanship for a period of one year from the date of delivery.

Should any failure to conform to this warranty appear before the one year delivery period, and the product[s] are stored, installed, and maintained in accordance with the published Bonomi North America literature recommendations and standard industry practice, Bonomi North America, Inc. will repair or replace the product at its own expense.

The correction of non-conformities in the time period mentioned above shall constitute fulfillment of all Bonomi North America, Inc. liabilities to its initial purchaser.
Bonomi North America, Inc. shall not be liable for consequential damages to loss of other equipment or property, loss profits or revenue, except the price of the Bonomi North America goods to which this liability is referred.

The customer is expected to check the received goods upon arrival at its premises. Any evident damage to the product or severe damage to its packaging that could affect the functionality of the received item should be reported immediately and no later than 10 days after delivery, preferably with pictures, to sales@bonominorthamerica.com. This includes reporting any incorrect product and/or incorrect quantities.

The customer must obtain an RMA (return of materials authorization) from the Inside Sales Department prior to returning any items. The request for RMA should include part number, quantity, and customer's purchase order or invoice number with which the product was originally shipped.

The purchase of interim replacement item(s) does not relieve the customer of financial responsibility of the returned items. All returned items will be inspected, tested, and evaluated. The results of this process will always dictate the follow-up action. All returns must come from the initial purchaser and should not ship directly from the contractor or end-user to Bonomi North America.

If a returned product is confirmed defective, with the above mentioned warranty conditions, Bonomi North America, Inc. has a first duty of repairing the product, if possible. Should a repair not be possible then the next option should be a replacement or a credit.

No credit will be issued for returned products that have been clearly misused, installed incorrectly, manipulated, modified, damaged at the customer's premises or during the return shipment. However, if the product can be properly repaired at a reasonable cost, Bonomi North America, Inc. will offer the repair option to the customer.

If the purpose of the RMA is to return items ordered in error or items that were not able to be utilized, then these returns will be subject to a restock fee. The standard restock fee for manually operated valves is 20% while automated packages and items requiring partial/full disassembly and testing when returning will be subject to a 30% restocking fee.

These items must return in new/unused and in resellable condition in order to qualify for credit. Preventing damage to returning merchandise during the shipping process will be the sole responsibility of the customer. It is recommended that new packing materials be used when returning goods as the packing materials used to ship from our business is intended for single use only.

If the returning merchandise comprises all or the majority of the cost of the original PO under which it was ordered and where there was free freight granted, then Bonomi North America, Inc. may ask to recoup some or all of the original freight cost, deducting this amount from the final credit.

Likewise, if the returning merchandise comprises all of a PO that originally shipped via a prepay-and-add method then Bonomi North America, Inc. will deduct this freight amount from the final credit, should the invoice be open at the time of crediting.

Even in the above mentioned cases, the return of non-defective customized products such as assembled packages of valves and actuators and/or of orders supplied more than 2 months before and/or exceeding the value of $1,500, will be at the discretion of Bonomi North America and, if accepted, may result in significantly higher restocking fees, depending on the amount of labor involved in disassembling, refurbishing, testing, and restocking the individual components.

BONOMI NORTH AMERICA, Inc.
750 Imperial Court – Charlotte, NC 28273 – U.S.A.
Phone 704-412-9031 – Fax 704-412-9032
www.bonominorthamerica.com – sales@bonominorthamerica.com
CANADIAN WAREHOUSE
1290 Speers Road Unit 15 – Oakville, Ontario – Canada L6L 2X4
Phone 905-827-6117 – Fax 905-827-2715 – scartmell@bonominorthamerica.com

Download on iTunes

Google play

N.194

© BONOMI U.S.A. Inc - 2019 - All rights reserved BONOMI NORTH AMERICA RUBINETTERIE BRESCIANE VALPRES VALBIA are registered trademarks.

To ensure the quality and technical standards at the highest level, the manufacturer reserves the right to alter the specifications without notice.
This documentation supersedes and replaces all previous editions.